


LIVING now®



Quick
selection table

bticino

A Group brand | **legrand**

ASSEMBLY SEQUENCE



=



+



+



+



+



Living Now cover plates item

2 module	3 module	4 module	6 module
KA4802...	KA4803...	KA4804...	KA4806...

	Function item	Function description	Cover Modularity	Cover item		
				WHITE	BLACK	SAND
MAIN CONTROLS	K4001	Pushbutton 1P 10 AX, 250 Va.c., lightable		KW01	KG01	KM01
	K4003	Two-way switch 1P 10 AX, 250 Va.c., lightable				
	K4005	Pushbutton 1P (NO) 10 A, 250 Va.c., lightable				
	K4004	Intermediate switch 1P 10 AX, 250 Va.c.				
	K4004L	LIT intermediate switch, 1P 10 AX, 250 Va.c., with WHITE LED (the LED is not interchangeable)				
	K4004V127L	LIT intermediate switch, 1P 10 AX, 127 Va.c., with WHITE LED (the LED is not interchangeable)				
	K4004LB	LIT intermediate switch, 1P 10 AX, 250 Va.c., with BLUE LED (the LED is not interchangeable)				
	K4004V127LB	LIT intermediate switch, 1P 10 AX, 127 Va.c., with BLUE LED (the LED is not interchangeable)				
CONTROL FOR SHUTTERS	K4027	Changeover switch 1P 10 AX, 250 Va.c., double-key 1-0-2, not lightable		KW06	KG06	KM06
	K4036	Double pushbutton 10 A 250 Va.c. 1 P (NO) + 1 P (NO) not interlocked, not lightable		KW05L	KG05L	KM05L
	K4037	Double pushbutton 10 A 250 Va.c. 1 P (NO)+ 1 P (NO) interlocked for shutters, not lightable		KW05	KG05	KM05
TWO-POLE SWITCHES	KW4002	Lightable switch 2P 16 AX, 250 Va.c. - White		KW02	—	—
	KG4002	Lightable switch 2P 16 AX, 250 Va.c. - Black		—	KG02	—
	KM4002	Lightable switch 2P 16 AX, 250 Va.c. - Sand		—	—	KM02
OTHER PUSHBUTTONS	K4034	Opening pushbutton 10 A 250 Va.c. 1P (NC)		KW01	KG01	KM01
	KW4033	Pull-cord pushbutton 10 A 250 Va.c., 1P (NO) - White		KW02	—	—
	KG4033	Pull-cord pushbutton 10 A 250 Va.c., 1P (NO) - Black		—	KG02	—
	KM4033	Pull-cord pushbutton 10 A 250 Va.c., 1P (NO) - Sand		—	—	KM02
	K4040 K4040V12	Plate pushbutton 3 A 250 Va.c. backlit with LED technology - 2 modules		DO NOT NEED COVER		
DIMMER	K4410	Pushbutton dimmer for ballast lamp with 0-10V output - 2 modules		KW19	KG19	KM19
	K4411	Universal pushbutton dimmer - 2 modules				
IR SWITCHES	K4431	Switch with passive infrared ray movement sensor		KW16	KG16	KM16
	K4432	Switch with passive infrared ray movement sensor - 2 modules		KW17	KG17	KM17
	K4430	Switch with passive infrared ray movement sensor - 2 modules				
				KW17SL sliding function selector	KG17SL sliding function selector	KM17SL sliding function selector




	Function item	Function description	Cover Modularity	Cover item				
				WHITE	BLACK	SAND	RED	GREEN
ITALIAN STD SOCKETS 10 A	KW4113	Socket 2P+T 10 A, 250 Va.c. - White		KW02	—	—	—	—
	KG4113	Socket 2P+T 10 A, 250 Va.c. - Black		—	KG02	—	—	—
	KM4113	Socket 2P+T 10 A, 250 Va.c. - Sand		—	—	KM02	—	—
	KR4113	Socket 2P+T 10 A, 250 Va.c. - Red (special users)		—	—	—	KR02	—
ITALIAN STD SOCKETS 10/16 A	KW4180	Socket 2P+T 10/16 A 250 Va.c. - White		KW02	—	—	—	—
	KG4180	Socket 2P+T 10/16 A 250 Va.c. - Black		—	KG02	—	—	—
	KM4180	Socket 2P+T 10/16 A 250 Va.c. - Sand		—	—	KM02	—	—
	KR4180	Socket 2P+T 10/16 A 250 Va.c. - Red (special users)		—	—	—	KR02	—
ITALIAN GERMAN STANDARD SOCKETS	KW4140A16	Socket 2P+T 16 A 250 Va.c. - White		KW03	—	—	—	—
	KG4140A16	Socket 2P+T 16 A 250 Va.c. - Black		—	KG03	—	—	—
	KM4140A16	Socket 2P+T 16 A 250 Va.c. - Sand		—	—	KM03	—	—
	KR4140A16	Socket 2P+T 16 A 250 Va.c. - Red (special users)		—	—	—	KR03	—
ITALIAN GERMAN FLAT SOCKETS	KW4140A16F	FLAT socket 2P+T 16 A 250 Va.c. - White		KW03	—	—	—	—
	KG4140A16F	FLAT socket 2P+T 16 A 250 Va.c. - Black		—	KG03	—	—	—
	KM4140A16F	FLAT socket 2P+T 16 A 250 Va.c. - Sand		—	—	KM03	—	—
	KR4140A16F	FLAT socket 2P+T 16 A 250 Va.c. - Red (special users)		—	—	—	KR03	—
GERMAN STANDARD SOCKETS	KW4141	Socket 2 P+E 16 A 250 V - White		KW04	—	—	—	—
	KG4141	Socket 2 P+E 16 A 250 V - Black		—	KG04	—	—	—
	KM4141	Socket 2 P+E 16 A 250 V - Sand		—	—	KM04	—	—
	KR4141	Socket 2 P+E 16 A 250 V - Red		—	—	—	KR04	—
	KV4141	Socket 2 P+E 16 A 250 V - Green		—	—	—	—	KV04
EUROPEAN AMERICAN SOCKETS	KW4125	Socket 2 P 16 A 127/250 Va.c., 2 modules- White		KW51	—	—	—	—
	KG4125	Socket 2 P 16 A 127/250 Va.c., 2 modules - Black		—	KG51	—	—	—
	KM4125	Socket 2 P 16 A 127/250 Va.c., 2 modules - Sand		—	—	KM51	—	—
	KW4126	Socket 2 P+E 16 A 127/250 Va.c., 2 modules - White		KW51	—	—	—	—
	KG4126	Socket 2 P+E 16 A 127/250 Va.c., 2 modules - Black		—	KG51	—	—	—
	KM4126	Socket 2 P+E 16 A 127/250 Va.c., 2 modules - Sand		—	—	KM51	—	—
	KW4185	Socket 2 P+E 16 A 127/250 Va.c., 3 modules - White		KW52	—	—	—	—
	KG4185	Socket 2 P+E 16 A 127/250 Va.c., 3 modules - Black		—	KG52	—	—	—
	KM4185	Socket 2 P+E 16 A 127/250 Va.c., 3 modules - Sand		—	—	KM52	—	—

	Function item	Function description	Cover Modularity	Cover item				
				WHITE	BLACK	SAND	RED	GREEN
AMERICAN SOCKETS	KW4129	Socket 2 P+E 15 A 127/250 Va.c., 2 modules - White		KW51	—	—	—	—
	KG4129	Socket 2 P+E 15 A 127/250 Va.c., 2 modules - Black		—	KG51	—	—	—
	KM4129	Socket 2 P+E 15 A 127/250 Va.c., 2 modules - Sand		—	—	KM51	—	—
	KW4188	Socket 2 P+E 15 A 127/250 Va.c., 3 modules - White		KW52	—	—	—	—
	KG4188	Socket 2 P+E 15 A 127/250 Va.c., 3 modules - Black		—	KG52	—	—	—
	KM4188	Socket 2 P+E 15 A 127/250 Va.c., 3 modules - Sand		—	—	KM52	—	—
	KW4188GFG6	GFCI socket 2 P+E 15 A 127/250 Va.c., support frame included, 3 modules - White		KW52	—	—	—	—
	KG4188GFG6	GFCI socket 2 P+E 15 A 127/250 Va.c., support frame included, 3 modules - Black		—	KG52	—	—	—
	KM4188GFG6	GFCI socket 2 P+E 15 A 127/250 Va.c., support frame included, 3 modules - Sand		—	—	KM52	—	—
FRENCH/BELGIAN STANDARD SOCKETS	K4142A	Socket 2 P+E 16 A 250 Va.c., automatic clamps - 2 modules EXAMPLE: FUNCTION & COVER COLOUR CHOICE 		KW55F	—	—	—	—
				—	KG55F	—	—	—
				—	—	KM55F	—	—
				—	—	—	KR55F	—
				—	—	—	—	KV55F
USB CHARGERS	K4285C1	5 Vdc type A USB charger - 1,100 mA		KW10C	KG10C	KM10C	—	—
	K4286C1	5 Vdc type C USB charger - 1,500 mA						
	K4285C2	5 Vdc type A USB charger - 2,400/1,200 mA		KW12C	KG12C	KM12C	—	—
	K4286C2	5 Vdc type C USB charger - 3,000/1,500 mA						
	K4287C2	5 Vdc type A & C USB charger - 3,000/1,500 mA						
TV SOCKETS	K4202D	Direct coaxial socket						
	K4202P14	Passthrough coaxial socket, -14 dB attenuation		KW08	KG08	KM08	—	—
	K4202P10	Terminal passthrough coaxial socket, 10dB attenuation						
	K4202F	Type F TV coaxial connector						
	K4214D	Direct demixed coaxial socket TV-SAT		KW09	KG09	KM09	—	—
	K4211M2C	TV-RD socket for cable operator						
	K4217M2D	Star demixed TV-SAT sockets for DVB-T		KW25M2	KG25M2	KM25M2	—	—
	K4217M2P14	Passthrough demixed TV-SAT sockets for DVB-T						
	K4217M2P10	Terminal demixed TV-SAT sockets for DVB-T						
	K4210M2D	Star demixed TV-R-SAT sockets for DVB-T		KW26M2	KW26M2	KW26M2	—	—

	Function item	Function description	Cover Modularity	Cover item		
				WHITE	BLACK	SAND
RJ CONNECTORS FOR DATA AND TELEPHONY	KW4279C5E	RJ 45 connector - 5E UTP - White		KW07	—	—
	KG4279C5E	RJ 45 connector - 5E UTP - Black		—	KG07	—
	KM4279C5E	RJ 45 connector - 5E UTP - Sand		—	—	KM07
	KW4279C6	RJ 45 connector - 6 UTP - White		KW07	—	—
	KG4279C6	RJ 45 connector - 6 UTP - Black		—	KG07	—
	KM4279C6	RJ 45 connector - 6 UTP - Sand		—	—	KM07
	KW4279C6S	RJ 45 connector - 6 STP - White		KW07	—	—
	KG4279C6S	RJ 45 connector - 6 STP - Black		—	KG07	—
	KM4279C6S	RJ 45 connector - 6 STP - Sand		—	—	KM07
	KW4279C6A	RJ 45 connector - 6A UTP - White		KW07	—	—
	KG4279C6A	RJ 45 connector - 6A UTP - Black		—	KG07	—
	KM4279C6A	RJ 45 connector - 6A UTP - Sand		—	—	KM07
	KW4279C6AS	RJ 45 connector - 6A STP - White		KW07	—	—
	KG4279C6AS	RJ 45 connector - 6A STP - Black		—	KG07	—
	KM4279C6AS	RJ 45 connector - 6A STP - Sand		—	—	KM07
	KW4258RJ11	RJ 11 connector - White		KW07	—	—
	KG4258RJ11	RJ 11 connector - Black		—	KG07	—
	KM4258RJ11	RJ 11 connector - Sand		—	—	KM07
AUDIO VIDEO CONNECTORS	KW4269R	Double RCA module - White		KW07	—	—
	KG4269R	Double RCA module - Black		—	KG07	—
	KM4269R	Double RCA module - Sand		—	—	KM07
	KW4294	Home cinema speaker connector - White		KW07	—	—
	KG4294	Home cinema speaker connector - Black		—	KG07	—
	KM4294	Home cinema speaker connector - Sand		—	—	KM07
	K4284P	Double RCA module - White		KW14	KG14	KM14
	K4285P	Double RCA module - Black		KW10P	KG10P	KM10P
AUDIBLE NOTIFICATION	K4351V230	230 Va.c. bronze bell - 12 VA - 80 dB		KW15	KG15	KM15
	K4351V127	127 Va.c. bronze bell - 8 VA - 80 dB				
	K4351V12	12 Va.c. bronze bell - 8 VA - 80 dB				
	K4355V12	Electronic bell - 3 different sounds - 12 Va.c.-d.c. power supply - 2 modules		KW15M2	KG15M2	KM15M2
	K4356V230	230 Va.c. buzzer - 12 VA - 80 dB		KW15	KG15	KM15
	K4356V127	127 Va.c. buzzer - 12 VA - 80 dB				
	K4356V12	12 Va.c. buzzer - 12 VA - 80 dB				

	Function item	Function description	Cover Modularity	Cover item		
				WHITE	BLACK	SAND
LUMINOUS NOTIFICATION	K4380	Removable and rechargeable torch - 2 modules		KW04	KG04	KM04
	K4381	LED safety lamp with		KW07	KG07	KM07
TEMPERATURE CONTROL	KW4441	Electronic room thermostat. White - 2 modules		COVER ALREADY INCLUDED		
	KG4441	Electronic room thermostat. Black - 2 modules				
	KM4441	Electronic room thermostat. Sand - 2 modules				
	X8000	Smarter - connected thermostat with built-in wi-fi. Flush mounted		DO NOT NEED COVER		
	X8000W	Smarter - connected thermostat with built-in wi-fi. Wall mounted				
HOTEL ROOM	K4549	Key card switch for the power supply inside the hotel room		KW22	KG22	KM22
	K4548	Key card switch for the power supply inside the hotel room. RFID technology recognition				
	K4027H	1P 10 AX, 250 Va.c. changeover switch, double-key 1-0-2 for Hotel, LIT - 1 module LED replaceable with Item K4373V230RG		KW06H	KG06H	KM06H
	K4027V127H	As above 127 Va.c. LED replaceable with Item K4373V127RG				
	K4373	Lampholder with two built-in LEDS, green and red.		KW11H	KG11H	KM11H
	KW4177	Shaver socket with insulation transformer - White		DO NOT NEED COVER		
	KG4177	Shaver socket with insulation transformer - Black				
	KM4177	Shaver socket with insulation transformer - Sand				
BLANKING MODULES	K4949	1/2 module blanking module	—	DO NOT NEED COVER		
	K4950	1 module blanking module		KW00	KG00	KM00
	K4950	1 module blanking module with output Ø 9 mm		KW08	KG08	KM08
SUPPORT FRAMES	K4702	2-module support frame		{All the supports are supplied with protective shell}		
	K4703	3-module support frame				
	K4704	4-module support frame				
	K4706	6-module support frame				
IP44 HOUSING	26603	IP44 protection cover. It can be installed on Italian standard 3-module flush mounted box				

		Function item	Function description	Cover Modularity	Cover item		
					WHITE	BLACK	SAND
CONNECTED HOME	GATEWAY	K4500C	Gateway, supplied with wireless master IN&OUT scenario control - 2 modules		KW30M2 KW40M2	KG30M2 KG40M2	KM30M2 KM40M2
	LIGHT	K4003C	Connected two-way switch		KW01 KW01M2	KG01 KG01M2	KM01 KM01M2
		3584C	Connected light relay	—	DO NOT NEED COVER		
	SHUTTER	K4027C	Connected shutter control - 1 module		KW32 KW32M2	KG32 KG32M2	KM32 KM32M2
		K4027CM2	Connected shutter control - 2 modules		KW32M2	KG32M2	KM32M2
	ENERGY MGMT	K4531C	Connected module for socket.		KW31	KG31	KM31
		F20T60A	Connected DIN meter	DIN	DO NOT NEED COVER		
	COMANDI RADIO	K4003CW	Wireless light control, surface installation with repositionable adhesives - 2 modules		KW42M2	KG42M2	KM42M2
		K4027CW	Wireless shutter control, surface installation with repositionable adhesives - 2 modules		KW43M2	KG43M2	KM43M2
	SCENARI	K4570CW	Wireless In&Out scenario control, surface installation with repositionable adhesives - 2 modules		KW40M2	KG40M2	KM40M2
		K4574CW	Wireless Night&Day scenario control, surface installation with repositionable adhesives - 2 modules		KW41M2	KG41M2	KM41M2

	Function	Item	LED for control and socket lighting
LED			LED for backlighting of the following "basic control devices": K4001, K4003, K4005, KG-KW-KM4002, K4034
	 K4743V230T	K4743V230T	white LED - 230 V a.c. - high luminosity for daytime load notification
	 K4743V127T	K4743V127T	white LED - 127 V a.c. - high luminosity for daytime load notification
	 LN4743/230T	LN4743/230T	white LED - 230 Va.c. - night signal
	 LN4743/12T	LN4743/12T	white LED - 12/24 Va.c. - night signal
	 H4743/230B	H4743/230B	blue LED - 230 Va.c. - night signal
	 H4743/12B	H4743/12B	blue LED - 12/24 Va.c. - night signal
	 K4743V230RG	K4743V230RG	Red/green LED, replacement LED compatible with item K4027H (hotel control) - 230 V a.c.
	 K4743V127RG	K4743V127RG	Red/green LED, replacement LED compatible with item K4027V127H (hotel control) - 127 Va.c.

BTicino SpA
Viale Borri, 231
21100 Varese - Italy
www.bticino.com

BTicino SpA reserves at any time the right to modify the contents of this booklet and to communicate, in any form and modality, the changes brought to the same.

AD-EXLNW/TAB19GB - Version 03/2019