



Example of Axolute Air MATT WHITE -AW- cover plate, painted.

Customize your cover plate

SUGGESTIONS FOR USE.

THE Axolute Air MATT WHITE -AW- and Livinglight Air PURE WHITE -BN- cover plates can also be painted.

PAINTING

Before painting with house paint, the surface should be sanded/matted for better adhesion.


Resin-rich products (e.g. water-based varnishes) should be used.

Notes

- Do not paint the devices (keys, sockets, etc.)
- Paint the cover plate separately and mount it when it is dry

CLEANING THE COVER PLATE

Water-based detergents should be used. Using ethyl alcohol or other solvents which could damage or soften the paint is not recommended.



Example of Livinglight Air PURE WHITE -BN- cover plate, painted.

Livinglight ^{Air}

Range of cover plates



STEEL PLATES

MONOCHROME



PURE WHITE - BN



TECH - TE



ANTHRACITE - AR

NEW



BRUSHED NICKEL - NIS

NEW



BRUSHED TITANIUM - TIS

NEW



BRUSHED CHROME - CRS

BTICINO APP RANGE OF COVER PLATES



Download the Bticino APP and combine the cover plate shapes and colours with the control colours.

Livinglight ^{Air}

SOFT

NEW



STREET - ST

NEW



CLAY - CY

NEW



SAND - SB

NEW



BLUE MOON - BM

SHINY



PEWTER - PT



PALLADIUM - PL



SATIN GOLD - OF



SATIN NICKEL - NK



PEARL WHITE - PR