




We put your wiring needs at ease



OFFICE

Dado trunking and power pole systems
appealing power supply solutions

DOMUS

Practical installation trunking systems

AMBIENCE

Skirting trunking systems for aesthetic and functional
electrical installations - true allround talents!

RANGER

Sorting cover and vertical installation trunking for the optimized
integration of distribution cabinets

Dado trunking, power poles and posts for aesthetic supply solutions

For a functional office design that actively looks to the future, various aspects of utility supplies need to be taken into consideration. Not only must the connections for power, communications and data supplies be properly installed and available at each workstation, but they must also be adaptable to new and advanced technologies at increasingly shorter time intervals.

The modules of the GGK OFFICE systems have been specifically designed with regard to these considerations and are characterized by their high system flexibility and variability. The novel concepts allow the economical and comfortable use of electrical power and offer a vast range of practical benefits due to their special adjustment to the requirements of discerning end users.

Whether the products are manufactured from impact-resistant hard-PVC (OFFICE/BRI), high-quality aluminium (OFFICE/BRA) or robust sheet metal (OFFICE/BRS) or whether they are manufactured in attractive standard colours or in custom paint – the client, planner, designer or architect can choose from a huge variety of options to create their individual and aesthetic spatial landscapes.

GGK OFFICE systems are ideally suited for a wide range of uses – from underlining corporate identity by the use of coloured designs for the top management's floor or the

conference room to ensuring the unassuming safety of supplies within computing centres or hospitals.

This range of products is supplemented and extended by our advanced power poles and posts OFFICE/RS karat, OFFICE/RS solitaire and OFFICE/RS facette.

The particularly flexible and functional technology for power pole installation allows planners, architects and engineers/builders total freedom with regard to their installation.

Because of their generally open system concept, all GGK OFFICE systems allow the use of almost all commonly available surface switch ranges without additional device panels that might spoil the visual design. If application-optimized "click & fit" technology with innovative plug-in devices is used, several "click & fit" devices can be connected seamlessly and with minimum time.

Our products allow planners, architects, interior designers, exhibition planners and users total creativity with regard to the design and flexibility of advanced supply concepts. This way, a harmonic supply environment can be realized.

OFFICE areas of application:

- Office, administration, legal premises
- Hotels, restaurants
- Wellness, fitness
- Workshops, manufacturing
- Doctors' surgeries, laboratories
- Shops, business premises
- Reception, foyer
- Exhibition stands



OFFICE³

OFFICE³ – The new dado trunking system made of plastic, sheet metal and aluminium exceeds even the highest requirements!



- Precision-fitting installations under windowsills or in wall recesses due to front panels that are exclusively designed for internal clamping (no dado trunking bases with pre-tensioning).
- Reduced inventories and system complexity with up to 80% less individual items and without any functional impairment due to the system-wide accessories compatibility of the modular system and the comprehensive adjustment of all trunking dimensions (including the most common DOMUS/FB trunkings).
- Maximum adaptability for non-optimized construction conditions due to interior and exterior corners in a new hood preform design with an adjustable range of +/-10°.
- Space-saving design and maximum usage volume due to six dado trunking types: 60x110/80, 60x110/45, 60x130/80, 60x130/2x45, 60x170/80 and 60x200/2x80
- Timeless shape, robust design, easy to process, corrosion-proof and individually designable – parapet trunkings made from proven materials: plastic (BR³), sheet metal (BRS³) and aluminium (BRA³)
- Device ranges are installed to the client's specifications and in minimum time: Two proven front dimensions of 80mm and 45mm allow the panel-free installation of all common surface switch ranges as well as the innovative MODUL 45 and "click & fit" device technologies.



1 2 3

Dado trunking made from rigid-PVC with 80mm and 45mm covers

Flame-retardant rigid-PVC is used as the proven material for our OFFICE/BR dado trunking.

The OFFICE/BR dado trunking and power pole system are easy to process and particularly easy to handle. The material is coloured throughout as well as being insulating and impact-resistant.


The rigid-PVC OFFICE/BR dado trunkings and wall columns with their easy-to-assemble 80mm or 45mm covers and their standard base perforation fulfil all practical requirements.

Easily inserted separating webs and various insulation trunkings (according to the "trunking within the trunking" principle) allow the quick and regulation-compliant separation of high voltage, communications, control and EDP cables. The OFFICE/BR range is supplemented by preforms such as interior and exterior corners, flat angles and T and X-parts.

The GED/GDS accessory sockets, which take all future practical requirements into consideration, allow the fitting of all commonly available 80mm surface switches and thereby the creation of an individual design that can also be adapted to any other switch or socket systems already installed in the room.

For supply concepts with a strong emphasis on functionality, the advanced electrical installation is perfected by either "click & fit" device technology or Modul 45 inserts.

System-wide hood preforms (BR, BRA and BRS) for the aesthetic routing around corners with adjustment ranges from 7° to 102° (interior corners) and 80° to 120° (exterior corners) can be used for the known 80mm covers as well as the 45mm covers, which makes them multi-functional.



OFFICE

Dado trunking and power pole system made from aluminium



The dado trunking and power pole systems from our OFFICE/BRA range give all spaces that require a representative appearance the proper ambience.

These products are exquisite, made from high-quality extruded aluminium and can be used for creating marvellous impressions – that is a technological showcase!

Whether naturally anodized, supplied in an eloxal colour on request or with a powder-coated finish in any RAL colour – a range including two different design heights and dimensions, which was developed in cooperation with various users, allows discerning planners the creation of high-quality, individual room scenarios.

System-supplementing components, such as 80mm or 45mm covers, as well as the continuous grounding groove on all trunking bases and covers and the easy-to-open trunking covers with hinge groove and a large variety of other useful details allow the user the safe and economical implementation of demanding installations.

The new OFFICE/BRA³ system continues this tradition as well as extending it by some very clever details:

This new system is compatible with OFFICE/BR³ and OFFICE/BRS³, which means that all system components, such as interior corners, exterior corners, end caps, etc., can be combined with each other in any requested manner.

The variable preforms are manufactured from high-quality plastic and coated with an aluminium-coloured material so that they can easily be adapted to any striking visual design. Naturally, our range also includes aluminium preforms in a hood design.

OFFICE/BRA³ parapet trunkings with their end caps that overlap on four sides can be transformed into stand-alone columns in no time at all.

OFFICE/"click & fit"

Dream-like dimensions – and without an accessory box!

The innovative plug-in and catch technologies of the OFFICE/"click & fit" device modules allow the installation of advanced electrical systems, such as power, communications and computer networks, in minimum time!

Touch-protected screw-less modules can be joined by simple docking and catch directly in the front panels of dado trunking, power poles and interior column systems – a space-saving design!

Special supply units for office, laboratory, EDP and industrial use can be individually pre-assembled and still remain flexibly adaptable.

Advanced connection technology, aesthetic functional design and time-saving assembly render countless benefits for daily use.

Flexibility and exchangeability while ensuring minimum spatial requirements

- A modular system that can be given any configuration
- Flexible reconfiguration at any time without impairment of the supply structure
- Option for an international device configuration with the respective plug-in connector systems of the destination countries
- Space-saving and compact – from the device module to the installation trunking and from the interior column to the underfloor trunking socket
- Supply wires are prevented from lying closely on top of each other because of the 45° orientation of the sockets
- Standard 45 x 45mm
- Minimum cross section reduction due to an installation without accessory sockets

High-tech features – this is what the new "click & fit" device technology can achieve:

Maximum user-friendliness and the most simple assembly!

- Direct connection of the touch-protected device modules via clamping contacts
- Screw-less catching of the device module in the front facing of the installation trunking and interior column systems or the device frame of the underfloor trunking sockets
- Tool-free assembly due to 2-position clips

Extremely reduced assembly times while ensuring maximum assembly safety!

- Instantaneous electrical connection of the device modules due to the use of catch connectors
- Tool-free assembly
- Prevention of wiring errors due to the intelligent connection system
- Design of specific configurations on site
- Instantaneous availability of modules



OFFICE/BRS + BRS³

Dado trunking and power pole system made from galvanized sheet metal

Galvanized sheet metal has proved an ideal material in many areas of electrical installations. For public buildings, e.g. hospitals, nursing homes, schools and sports grounds, installation dado systems made of galvanized sheet metal are used because of their high flame-retardant qualities and high stability.

The colours of the products, which are achieved by using high-quality powder-coating, will satisfy all your requirements.

The OFFICE/BRS³ dado trunking and power pole system from galvanized sheet metal are the result of our practice-focused product development on the basis of our intense dialogue with engineers, planners and architects.

The OFFICE/BRS³ dado trunking and power pole system from galvanized sheet metal take many of the commonly required assembly steps that are required by the end user into consideration and therefore guarantee their problem-free handling as well as low assembly costs.

- Device ranges are installed to the client's specifications and in minimum time: Two proven front dimensions of 80mm and 45mm allow the panel-free installation of all common surface switch ranges as well as the innovative MODUL 45 and "click & fit" device technologies.
- Precision-fitting installation of the dado trunking bases under windowsills and in wall recesses due to front panels that are exclusively designed for internal gripping (dado trunking bases are without pre-tensioning).
- Front panels, preforms and mounting devices can generally be exchanged system-wide, which means that for example cost-saving PVC front panels can be used (modular system with system-wide accessories compatibility).



OFFICE RS facette, OFFICE RS karat and OFFICE RS solitaire

Power pole and post systems made from aluminium

The power pole and post systems OFFICE/RS karat, OFFICE/RS solitaire and OFFICE/RS facette underline the market leadership of GGK experts regarding the development and manufacturing of highly functional installation systems with extraordinary visual appeal.


Connections for power, communications, EDP lines and other supply lines for offices, workshops, manufacturing plants, cashier areas, reception areas, seating areas or helpdesks can be installed at any given position in a room with minimum assembly effort.

Whether time-saving and cost-saving "click & fit" device technology is used or three separate installation tracks are employed: There is a huge variety of system options available for an aesthetic device installation and cable routing.

The open system design of the new RS karat and RS solitaire power pole and post systems by GGK with their pre-planned options for the use of almost all commonly available surface switch ranges and the proven 80mm front panels allow planners, architects and clients the creation of a totally harmonic supply environment.

The aesthetic perfection of the RS power pole and post system is complemented by other details, such as the beautifully grooved surfaces, the elegant and robust self-clamping coverings of the mounting units as well as the novel front mounting with integrated separating web.

OFFICE



OFFICE/ML MULTIMEDIA PANEL

OFFICE/ML 65x185/45 – haute couture and high-tech for electrical installations

The two-track multimedia panel, which is made from anodized aluminium, can be used for the flexible and adaptable updating of valuable conference facilities or the creation of aesthetically pleasing multimedia installations in the office or at home.

- Maximum user-friendliness and the most simple assembly!
- Extremely reduced assembly times! Standard assembly perforation and connection openings in the panel partition wall.
- Minimum space required for flexibility and adaptability of the electrical installation!

- Excellent pre-assembly due to MODUL 45 as well as "click & fit" device technology! Simply catching – no screws required!

3 pre-assembled standard lengths: 650mm, 1000mm and 2000mm, overlapping end pieces and rubber feet for the prevention of damage to sensitive surfaces.

Whether installed as desktop unit, dado trunking or power poles – the OFFICE/ML multimedia panel guarantees that each supply installation will feature maximum functionality and great visual appearance.



RANGER/RK AND SK

Sorting cover and rising trunking for optimum integration of distribution cabinets

The unassuming RANGER/RK sorting covers by GGK are easy to assemble and protect and cover the cables to and from the distribution cabinets.

RANGER/RK sorting covers are available in complete sets that are designed for common counter cabinets and distribution cabinets. They contain one cover profile, two profile holders incl. magnetic clips for screw-less assembly as well as one end cap each for the left and right-hand side.

The RANGER/SK rising trunkings allow the optimization of a beautiful and sustainable installation solution.

The use of these systems can prevent any damage as well as the ingress of dust and contamination to a large degree.



Installation trunking systems made from rigid-PVC, halogen-free plastic and sheet metal

The DOMUS installation trunking systems, which are made from rigid-PVC, halogen-free plastic and galvanized sheet metal, have proved to be problem-solvers of maximum functionality for universal use.

The huge variety of trunking cross-sections, supplemented by catching separating walls and ISO trunkings, preforms and end plates in easy-to-assemble hood designs as well as the standard base perforation ensure that this system is a holistic and particularly user-friendly installation system.

The DOMUS accessories range with its high-quality accessory sockets, power sockets and surface switches for the known standard installation has been supplemented by the MR domino modular frames. These frames, due to the flat devices from the Modul 45 modular device system, allow the installation of devices from a trunking height of 40mm. The cover of the trunking is inserted under the modular frame so that ugly cutting edges are covered in an elegant and appealing manner. Disruptions of the cover of the trunking, which are known from previous installations with device facings, are now a thing of the past. The DOMUS/LFG-FB installation trunking systems offer the same installation options as the OFFICE/BR dado systems.

Furthermore, LFG/FB and LFH/FBH installation trunkings from the DOMUS system offer all the benefits of the highly esteemed special KHK technology by GGK:



For both wall mounting and overhead (ceiling) mounting, the KHK holding clamps are simply inserted into the base (catch connection). During the fitting of the cables, the KHK holding clamps can easily be moved: Wherever space for the installation is needed, KHK holding can be positioned in order to create this space – without awkward grid perforation in the base.

For the electrical installation under increased mechanical stress we recommend the use of the DOMUS installation trunkings as an economical solution. These trunkings are made from galvanized sheet metal (MINI/S and LFS/FBS) or special steel and are available on request with a robust powder-coated surface in appealing standard or special colours according to RAL.

All of the DOMUS installation trunkings by GGK from size 60x110 (FB/FBH) or 60x100 (made from sheet metal in FBS design) are fitted with one or several DIN mounting rails for device mounting as standard.

LFG/FB and LFH/FBH installation trunkings are available on request in special lengths of up to 7500mm – MINI/S and LFS/FBS – installation trunkings of up to 3000mm.



MR domino modular frame

DOMUS

AMBIENCE/SL

Flexible, aesthetic, advanced – skirting board trunkings with a decorative design!

The AMBIENCE/SL skirting board trunking systems are suitable for all types of practical and modern electrical installations.

Whether this is for the advanced fitting of new property developments or the appealing renovation of old properties – AMBIENCE/SL guarantees an attractive complete solution in perfect surface technology for all your requirements.

The SL systems elegantly guide the cables exactly to where you want the power to be available. Beautiful design and well thought-through shapes complement the flexible functionality and appealing visuals!

AMBIENCE/SL with its multi-faceted modular principle represents unique flexibility for future expanse.

This means that your creativity in your own home could be limitless, because what you have connected today should be extendable and changeable tomorrow without much effort. Next time you have guests at home, they should be impressed by how practical, appealing and safe electrical installation in your home can be.

No more messy cables from multiple sockets behind office desks and other workplaces!

The use of skirting board dado systems ensures that your office gives a clear and orderly impression.

AMBIENCE/SL Visionary design of office environments.

AMBIENCE/SL systems with their advanced modular design offer you unique variations for office installations. Quick setup and extension of systems with state-of-the-art data and communication technology in minimum time.

AMBIENCE/SL creates a clever supply structure at the workplace, and further components can easily be added or removed.

AMBIENCE/ABK surface trunkings ensure the safe cable routing on all types of floor coverings and prevent tripping over badly routed or non-sunk-in cables.



AMBIENCE







OFFICE/BR³, BR und BR „click & fit Dado trunking systems made from rigid-PVC – from purely functional versions to exclusive versions	14
OFFICE/BRA³, BRA und BRA „click & fit Dado trunking systems made from aluminium – technology to be proud of	20
OFFICE/BRS³, BRStec and BRS “click & fit” Dado trunking systems made from galvanized sheet metal with automatic electrical cover contacting	29
OFFICE/RS karat, RS solitaire, RS facette and ML Power supply pole systems made from aluminium – pure creativity!	37
OFFICE accessories Radiator coverings, system separation, “click & fit” and MODUL 45 device technology, device mounting, wall mounting and safety accessories	41
OFFICE/cable-hunter Appealing and safe workplace installations instead of a mess of cables!	48
RANGER/RK and SK Sorting covers and rising trunkings for the ideal integration of distributor cabinets	49
DOMUS/LFG and FB Installation trunking systems made from rigid-PVC (device mounting with MODUL 45 from DOMUS/LFG 40x90)	51
DOMUS/MINI/s, LFS und FBS Installation trunking systems made from galvanized sheet metal (device mounting from DOMUS/FBS 60x110)	63
DOMUS accessories Device mounting, system separation, wall mounting and safety accessories	69
AMBIENCE/SL colorline and SL decorline Skirting trunking systems with elastic lips in standard colours and special decors – for a more beautiful home and more flexible work options	73
AMBIENCE/MINI snap, MINI clip, MINI, WK and ABK Mini trunkings and floor level trunking systems – a great problem-solver, whether self-adhesive or with extruded covers or in dead corners or safe and stable on the floor	79
POS sales systems and technical appendix	82

New starting 2/2008

OFFICE / BR³ 60x110/80 with DIN mounting rail

product group 1

variable form pieces
available starting 4/2008variable form pieces
available starting 4/2008


witter fittings



witter fittings



end cap



flat angle



flat tee



cross-T-piece

accessories from page

41
accessory boxes GDS 50, GED 50, GED 50/2
GDX/P, GDX/P2
divider TRENN 60extra
complete sockets KSE 50**trunking base**

Packing PU: 8 m

light grey 12716

4018475269903

pure white 12717

4018475269910

inner cornerø= 180 mm
Packing PU: 2 Piecesø= 180 mm
Packing PU: 2 Pieces**external corner**ø= 180 mm
Packing PU: 2 Piecesø= 180 mm
Packing PU: 2 Pieces**end cap**Packing PU: 10 Pieces
overlapping on three sidesPacking PU: 10 Pieces
overlapping on three sides**flat angle**Packing PU: 10 Pieces
overlapping on four sidesPacking PU: 10 Pieces
overlapping on four sides**flat tee**

12741

12742

12743

12744

12745

12746

cross-T-piece

4018475270077

4018475270114

SET base and cover**light grey 12801**


4018475270305

pure white 12803

4018475270312

OFFICE / BR³ 60x130/80 with DIN mounting rail

product group 1

variable form pieces
available starting 4/2008variable form pieces
available starting 4/2008


witter fittings



witter fittings



end cap



flat angle



flat tee



cross-T-piece

accessories from page

41
accessory boxes GDS 50, GED 50, GED 50/2
GDX/P, GDX/P2
divider TRENN 60extra
complete sockets KSE 50**trunking base**

Packing PU: 8 m

light grey 11709

40 18475 266728

pure white 11708

40 18475 266711

inner corner

ø= 180 mm

external corner

ø= 180 mm

end cap

Packing PU: 10 Pieces

overlapping on three sides

Packing PU: 10 Pieces

overlapping on three sides

Packing PU: 10 Pieces

overlapping on three sides

flat angle

Packing PU: 10 Pieces

overlapping on four sides

Packing PU: 10 Pieces

overlapping on four sides

Packing PU: 10 Pieces

overlapping on four sides

flat tee

12797

12798

12799

12800

cross-T-piece

40 18475 27024 4

40 18475 27026 8


SET base and cover**light grey 17998**

40 18475 26719 0

pure white 17999

40 18475 26724 4

We reserve the right to alterations.


OFFICE / BR³ 60x170/80 with DIN mounting rail
product group 1

variable form pieces
available starting 4/2008

variable form pieces
available starting 4/2008


wuther fittings



wuther fittings


accessories from page

accessory boxes GDS 50, GED 50, GED 50/2

41

GDX/P, GDX/P2

divider TRENN 60extra

complete sockets KSE 50

trunking base

Packing PU: 8 m

light grey 12718

4018475269927

pure white 18041

4018475268241

inner corner
 \varnothing 180 mm
Packing PU: 2 Pieces**12720**

4018475269934

11776

4018475267954

external corner
 \varnothing 180 mm
Packing PU: 2 Pieces**12725**

4018475269989

11772

4018475267916

end cap
Packing PU: 10 Pieces
overlapping on three sides**12734**

4018475270015

18042

4018475268258

flat angle
Packing PU: 10 Pieces
overlapping on four sides**12738**

4018475270046

12739

4018475270053

flat tee
12743

4018475270084

12744

4018475270091

cross-T-piece
12747

4018475270121

12753


4018475270138

SET base and cover
light grey 12805

40 18475 27082 9

pure white 12717

40 18475 26823 4


OFFICE / BR³-OT 80
product group 1

BR³ -OT 80
cover

Packing PU: 40 m

light grey	11707
	40 18475 26670 4
pure white	11706
	40 18475 26669 8

OFFICE / BR 65 x 200/80 with 2 DIN mounting rails

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 200 mm
26

accessories from page

accessory boxes GDS 50, GED 50, GED 50/2
GDX/P, GDX/P2
divider TRENN 60extra
complete sockets KSE 50

41



trunking base and cover(e)


	inner corner	external corner	end cap	flat angle	flat tee	cross-T-piece
light grey 4157	4407	4162	4269	4167	3799	3889
	40 18475 23783 4	40 18475 23798 8	40 18475 23789 6	40 18475 04269 8	40 18475 23795 7	40 18475 24104 6
white 4159	4409	4164	4266	4169	3797	3887
	40 18475 23786 5	40 18475 23800 8	40 18475 23791 9	40 18475 04266 7	40 18475 23797 1	40 18475 24106 0
pure white 14154	14411	14165	14268	14106	13880	13900
	40 18475 25458 9	40 18475 25483 1	40 18475 25464 0	40 18475 25466 4	40 18475 25474 9	40 18475 25780 1
grey 4156	4417	4161	4265	4166	3800	3890
	40 18475 23782 7	40 18475 23940 1	40 18475 23788 9	40 18475 04265 0	40 18475 23793 3	40 18475 24103 9
						40 18475 24108 0



We reserve the right to alterations.

OFFICE / BR 65 x 100/45 „click & fit“ (1-track)

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 100 mm
12

accessories from page
„click & fit“ and MODUL 45 device modules
TRENN 60

41



trunking base and cover

packing PU (incl. BR-OT 45): 8 m

inner corner (adjustable)

Adjustment area: +/- 10°
≈ Packing PU: m 2 Pieces

external corner (adjustable)

Adjustment area: +/- 10°
≈ Packing PU: m 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 1 Piece

flat tee

≈ 300 mm
Packing PU: 1 Piece


cross-T-piece

≈ 300 mm
Packing PU: 1 Piece

light grey 7902	7918	7919	7920	7921	7922	7923
40 18475 25328 5	40 18475 25641 5	40 18475 25665 1	40 18475 25668 2	40 18475 25669 9	40 18475 25694 1	40 18475 25712 2
pure white 7900	7930	7931	7932	7933	7934	7935
40 18475 25248 6	40 18475 25883 9	40 18475 25979 9	40 18475 26044 3	40 18475 26047 4	40 18475 26048 1	40 18475 26049 8

OFFICE / BR 65 x 130/45 „click & fit“ (2-track)

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 130 mm
17

accessories from page
„click & fit“ and MODUL 45 device modules
TRENN 60

41



trunking base and cover(s)

packing PU (incl. 2 x BR-OT 45): 8 m

inner corner

Adjustment area: +/- 10°
≈ mm Packing PU: 1 Piece

external corner

Adjustment area: +/- 10°
≈ mm Packing PU: 1 Piece

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 1 Piece

flat tee

≈ 300 mm
Packing PU: 1 Piece

cross-T-piece

≈ 300 mm
Packing PU: 1 Piece

light grey 7906	7942	7943	7944	7945	7946	7947
40 18475 25505 0	40 18475 26060 3	40 18475 26061 0	40 18475 26062 7	40 18475 26063 4	40 18475 26064 1	40 18475 26065 8
pure white 7904	7954	7955	7956	7957	7958	7959
40 18475 25405 3	40 18475 26072 6	40 18475 26073 3	40 18475 26074 0	40 18475 26075 7	40 18475 26076 4	40 18475 26077 1



OFFICE/BR³ dado trunking and power pole systems

covers

product group 1



BR-OT 80

Packing PU: 40 m

cover

Not „click & fit“ compatible



BR-OT 45

Packing PU: 40 m

cover

light grey

7901

4352

40 18475 043527

white

7903

1709

40 18475 017092

pure white

7903

11710

40 18475 254855

grey

7903

1708

40 18475 017085


brown

7903

1711

40 18475 017115

OFFICE/BR dado trunking and power pole systems made from rigid PVC



TRENN 60 extra

double catching separating web made from rigid PVC for middle division for all BR, BRA and BRS with DIN mounting rail height 60 mm

1456


40 18475 01456 5

packing PU 50 m

We reserve the right to alterations.

accessory sockets

product group 1




GDS 50

single accessory box, black,
50 mm, floor mounting,
recommended for BR + BR³



GED 50

single accessory box, blue,
50 mm, floor mounting,
recommended for BR + BR³



GED 50/2


double accessory box, blue,
50 mm, floor mounting,
recommended for BR + BR³

*Costs savings due to
the use of double sockets!*


1268 40 18475 01268 4 packing PU 48 Pieces	1261 40 18475 01261 5 40 Pieces	1280 40 18475 01280 6 20 Pieces
---	--	--

WAB wall connection panels for BR dado trunking

product group 1



Wall connection panel for wall mounting,
coated in pure white white



Wall connection panel for console mounting,
coated in pure white white

WAB 3 for BR 65 x 100

2079

40 18475 22945 7

packing PU 1 Piece

WAB 4 for BR 65 x 100

2099

40 18475 22962 4

packing PU 1 Piece

WAB 3 for BR 65 x 130

2099

40 18475 02648 3

packing PU 1 Piece

WAB 4 for BR 65 x 130

2652

40 18475 02652 0

packing PU 1 Piece

WAB 3 for BR 65 x 170

2649

40 18475 02649 0

packing PU 1 Piece

WAB 4 for BR 65 x 170

2653

40 18475 02653 7

packing PU 1 Piece

WAB 3 for BR 65 x 200

4418

40 18475 24192 3

packing PU 1 Piece

WAB 4 for BR 65 x 200

4423


40 18475 24952 3

packing PU 1 Piece

New starting 2/2008

OFFICE / BRA³ 60 x 130/80 with DIN mounting rail

product group 1



external dimensions (height x width)

62 x 130 mm

accessories from page

accessory boxes GDS 50, GED 50, GED 50/2
divider TRENN 60extra
complete sockets KSE 50
grounding cable with ring eyes + screws
connecting pins

41



trunking base and cover(e)

Packing PU: 8 m

naturally anodised **11741**

40 18475 26678 0

inner corner

\varnothing 180 mm
Packing PU: 1 Piece

18300

40 18475 26720 6

external corner

\varnothing 180 mm
Packing PU: 1 Piece

18000

40 18475 03519 5

end cap *

Packing PU: 10 Pieces
overlapping on three sides

18100

40 18475 03519 5

flat angle

\varnothing 200 mm
Packing PU: 1 Piece

11730

40 18475 26683 4

flat tee

\varnothing 300 mm $b=50$ mm
Packing PU: 1 Piece

11730

40 18475 26683 4

cross-T-piece


\varnothing 300 mm
Packing PU: 2 Pieces

11730

40 18475 26683 4

OFFICE / BRA³ 60 x 170/80 with DIN mounting rail

product group 1



external dimensions (height x width)

62 x 170 mm

accessories from page

accessory boxes GDS 50, GED 50, GED 50/2
divider TRENN 60extra
complete sockets KSE 50
grounding cable with ring eyes + screws
connecting pins

41



trunking base and cover(e)

Packing PU: 8 m

naturally anodised **12754**

4018475270145

inner corner

\varnothing 180 mm
Packing PU: 1 Piece

12755

4018475270152

external corner

\varnothing 180 mm
Packing PU: 1 Piece

12756

4018475270169

end cap *

Packing PU: 10 Pieces
overlapping on three sides

12757

4018475270183

flat angle

\varnothing 200 mm
Packing PU: 1 Piece

12758

4018475270183

flat tee

\varnothing 300 mm $b=50$ mm
Packing PU: 1 Piece

12759

4018475270190


cross-T-piece

\varnothing 300 mm
Packing PU: 2 Pieces

12760

4018475270206

cover



**BRA³ - OT 80
80 mm**

naturally anodised **11735**

40 18475 26689 5

packing PU


16 m

* made from plastic, painted - end caps made from aluminium on request

We reserve the right to alterations.

OFFICE / BRA 65 x 60

product group 1





external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 60 mm
11

accessories from page
grounding cable with ring eyes + screws
connecting pins
cover 60 mm

41



trunking base

Packing PU: 2 m

BRA-OT 60 cover

end cap

Packing PU: 1 Pieces


screw set for end caps

20x screws + wall plugs

naturally anodised	3597	3603	3935	3517
	40 18475 03597 3	40 18475 03603 1	40 18475 03935 3	40 1847 503517 1
pure white	3600		3936	
	40 18475 03600 0		40 18475 03936 0	
RAL	23660		23936	
	40 18475 23600 4		40 18475 23936 4	

OFFICE / BR 65 x 100 with DIN mounting rails

product group 4




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 100 mm
18

accessories from page
accessory boxes GED 52, GED 52/2
divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

41

26



trunking base

Packing PU: 2 m

inner corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

external corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

end cap

Packing PU: 1 Pieces

flat angle

$\sigma = 250$ mm
Packing PU: 1 Pieces

TIP!*
flat tee

$\sigma = 300$ mm
Packing PU: 1 Pieces

cross-T-piece

$\sigma = 300$ mm
Packing PU: 1 Pieces

light grey 3249

3284

3289

3560

3930

2887

2798

40 18475 03249 1

40 18475 03284 2

40 18475 03289 7

40 18475 03560 7

40 18475 03930 8

40 18475 22758 3

40 18475 22779 8

pure white 3252

3287

3292

3592

3563

3931

2799

40 18475 03252 1

40 18475 03287 3

40 18475 03292 7

40 18475 03563 8


40 18475 03931 5

40 18475 22759 0

40 18475 22780 4

TIP!* Because of the integrated hinge function of bases and covers please always state with your order of BRA flat angles whether you would like a rising or falling trunking routing.


We reserve the right to alterations.

OFFICE / BRA 65 x 130 with DIN mounting rail
product group 4

 external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

 65 x 130 mm
21

accessories from page
 accessory boxes GED 52, GED 52/2
 divider TRENN 60extra
 complete sockets KSE 52
 grounding cable with ring eyes + screws
 connecting pins
 cover 80

41



26

trunking base

Packing PU: 2 m

inner corner

 ø = 250 mm
Packing PU: 1 Pieces

external corner

 ø = 250 mm
Packing PU: 1 Pieces

end cap

Packing PU: 1 Pieces

flat angle

 ø = 250 mm
Packing PU: 1 Pieces


TIP!* **flat tee**

 ø = 300 mm
Packing PU: 1 Pieces

cross-T-piece

 ø = 300 mm
Packing PU: 1 Pieces

naturally anodised 3501	3536	3548	3519	3951	2780	2800
40 18475 03501 0	40 18475 03536 2	40 18475 03548 5	40 18475 03519 5	40 18475 03951 3	40 18475 22760 6	0 18475 22781 1
RAL 3504	3539	3551	3522	3952	2781	2801
40 18475 03504 1	40 18475 03539 3	40 18475 03551 5	40 18475 03522 5	40 18475 03952 0	40 18475 22762 0	40 18475 22782 8


OFFICE / BRA 65 x 150 with DIN mounting rail
product group 4

 external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

 65 x 150 mm
37

accessories from page
 accessory boxes GED 52, GED 52/2
 divider TRENN 60extra
 complete sockets KSE 52
 grounding cable with ring eyes + screws
 connecting pins
 cover 80

41

26


trunking base

Packing PU: 2 m

inner corner

 ø = 250 mm
Packing PU: 1 Pieces.

external corner

 ø = 250 mm
Packing PU: 1 Pieces

end cap

Packing PU: 1 Pieces

flat angle

 ø = 250 mm
Packing PU: 1 Pieces

TIP!* **flat tee**

 ø = 300 mm
Packing PU: 1 Pieces

cross-T-piece

 ø = 300 mm
Packing PU: 1 Pieces


naturally anodised 3950	3972	3971	3970	3973	2782	2807
40 18475 03950 6	40 18475 03972 8	40 18475 03971 1	40 18475 03970 4	40 18475 03973 5	40 18475 22763 7	40 18475 22783 5
RAL 3974	3975	3976	3978	3977	2783	2831
40 18475 03974 2	40 18475 03975 9	40 18475 03976 6	40 18475 03978 0	40 18475 03977 3	40 18475 22764 4	40 18475 22784 2

TIP!* Because of the integrated hinge function of bases and covers please always state with your order of BRA flat angles whether you would like a rising or falling trunking routing.

We reserve the right to alterations.

OFFICE / BRA 65 x 170 with DIN mounting rail

product group 4




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 170 mm
34

accessories from page
accessory boxes GED 52, GED 52/2
divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

41



26

trunking base

Packing PU: 2 m

inner corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

external corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

end cap

Packing PU: 1 Pieces

flat angle

$\sigma = 250$ mm
Packing PU: 1 Pieces

TIP!*

flat tee

$\sigma = 300$ mm
Packing PU: 1 Pieces


cross-T-piece

$\sigma = 300$ mm
Packing PU: 1 Pieces

naturally anodised 3507	3542	3554	3525	3945	2763	2784
40 18475 03507 2	40 18475 03542 3	40 18475 03554 6	40 18475 03525 6	40 18475 03945 2	40 18475 22738 5	40 18475 22765 1
RAL 3510	3545	3557	3528	3946	2764	2785
40 18475 03510 2	40 18475 03545 4	40 18475 03557 7	40 18475 03528 7	40 18475 03946 9	40 18475 22739 2	40 18475 22766 8

OFFICE / BRA 65 x 230 DUO with 2 DIN mounting rails

product group 4



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 230 mm
48

accessories from page
accessory boxes GED 52, GED 52/2
divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

41

26



trunking base

Packing PU: 2 m

inner corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

external corner

$\sigma = 250$ mm
Packing PU: 1 Pieces

end cap

Packing PU: 1 Pieces

flat angle

$\sigma = 300$ mm
Packing PU: 1 Pieces

TIP!*

flat tee

$\sigma = 300$ mm
Packing PU: 1 Pieces


cross-T-piece

$\sigma = 300$ mm
Packing PU: 1 Pieces

naturally anodised 3513	3607	3608	3531	3610	2765	2786
40 18475 03513 3	40 18475 03607 9	40 18475 03608 6	40 18475 03531 7	40 18475 03610 9	40 18475 22741 5	40 18475 22765 5
RAL 3516	3601	3609	3534	3611	2766	2787
40 18475 03516 4	40 18475 03601 7	40 18475 03609 3	40 18475 03534 8	40 18475 03611 6	40 18475 22742 2	40 18475 22768 2

TIP!* Because of the integrated hinge function of bases and covers please always state with your order of BRA flat angles whether you would like a rising or falling trunking routing.

We reserve the right to alterations.

OFFICE / BRA 80 x 130 with DIN mounting rail
product group 4

 external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²


 80 x 130 mm
31

accessories from page
accessory boxes GED 52, GED 52/2

41

 divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

26


trunking base

Packing PU: 6 m

inner corner
 $\varnothing = 250$ mm
Packing PU: 1 Piece

external corner
 $\varnothing = 250$ mm
Packing PU: 1 Piece

end cap


Packing PU: 1 Piece

flat angle
 $\varnothing = 250$ mm
Packing PU: 1 Piece

TIP!* **flat tee**
 $\varnothing = 300$ mm
Packing PU: 1 Piece

cross-T-piece
 $\varnothing = 300$ mm
Packing PU: 1 Piece

naturally anodised 3651	3661	3671	3681	3691	2767	2788
40 18475 03651 2	40 18475 03661 1	40 18475 03671 0	40 18475 03681 9	40 18475 03691 8	40 18475 22743 9	40 18475 22769 9
RAL 3654	3664	3674	3684	3694	2768	2789
40 18475 03654 3	40 18475 03664 2	40 18475 03674 1	40 18475 03684 0	40 18475 03694 9	40 18475 22744 6	40 18475 22770 5

OFFICE / BRA 80 x 170 with DIN mounting rail
product group 4

 external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²


 80 x 170 mm
47

accessories from page
accessory boxes GED 52, GED 52/2

41

 divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

26


trunking base

Packing PU: 4 m

inner corner
 $\varnothing = 250$ mm
Packing PU: 1 Piece

external corner
 $\varnothing = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle
 $\varnothing = 250$ mm
Packing PU: 1 Piece

TIP!* **flat tee**
 $\varnothing = 300$ mm
Packing PU: 1 Piece

cross-T-piece
 $\varnothing = 300$ mm
Packing PU: 1 Piece


naturally anodised 3751	3761	3771	3781	3791	2769	2790
40 18475 03751 9	40 18475 03761 8	40 18475 03771 7	40 18475 03781 6	40 18475 03791 5	40 18475 22745 3	40 18475 22771 2
pure white 3754	3764	3773	3784	3794	2770	2791
40 18475 03754 0	40 18475 03764 9	40 18475 03773 1	40 18475 03784 7	40 18475 03794 6	40 18475 22746 0	40 18475 22772 9

TIP!* Because of the integrated hinge function of bases and covers please always state with your order of BRA flat angles whether you would like a rising or falling trunking routing.

We reserve the right to alterations.

OFFICE / BRA 80 x 200 with DIN mounting rail

product group 4




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

80 x 200 mm
59

accessories from page

accessory boxes GED 52, GED 52/2
divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

41



26

trunking base

Packing PU: 4 m

inner corner

$\varnothing = 250$ mm
Packing PU: 1 Piece

external corner

$\varnothing = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle

$\varnothing = 250$ mm
Packing PU: 1 Piece

TIP!* **flat tee**

$\varnothing = 300$ mm
Packing PU: 1 Piece


cross-T-piece

$\varnothing = 300$ mm
Packing PU: 1 Piece

naturally anodised 3401	3421	3431	3441	4091	2772	2792
40 18475 03401 3	40 18475 03421 1	40 18475 03431 0	40 18475 03441 9	40 18475 04091 5	40 18475 22747 7	40 18475 22773 6
pure white 3404	3424	3434	3444	4094	2773	2793
40 18475 03404 4	40 18475 03424 2	40 18475 03434 1	40 18475 03444 0	40 18475 04094 6	40 18475 22753 8	40 18475 22774 3

OFFICE / BRA 80 x 200 DUO with 2 DIN mounting rail

product group 4



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

80 x 200 mm
2

accessories from page

accessory boxes GED 52, GED 52/2
divider TRENN 60extra
complete sockets KSE 52
grounding cable with ring eyes + screws
connecting pins
cover 80

41



26

trunking base

Packing PU: 4 m

inner corner

$\varnothing = 250$ mm
Packing PU: 1 Piece

external corner

$\varnothing = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle

$\varnothing = 250$ mm
Packing PU: 1 Piece

TIP!* **flat tee**

$\varnothing = 300$ mm
Packing PU: 1 Piece

cross-T-piece

$\varnothing = 300$ mm
Packing PU: 1 Piece


naturally anodised 3451	3461	3471	3441	3491	2774	2794
40 18475 03451 8	40 18475 03461 7	40 18475 03471 6	40 18475 03441 9	40 18475 03491 4	40 18475 22754 5	40 18475 22775 0
pure white 3454	3464	3474	3444	3494	2775	2795
40 18475 03454 9	40 18475 03464 8	40 18475 03474 7	40 18475 03444 0	40 18475 03494 5	40 18475 22755 2	40 18475 22776 7

TIP!* Because of the integrated hinge function of bases and covers please always state with your order of BRA flat angles whether you would like a rising or falling trunking routing.

We reserve the right to alterations.


covers/covers

product group 4



Packung PU

40 m



Packung PU

16 m

cover for BRA 65 x 60

cover for BRA 65 x 100/80

naturally anodised **3603**

40 18475 03603 1

naturally anodised **3591**

40 18475 03591 1

RAL

3606

pure white

3594


40 18475 03606 2

40 18475 03594 2



OFFICE / BRA 60 x 90/45 „click & fit“ with DIN mounting rail

product group 4



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

60 x 90 mm
10

accessories from page

„click & fit“ and MODUL 45 device modules
divider TRENN 60extra
grounding cable with ring eyes + screws
connecting pins

41



trunking base and cover

Packing PU: 6 m*

inner corner

$\sigma = 110$ mm
Packing PU: 1 Piece

external corner

$\sigma = 110$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle

$\sigma = 110$ mm
Packing PU: 1 Piece

flat tee

$\sigma = 150$ mm
Packing PU: 1 Piece


cross-T-piece

$\sigma = 150$ mm
Packing PU: 1 Piece

naturally anodised 6701	6713	6704	6707	6710	6720	6716
40 18475 24851 9	40 18475 24863 2	40 18475 24854 0	40 18475 24857 1	40 18475 24860 1	40 18475 24870 0	40 18475 24866 3
pure white 6700	6712	6703	6706	6709	6719	6715
40 18475 24850 2	40 18475 24862 5	40 18475 24853 3	40 18475 24856 4	40 18475 24859 5	40 18475 24869 4	40 18475 24865 6
RAL 6702	6714	6705	6708	6711	6721	6717
40 18475 24852 6	40 18475 24864 9	40 18475 24855 7	40 18475 24858 8	40 18475 24861 8	40 18475 24919 6	40 18475 24867 0

OFFICE / BRA 65 x 190/80 + 45 „meta“ DUO with DIN mounting rail

product group 4



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 190 mm
38

accessories from page

accessory boxes GED 50
divider TRENN 60extra
„click & fit“ and MODUL 45 device modules
grounding cable with ring eyes + screws
connecting pins

41



trunking base and covers

Packing PU: 4 m*

inner corner

$\sigma = 220$ mm
Packing PU: 1 Piece

external corner

$\sigma = 220$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle

$\sigma = 220$ mm
Packing PU: 1 Piece

flat tee

$\sigma = 250$ mm
Packing PU: 1 Piece


cross-T-piece

$\sigma = 250$ mm
Packing PU: 1 Piece

naturally anodised 6726	6745	6730	6736	6739	6760	6751
40 18475 24875 5	40 18475 24894 6	40 18475 24879 3	40 18475 24885 4	40 18475 24888 5	40 18475 24909 7	40 18475 24900 4
pure white 6724	6744	6729	6735	6738	6759	6750
40 18475 24873 1	40 18475 24893 2	40 18475 24878 6	40 18475 24884 7	40 18475 24887 8	40 18475 24908 0	40 18475 24899 1
RAL 6728	6746	6731	6737	6740	6761	6752
40 18475 24877 9	40 18475 24895 3	40 18475 24880 9	40 18475 24886 1	40 18475 24889 2	40 18475 24910 3	40 18475 24901 1

OFFICE / BRA 65 x 190/45 „meta“ TRIO with DIN mounting rail

product group 4



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 190 mm

accessories from page

„click & fit“ and MODUL 45 device modules
grounding cable with ring eyes + screws
connecting pins

41



trunking base and covers

Packing PU: 2 m*

inner corner

$\vartheta = 220$ mm
Packing PU: 1 Piece

external corner

$\vartheta = 220$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece

flat angle

$\vartheta = 220$ mm
Packing PU: 1 Piece

flat tee


$\vartheta = 250$ mm
Packing PU: 1 Piece

cross-T-piece

$\vartheta = 250$ mm
Packing PU: 1 Piece

naturally anodised 6725		6748	6733	6736	6742	6763	6754
40 18475 24874 8		40 18475 24897 7	40 18475 24882 3	40 18475 24885 4	40 18475 24891 5	40 18475 24912 7	40 18475 24903 5
pure white 6723		6747	6732	6735	6741	6762	6753
40 18475 24872 4		40 18475 24896 0	40 18475 24881 6	40 18475 248884 7	40 18475 24890 8	40 18475 24911 0	40 18475 24902 8
RAL 6727		6749	6734	6737	6743	6764	6755
40 18475 24876 2		40 18475 24898 4	40 18475 24883 0	40 18475 24886 1	40 18475 24892 2	40 18475 24913 4	40 18475 24904 2


BRA "meta" cover 45 mm



VPE

2 m


BRA "meta" cover 80 mm



Packing PU

2 m

**BRA-TRENN/DUO
(divider)**



Packing PU

2 m

**BRA-TRENN/TRIO
(divider)**



Packing PU


2 m

naturally anodised 5451		5453	5449	5455
40 18475 24315 6		40 18475 24317 0	40 18475 24311 8	40 18475 24313 2
pure white 5452		5454	5450	5456
40 18475 24316 3		40 18475 24318 0	40 18475 24312 8	40 18475 24314 2
RAL 6718		6756	6756	6758
40 18475 24868 7		40 18475 24905 9	40 18475 24905 9	40 18475 24907 3

We reserve the right to alterations.

OFFICE³/BRS³ base 60 x110/80

product group 5




external dimensions (height x width) 62x110 mm

accessories from page

grounding cable with cable connections
cover 80 mm
accessory box GDX/P

41

36



trunking base

inner corner

external corner

end cap *

**flat angle
overlapping on three sides**


flat tee

cross-T-piece

hot dip galvanized 11785	11743	11745	11787	11789	11791	11793
4018475268746	4018475268920	4018475268944	4018475268968	4018475268982	4018475269002	4018475269026
pure white 11783	11744	11786	11788	11790	11792	11794
4018475268722	4018475268937	4018475268951	4018475268975	4018475268999	4018475269019	4018475269033

OFFICE³/BRS³ base 60 x130/80

product group 5




external dimensions (height x width) 62x130 mm

accessories from page

grounding cable with cable connections
cover 80 mm
accessory box GDX/P

41

36



trunking base

inner corner

external corner

end cap *
overlapping on three sides

flat angle

flat tee

cross-T-piece


hot dip galvanized 11728	12806	12813	12816	12818	12820	12823
4018475266803	4018475270336	4018475270350	4018475270374	4018475270398	4018475270411	4018475270435
pure white 11726	12807	12814	12817	12819	12822	12824
4018475266780	4018475270343	4018475270367	4018475270381	4018475270404	4018475270428	4018475270442

* made from plastic - end caps made from sheet metal on request

We reserve the right to alterations.

OFFICE³/BRS³ 60x170/80

product group 5




external dimensions (height x width) 62x170 mm

trunking base

inner corner



external corner

end cap *
overlapping on three sides

flat angle



flat tee



cross-T-piece

accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P


41

36

hot dip galvanized 11750	11795	11797	11800	11802	11804	11806
4018475268463	4018475269040	4018475269064	4018475269088	4018475269101	4018475269125	4018475269149
pure white 11748	11796	11799	11801	11803	11805	11807
4018475268449	4018475269057	4018475269071	4018475269095	4018475269118	4018475269132	4018475269156

OFFICE³/BRS³ 80x110/80

product group 5



external dimensions (height x width) 80x100 mm

trunking base

inner corner



external corner

end cap
overlapping on three sides

flat angle



flat tee



cross-T-piece

accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P

41

36


hot dip galvanized 11754	11808	12574	12576	12758	12580	12588
4018475268500	4018475269163	40184752699187	4018475269200	4018475269224	4018475269248	4018475269262
pure white 11752	11809	12575	12577	12579	12581	12589
4018475268487	4018475269170	4018475269194	4018475269217	4018475269231	4018475269255	4018475269279

* made from plastic - end caps made from sheet metal on request

We reserve the right to alterations.

OFFICE³/BRS³ 80x130/80

product group 5



external dimensions (height x width) 80x130 mm

trunking base



inner corner



external corner



end cap
overlapping on three sides



flat angle

accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P

41

36



flat tee




cross-T-piece

hot dip galvanized 11758	12590	12592	12594	12596	12598	12600
4018475268548	4018475269286	4018475269309	4018475269323	4018475269347	4018475269361	4018475269385
pure white 11756	12591	12593	12595	12597	12599	12601
4018475268524	4018475269293	4018475269316	4018475269330	4018475269354	4018475269378	4018475269392

OFFICE³/BRS³ 80x170/80

product group 5



external dimensions (height x width) 80x170 mm

trunking base



inner corner



external corner



end cap
overlapping on three sides



flat angle



flat tee



cross-T-piece


hot dip galvanized 11762	12602	12604	12606	12608	12610	12612
4018475268586	4018475269408	4018475269422	4018475269446	4018475269460	4018475269484	4018475269507
pure white 11760	12603	12605	12607	12609	12611	12613
4018475268562	4018475269415	4018475269439	4018475269453	4018475269477	4018475269491	4018475269514



OFFICE/BRS³ dado trunking and power pole systems made from sheet metal

OFFICE³/BRS³ 100x110/80

product group 5



external dimensions (height x width)

100x110 mm



accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P

41

36



trunking base

inner corner

external corner

end cap overlapping on three sides

flat angle

flat tee

cross-T-piece

hot dip galvanized 11766

12614

12617

12620

12624

12628

12683

4018475268623

4018475269521

4018475269545

4018475269569

4018475269583

4018475269606

4018475269620

pure white 11764

12616

12618

12622

12626

12682

12684

4018475268609

4018475269538

4018475269552

4018475269576


4018475269590

4018475269613

4018475269637

OFFICE³/BRS³ 100x130/80

product group 5



external dimensions (height x width)

100x130 mm



accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P

41

36

trunking base

inner corner

external corner

end cap overlapping on three sides

flat angle

flat tee

cross-T-piece

hot dip galvanized 11777

12685

12687

12689

12691

12693

12695

4018475268661

4018475269644

4018475269668

4018475269682

4018475269705

4018475269729

4018475269743

pure white 11768

12686

12688

12690

12692

12694

12696

4018475268647

4018475269651

4018475269675

4018475269699


4018475269712

4018475269736

4018475269750

OFFICE³/BRS³ 100x170/80

product group 5



external dimensions (height x width)

100x170 mm



accessories from page

grounding cable with cable connections
cover 80
accessory box GDX/P

41

36

trunking base

inner corner

external corner

end cap overlapping on three sides

flat angle

flat tee

cross-T-piece

hot dip galvanized 11781

12698

12700

12702

12704

12711

12713

4018475268708

4018475269767

4018475269781

4018475269804

4018475269828

4018475269842

4018475269866

pure white 11779

12699

12701

12703

12705

12712

12715

4018475268685

4018475269774

4018475269798

4018475269811

4018475269835


4018475269859

4018475269873

We reserve the right to alterations.

OFFICE / BRStec 65 x 220/80 DUO

product group 5



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

65 x 220 mm
46

accessories from page
accessory boxes GDXtec, GDXtec/2
divider TRENN/Stec
complete sockets KSEtec
grounding cable with cable connections
cable clamp KHKtec
cover 80

41



36

trunking base

Packing PU: 4 m incl. 4 Pieces
KHKtec/m

inner corner

$\varnothing = 250$ mm
Packing PU: 1 Piece

external corner

$\varnothing = 180$ mm
Packing PU: 1 Piece

end cap

Packing PU: 10 Pieces

flat angle

$\varnothing = 350$ mm
Packing PU: 1 Piece


flat tee


$\varnothing = 400$ mm
Packing PU: 1 Piece

cross-T-piece

$\varnothing = 400$ mm
Packing PU: 1 Piece

hot dip galvanized 3708	3728	3748	4246	4325	3697	3767
40 18475 03708 3	40 18475 03728 1	40 18475 03748 9	40 18475 04246 9	40 18475 04325 1	40 18475 22862 7	40 18475 22895 5
pure white 3707	3727	3747	4244	4324	4242	3768
40 18475 03707 6	40 18475 03727 4	40 18475 03747 2	40 18475 04244 5	40 18475 04324 4	40 18475 04242 1	40 18475 22896 2
RAL 23707	23727	23747	24244	24324	24242	23768
40 18475 23707 0	40 18475 23727 8	40 18475 23747 6	40 18475 22839 9	40 18475 24324 8	40 18475 22919 8	40 18475 22898 6



OFFICE / BRStec 85 x 220/80 DUO
product group 5


external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

85 x 220 mm
75

accessories from page
accessory boxes GDXtec, GDXtec/2
divider TRENN/Stec
complete sockets KSEtec
grounding cable with cable connections
cable clamp KHKtec
cover 80

41



36

trunking base

Packing PU: 4 m ind. 4
KHKtec/m

inner corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

external corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 10 Pieces

flat angle

$\vartheta = 350$ mm
Packing PU: 1 Piece


flat tee

$\vartheta = 400$ mm,
Packing PU: 1 Piece

cross-T-piece

$\vartheta = 400$ mm
Packing PU: 1 Piece

	hot dip galvanized 3710	3730	3986	2521	4327	3699	3769
	40 18475 03710 6	40 18475 03730 4	40 18475 03986 5	40 18475 22612 8	40 18475 04327 5	40 18475 22866 5	40 18475 22899 3
pure white	3709	3729	3749	2522	4326	3700	3770
	40 18475 03709 0	40 18475 03729 8	40 18475 03749 6	40 18475 22616 6	40 18475 04326 8	40 18475 22867 2	40 18475 22900 6
RAL	23709	23729	23749	22521	24326	23700	23770
	40 18475 23709 4	40 18475 23729 2	40 18475 23749 0	40 18475 22614 2	40 18475 24326 2	40 18475 22869 6	40 18475 22902 0


accessories for BRStec dado trunkings
product group 5

TRENN/Stec

hot dip galvanized made
from sheet metal
hang-in separating web
for all BRStec
product group 5


GDXtec

accessory box
single hole, white, 47 mm,
front-mounted,
recommended for BRStec
product group 5

Costs savings due to
the use of double boxes


GDXtec/2

accessory box
double hole, white, 45 mm,
front-mounted
recommended for BRStec
product group 5


KHKtec


multifunctional cable holding
clamp for BRStec, automatic
mechanical and electrical
connection between base and front
product group 5

4215	3682	2747	4211
40 18475 20206 1	40 18475 22844 3	40 18475 20532 1	40 18475 04211 7
packing PU 40 m	40 Pieces	20 Pieces	8 Pieces

We reserve the right to alterations.

OFFICE / BRStec 120 x 120 Pult/A (asymmetrical)

product group 5

**trunking base**

Packing PU: 4 m incl. 2 Pieces
KHKtec/m

inner corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

external corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 10 Pieces

hot dip galvanized 3712	3732	2538	3988
40 18475 03712 0	40 18475 03732 8	40 18475 22646 3	40 18475 03988 9
pure white 3711	3731	2537	3987
40 18475 03711 3	40 18475 03731 1	40 18475 22624 1	40 18475 03987 2
RAL 23711	23731	22537	23987
40 18475 23711 7	40 18475 23731 5	40 18475 22628 9	40 18475 23987 6

accessories from page



accessory boxes GDXtec, GDXtec/2
divider TRENN/Stec
complete sockets KSEtec
grounding cable with cable connections
cable clamp KHKtec
cover 80

41

36

OFFICE/BRStec 120 x 120 Pult/S (symmetrical)

product group 5

**base**

Packing PU: 4 m incl. 2 Pieces
KHKtec/m

inner corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

external corner

$\vartheta = 250$ mm
Packing PU: 1 Piece

end cap

Packing PU: 1 Piece


accessories from page

41


hot dip galvanized 3714	3734	3990	2534
40 18475 03714 4	40 18475 03734 2	40 18475 03990 2	40 18475 22535 0
pure white 3713	3733	3989	2535
40 18475 03713 7	40 18475 03733 5	40 18475 03989 6	40 18475 22617 3
RAL 23713	23733	23989	22535
40 18475 23713 1	40 18475 23733 9	40 18475 23989 0	40 18475 22620 3

OFFICE³ / BRS³ cover


product group 5



packing PU 16 m



packing PU 16 m



BR³-OT 80 made from rigid PVC


BRS³-OT made from sheet metal

BRStec-OT made from sheet metal

light grey	11707	hot dip galvanized	11721	hot dip galvanized	4213
	40 18475 26670 4		40 18475 266766		40 18475 20114 9
pure white	11706		11719		4214
	40 18475 26669 8		40 18475 26674 2		40 18475 20115 6

OFFICE / BRS 60 x 90/45 „click & fit“

product group 5




external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

60 x 90 mm
10

accessories from page
„click & fit“ modules
grounding cable with cable connections
cable clamp KHK45


41



trunking base and cover	inner corner	external corner	end cap	flat angle	flat tee	cross-T-piece
Packing PU: 6 m	Packing PU: 1 Piece					
hot dip galvanized 6825	6847	6835	6839	6843	6859	6851
40 18475 24998 1	40 18475 25091 8	40 18475 25067 3	40 18475 25074 1	40 18475 25083 3	40 18475 25115 1	40 18475 25099 4
pure white 6924	6845	6833	6837	6841	6857	6849
40 18475 25264 6	40 18475 25085 7	40 18475 25064 2	40 18475 25071 0	40 18475 25079 6	40 18475 25113 3	40 18475 25095 6
RAL 6831	6846	6901	6838	6842	6858	6850
40 18475 25062 8	40 18475 25089 5	40 18475 25121 2	40 18475 25073 4	40 18475 25081 9	40 18475 25113 7	40 18475 25097 0

OFFICE / BRS 80 x 80/45 PULT

product group 5



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

80 x 80 mm
12

accessories from page
„click & fit“ modules
grounding cable with cable connections
cable clamp KHK45

41



trunking base and cover	inner corner	end cap
Packing PU: 6 m	$\alpha = 250$ mm Packing PU: 1 Piece	Packing PU: 1 Piece
hot dip galvanized 6868	6872	6876
40 18475 25137 3	40 18475 25145 8	40 18475 25153 3
pure white 6867	6871	6875
40 18475 25135 9	40 18475 25143 4	40 18475 25151 9
RAL 6869	6873	6877
40 18475 25139 7	40 18475 25147 2	40 18475 25155 7

* Packing unit and price include cover BRS-OT 45

We reserve the right to alterations.

OFFICE / RSkarat and RSsolitaire

product group 4

RSsolitaire 600

Delivery length	594 mm
Adjustment area	+/- 30 mm
packing PU	1 Set

naturally anodised 2010


40 18475 20147 7

RSsolitaire 1000

Delivery length	994 mm
Adjustment area	+/- 30 mm
packing PU	1 Set

naturally anodised 2014

40 18475 20151 4

**RSkarat 2600****(Floor-ceiling version)**

Delivery length	2538 mm
Adjustment area	+/- 60 mm
packing PU	1 Set

naturally anodised 2006

40 18475 20144 6

RSkarat 3000**(Floor-ceiling version)**



Delivery length	2938 mm
Adjustment area	+/- 60 mm
packing PU	1 Set

naturally anodised 2002

40 18475 20140 8

accessories

product group 4

**Mounting unit**for floor and/or
ceiling mounting
packing PU**lamination**for mounting unit, silver
packing PU**End cap
RSsolitaire 600 and 1000**silver
packing PU
1 Piece

accessories from page 41
accessory boxes
GED52, GED 52/2
complete sockets KSE 52
grounding set

2018


40 18475 20155 2


2019

40 18475 20156 9

2047

40 18475 20244 3



**RSfacette 2600**

delivery length 2600 mm
adjustment area 100 mm
packing PU 1 Piece

naturally anodised 8200

40 18475 25265 3

RSfacette 3000

delivery length 3000 mm
adjustment area 100 mm
packing PU 1 Piece

8201

40 18475 25266 0

RSfacette „plug & play“

delivery length 950 mm
pre-assembled with: 6-fold
socket outlets „click & fit“,
2 x RJ 45-adapter
packing PU 1 Piece

naturally anodised 8211

40 18475 25751 1

colour anodised 8212

40 18475 25984 3




RSfacette „plug & play“

delivery length 950 mm
pre-assembled with: 6-fold
socket outlets „click & fit“,
2 x RJ 45-adapter

accessories from page

41

grounding cable with ring eyes + screws




We reserve the right to alterations.

Telescope 220 (hot dip galvanized)

Mounting unit
for suspended ceilings,
L = 220 mm

8204

40 18475 25269 1




Bonnet

pure white

8207

40 18475 25272 1



Mounting unit

black

8205

40 18475 25270 7

Closing plate

(for posts)

black (matt)

8209

40 18475 25274 5

alu-silver

8210

40 18475 25750 4




Bonnet

black

8208

40 18475 25273 8



Floor-unit

black


8215

40 18475 26113 6




OFFICE / ML MULTIMEDIA PANEL

OFFICE/ML 65x185/45 – haute couture and high-tech for electrical installations



Order No.	Item description	Length	Colour	Sales unit	Quantity unit
18020	OFFICE/ML Multimedia Panel 65x185/45-2.000, C0 naturally anodized, set incl. 2x OT 45 (#5451)	2000mm	C0	1	set
18025	OFFICE/ML Multimedia Panel 65x185/45-650, C0 naturally anodized, set incl. 2x OT 45 (#5451)	650mm	C0	1	set
18030	OFFICE/ML Multimedia Panel 65x185/45-1.000, C0 naturally anodized, set incl. 2x OT 45 (#5451)	1000mm	C0	1	set
18010	OFFICE/ML rubber feet for the multimedia panel for the prevention of damage to sensitive surfaces		black	20	PEB
18015	OFFICE/ML-ES 65x185/45, C0 naturally anodized, end piece incl. hexagon socket screw		silver painted	1	set



ZET for lamellar and sheet metal covers

Product group 1

For assembling a complete radiator covering use the specifically selected assembly sets **ZET-1 for lamellar covers or ZET 2 for closed sheet metal covers.**

The ZET 1 (item 4095) assembly set for lamellar covers

1x magnet and 1x securing chain
(ZET supplementary set (item 4093)).

For further details please see page 137.

The ZET 2 (item 4092) assembly set for closed sheet metal covers

- ① PANEELE radiator cover
- ② HWB brackets
- ③ Securing chain
- ④ Magnet holder top
- ⑤ Magnet

ZET 1 assembly set for lamellar covers

4095
40 18475 04095 3

Packing PU 1 set

ZET 2 assembly set for closed sheet metal covers

4092
40 18475 04092 2

Packing PU 1 set

ZET supplementary set for follow-on covers

4093
40 18475 04093 9


Packing PU 1 set

ZET/L supporting profile for lamellar covers with LT-5/125 coupling
 lamellar support, can be shortened to any length, 2m


4122
40 18475 04122 6

Packing PU 20m

Order No.: 4093



Order No.: 4092



TRENN – for the effective system separation in all OFFICE dado trunking-systems


TRENN 60 extra	TRENN 100 extra	TRENN/S	TRENN/S2	TRENN/Stec
divider made from rigid PVC for middle division for all BR, BRA and BRS height 60 mm	divider made from rigid PVC for middle division for all BRS height 100 mm	divider hot dip galvanized made from sheet metal for all BRA and BRS	divider hot dip galvanized made from sheet metal for all BRA and BRS	divider hot dip galvanized made from sheet metal for all BRStec
product group 1	product group 1	product group 5	product group 5	product group 5
1456	1267	2191	2192	4215
40 18475 01456 5	40 18475 01267 7	40 18475 02191 4	40 18475 02192 1	40 18475 20206 1
packing PU 50 m	30 m	40 m	30 m	40 m



TRENN 60

divider made from rigid PVC

1260
40 18475 61260 8
packing PU 100 Pieces



GED accessory boxes

GED accessory boxes for OFFICE dado trunking-systems

for OFFICE/BR	for OFFICE/BR	for OFFICE/BRA+RS	for OFFICE/BRS	for OFFICE/BRStec
GED 50	GDX/P	GED 52	GDX/S	GDXtec
accessory box single hole, blue, 50 mm, floor-mounted, recommended for BR, BR ³ , BRA ³ product group 1	accessory box single hole, blue, 47 mm, front-mounted, recommended for BR, BR ³ , BRS ³ , BRA ³ product group 1	accessory box single hole, green, 52 mm, floor-mounted, recommended for BRA product group 4	accessory box single hole, grey, 47 mm, front-mounted, recommended for BRS product group 5	accessory box single hole, white, 47 mm, front-mounted, recommended for BRStec product group 5
1261 40 18475 01261 5 packing PU 40 Pieces	3677 40 18475 22841 2 40 Pieces	1262 40 18475 01262 2 40 Pieces	3676 40 18475 03676 5 40 Pieces	3682 40 18475 22844 3 40 Pieces
GED 50/2	GDX/P2	GED 52/2	GDX/S2	GDXtec/2
accessory box double hole, blue, 50 mm, floor-mounted, recommended for BR, BR ³ , BRA ³ product group 1	accessory box double hole, blue, 47 mm, front-mounted, recommended for BR, BR ³ , BRS ³ , BRA ³ product group 1	accessory box double hole, green, 52 mm, floor-mounted, recommended for BRA product group 4	accessory box double hole, grey, 47 mm, front-mounted, recommended for BRS product group 5	accessory box double hole, white, 47 mm, front-mounted, recommended for BRStec product group 5
1280 40 18475 01280 6 packing PU 20 Pieces	3678 40 18475 22842 9 20 Pieces	1269 40 18475 01269 1 20 Pieces	3679 40 18475 22843 6 20 Pieces	2747 40 18475 20532 1 20 Pieces



GDS 50

CEE installation frame

GDxtec/data

accessory box single hole, black 50 mm, floor-moun- ted, recommended for BR, BR ³ , BRA ³	for the mounting of sockets 16 A and 32 A, (60 mm), incl. 4 mounting screws	for mounting data storage 16 A and 32 A, (60 mm), incl. 4 mounting screws
1268 40 18475 01268 4 packing PU 48 Pieces	1263 40 18475 01263 9 1 Piece	13682 40 18475 26453 3

We reserve the right to alterations.

KSE complete sockets-accessory units for OFFICE/BR



KSE 50/1 shock-proof plug single hole

KSE 50/2 shock-proof plug double hole

KSE 50/3 shock-proof plug triple hole

complete socket accessory unit (pre-wired),
50 mm, incl. covering frame

complete socket accessory unit (pre-wired),
50 mm, incl. covering frame

complete socket accessory unit
(pre-wired), 50 mm, incl. covering frame

white (similar RAL 9001)	1990	4096	1996
	40 18475 01990 4	40 18475 04096 0	40 18475 01996 6
pure white (similar RAL 9010)	1991	4097	1999
	40 18475 01991 1	40 18475 04097 7	40 18475 01999 7
packing PU	1 Piece	1 Piece	1 Piece

KSE complete sockets-accessory units for OFFICE/BRA + RS



complete socket accessory unit (pre-wired),
52 mm, incl. covering frame

complete socket accessory unit (pre-wired),
52 mm, incl. covering frame

complete socket accessory unit
(pre-wired), 52 mm, incl. covering frame

white (similar RAL 9001)	1993	4098	1998
	40 18475 01993 5	40 18475 04098 4	40 18475 01998 0
pure white (similar RAL 9010)	1994	4099	1997
	40 18475 01994 2	40 18475 04099 1	40 18475 01997 3
packing PU	1 Piece	1 Piece	1 Piece

KSEtec complete sockets-accessory units for OFFICE/BRStec



complete socket accessory unit (pre-wired),
front-mounted, incl. covering frame

complete socket accessory unit (pre-wired),
front-mounted, incl. covering frame

white (similar RAL 9001)	3226	3228
	4018475237728	4018475237759
pure white (similar RAL 9010)	3227	3229
	4018475237742	4018475237766
packing PU	1 Piece	1 Piece

We reserve the right to alterations.



grounding cable with cable connections

for all BRS, BRS tec,
to clip on,
length 500 mm

product group 5

for all BRS/BRS tec,
to clip on,
length 300 mm

product group 5

grounding cable with ring eyes


for all BRA,
incl. screws,
length 500 mm

product group 4

for all BRA,
incl. screws,
length 300 mm

product group 4

1638	1640	1639	1641
40 18475 01638 5	40 18475 01640 8	40 18475 01639 2	40 18475 01641 5
packing PU	50 Pieces	50 Pieces	50 Pieces



Fire protection kit F90

acc. to DIN 4102
sufficient for a clear trunking
diameter of 0.45dm²,
(Approval. Z-19.15-195)

product group 1

Noise Barrier

for self-cutting into the ap-
propriate lengths
damping approx. 40 dB,
diameter approx. 30 mm

product group 1

KHK tec

multifunctional cable
holding clamp for BRStec,
automatic mechanical and
electrical connection
between base and front

product group 5

KHK 45

cable holding clamp for
increasing the cover grip for
BRS „click & fit“

product group 5


3579	4212	4211	6864
40 18475 03579 9	40 18475 04212 4	40 18475 04211 7	40 18475 25129 8
packing PU	30 m	50 Pieces	50 Pieces

**LT-5/125**

coupling lamellar support
(PP) for 5 radiator lamellas,
125 mm


Packing PU: 10 Pieces

white	13589 40 18475 26124 2	naturally anodised	3910 40 18475 03910 0	3586 40 18475 03586 7
anthracite	3589 40 1847503589 8	white	13912 40 18475 13912 1	3588 40 18475 03588 1
		coated in RAL	23912 40 18475 239128	23588 40 18475 235885
pure white	3912 40 1847503912 4			
packing PU	10 Pieces	packing PU	20 m	20 m

**ALN/S**


radiator lamellar
made from aluminium
at an angle, 2 m

Packing PU: 20 m

**ALN/G**

radiator lamellar
made from aluminium
straight, 2 m

Packing PU: 20 m



for BRA-base

**connection pin**

	3001 40 18475 03001 5	3985 40 18475 03985 8
packing PU	20 Pieces	20 Pieces

connection piece

KVE small-accessory units



KVE 50/2

Small distributor accessory unit for 2 device inserts (17,5 mm),
50 mm
product group 1

KVE 52/2

Small distributor accessory unit for 2 device inserts (17,5 mm),
52 mm
product group 4

Inspection window

foldable for KVE,
incl. screws
product group 1

white (similar RAL 9001)	1801	1806	1803
	40 18475 01801 3	40 18475 01806 8	40 18475 01803 7
pure white (similar RAL 9010)	1802	1807	
	40 18475 01802 0	40 18475 01807 5	
packing PU	1 Piece	1 Piece	1 Piece

USV universal connector

product group 5



USV 62

made from spring steel,
62 mm,
for all BRS³

USV 65

made from spring steel,
65 mm,
for all BRStec, BR

USV 85

made from spring steel,
85 mm,
for all BRS + BRStec
height 85 mm


USV 100

made from spring steel,
100 mm, for all BRS +
BRStec
height 100 mm

	2881	2957	2958
	40 18475 20304 4	40 18475 02957 6	40 18475 02958 3
packing PU	20 Pieces	20 Pieces	20 Pieces

Wall consoles for OFFICE dado trunking systems

product group 1



WKV-1

adjustment area
47–62 mm

WKV-2

adjustment area
67–97 mm

WKV-3

adjustment area
82–127 mm

WKV-4

adjustment area
118–178 mm

WKV-5

adjustment area
175–275 mm

WKV-6


adjustment area
275–375 mm

3581	3584	3582	3583	3585	2137
40 18475 03581 2	40 18475 03584 3	40 18475 03582 9	40 18475 03583 6	40 18475 03585 0	40 18475 02137 2
packing PU 10 Pieces	10 Pieces	10 Pieces	10 Pieces	10 Pieces	10 Pieces


OFFICE / CABLE-HUNTER

Do you want to get rid of excess cable lengths while maintaining unrestricted use of your technical equipment?

Whether underneath a dado trunking or tabletop – excess cable lengths, socket rails, chargers, etc. are always properly stowed away in your new cable collector!




Appealing and safe workplace installation instead of a mess of cables!




Fix the cable collector using double-sided tape under the tabletop or dado trunking.
For permanent fixings please use normal screws. – end caps are used for side endings.


Push the excess cable lengths into the front transversal opening of the cable-hunter (slit).




Small power supply units and multiple sockets can be inserted into the cable collector sideways, and plugs and cables can be routed through the base openings.




Cable collector



Cable-hunter 60x70 set
incl. end pieces 1400mm
and adhesive foam tape



Cable-hunter 60x70 -2000
length 2000mm




Cable-hunter end caps
ES 60x70 left / right

light grey	14340	14355	17994
	40 18475 01993 5	40 18475 04098 4	40 18475 01998 0
alpine	14346	14357	17996
	40 18475 01994 2	40 18475 04099 1	40 18475 01997 3
anthracite	14349	14358	17997
	40 18475 01994 2	40 18475 26711 4	40 18475 26718 3

We reserve the right to alterations.

Sorting cover and rising trunking

product group 1




Sorting cover incl. 2x profile holters, 2x magnetic clips, 1x end cap left/right	110x150-300 Set	110x150-550 Set	110x150-800 Set	110x150-1.050 Set	110x150-1.300 Set
---	-----------------	-----------------	-----------------	-------------------	-------------------

pure white	18052	18056	18060	18064	18068
	4018475268814	4018475268838	4018475268852	4018475268876	4018475268890

Sorting cover and rising trunking

product group 1





RANGER/RK 110x150-Sets	RANGER/RK	RANGER/RK	RANGER/RK	RANGER/RK	RANGER/RK
Sorting cover incl. 2x profile holters, 2x magnetic clips, 1x end cap left/right	110x150-300, 7035, Set 1-panel = 300 mm	110x150-550, 7035, Set 2-panel = 550 mm	110x150-800, 7035, Set 3-panel = 800 mm	110x150-1.050, 7035, Set 4-panel = 1.050 mm	110x150-1.300, 7035, Set 5-panel = 1.300 mm

light grey	18050	18054	18058	18062	18066
	4018475268760	4018475268821	4018475268845	4018475268869	4018475268893

RK Sorting cover and SK rising trunking

product group 1



**RANGER/RK 110x150-2.000
covering profile**

L=2.000 mm


pure white 18072	18086	18084	18082
4 01847 526891 3	4 018475 26880 7	4 018475 26879 1	4 018475 26878 4
light grey 18070			18080
4 018475 26890 6			4 018475 26877 7

Ranger/RK sets are also available in pure white (similar RAL 9016) white on request

We reserve the right to alterations.

Ranger/SK 60x250 rising trunking with 5 DIN mounting rails

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated
We absolutely recommend the fitting of the device (konvexes cover)
Set contains base, cover, Trenn60 3x KHK 250, visual surfaces of base and cover are covered by a protective film for protection against damage during transport



Kanalset

Packing PU: 2 Pieces
Sonderlenght: 2600 mm

KHK 250

Packing PU: 3 Pieces

Crossover-cover

Packing PU: 1 Piece

end cap

ind. 2 screws

TRENN 60

made from rigid PVC
Packing PU: 100 m

pure white 14160

40 18475 26468 7

4425

40 48175 26337 6

4427


40 18475 26339 0

4428

40 18475 26340 6

4429

40 18475 26340 6



We reserve the right to alterations.



DOMUS/LFG trunking made from rigid PVC

DOMUS / LFG 15 x 15

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

14,5 x 14,5 mm
1



trunking base and cover

Packing PU: 80 m

inner corner

Packing PU: 10 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

grey	4108	4229	4235	4195	4247	2284
	40 18475 04108 0	40 18475 04229 2	40 18475 04235 3	40 18475 04195 0	40 18475 04247 6	40 18475 22270 0
light grey	1812	4234	4240	4199	4252	2285
	40 18475 20274 0	40 18475 04234 6	40 18475 04240 7	40 18475 04199 8	40 18475 04252 0	40 18475 22272 4
white	4109	4230	4236	4196	4248	2286
	40 18475 04109 7	40 18475 04230 8	40 18475 04236 0	40 18475 04196 7	40 18475 04248 3	40 18475 22274 8
pure white	14111	14232	14238	14198	14250	12288
	40 18475 25392 6	40 18475 25442 8	40 18475 25406 0	40 18475 25418 3	40 18475 25430 5	40 18475 25797 9

DOMUS / LFG 15 x 30

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

17 x 30 mm
2



BOX MB Domino for MODUL 45 system

MB domino

pure white 16659 40 18475 26415 1 packing PU 1 Piece



trunking base and cover

Packing PU: 72 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

grey	1001	4874	4879	1557	4884	2289
	40 18475 01001 7	40 18475 20348 8	40 18475 20353 2	40 18475 20246 7	40 18475 20358 7	40 18475 22280 9
light grey	2858	4875	4880	1694	4885	2294
	40 18475 02858 6	40 18475 20349 5	40 18475 20354 9	40 18475 20250 4	40 18475 20359 4	40 18475 22282 3
white	1014	4876	4881	1558	4886	2295
	40 18475 01014 7	40 18475 20350 1	40 18475 20355 6	40 18475 20247 4	40 18475 20360 0	40 18475 22284 7
pure white	11026	14878	14883	11693	14888	12297
	40 18475 25393 3	40 18475 25443 5	40 18475 25407 7	40 18475 25419 0	40 18475 25431 2	40 18475 25825 9



DOMUS/LFG trunking made from rigid PVC

DOMUS / LFG 20 x 20

DOMUS / LFG 25 x 25

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables
(with NYM 3 x 1,5 mm²)
trunking base perforated

17 x 18 mm
1



external dimensions (height x width)
filled up with the maximum quantity for cables
(with NYM 3 x 1,5 mm²)
trunking base perforated

25 x 25 mm
2

trunking base and cover

Packing PU: 54 m


Packing PU: 72 m

grey	1000
	40 18475 01000 0
light grey	2857
	40 18475 02857 9
white	1013
	40 18475 01013 0
pure white	11025
	40 18475 25394 0

grey	2816
	40 18475 20536 9
light grey	2814
	40 18475 20534 5
white	2813
	40 18475 20533 8
pure white	12815
	40 18475 25395 7

DOMUS / LFG 25 x 40

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

27 x 40 mm
4



trunking base and cover

Packing PU: 40 m

inner corner	Packing PU: 4 Pieces	external corner	Packing PU: 4 Pieces	end cap	Packing PU: 10 Pieces	flat angle	Packing PU: 4 Pieces	flat tee	Packing PU: 4 Pieces
--------------	----------------------	-----------------	----------------------	---------	-----------------------	------------	----------------------	----------	----------------------

grey	1003
	40 18475 01003 1
light grey	2861
	40 18475 02861 6
white	1016
	40 18475 01016 1
pure white	11028
	40 18475 25396 4

4977	4983	4988	4993	3445
40 18475 20405 8	40 18475 20410 2	40 18475 20415 7	40 18475 20420 1	40 18475 23330 0
4978	4984	4989	4994	3446
40 18475 20406 5	40 18475 20411 9	40 18475 20416 4	40 18475 20421 8	40 18475 23331 7
4979	4985	4990	4995	3447
40 18475 20407 2	40 18475 20412 6	40 18475 20417 1	40 18475 20422 5	40 18475 23332 4
14982	14987	14992	14856	13449
40 18475 25445 9	40 18475 25409 1	40 18475 25421 3	40 18475 25433 6	40 18475 25454 1


We reserve the right to alterations.



DOMUS / MINI mini-trunking and by-pass trunking

DOMUS / MINI 15 x 50 t

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base floor mounted and trunking base perforated


17 x 50 mm
2



BOX MB Domino for MODUL 45 system

MB domino

pure white 16658 40 18475 16414 4 packing PU 1 Piece



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

grey 1524

4889

4894

4899

4808

16661

40 18475 01524 1

40 18475 20363 1

40 18475 20368 6

40 18475 20373 0

40 18475 20378 5

40 18475 26416 2

light grey 2859

4890

4895

4804

4809

16662

40 18475 02859 3

40 18475 20364 8

40 18475 20369 3

40 18475 20374 7

40 18475 20379 2

40 18475 26419 9

white 1525

4891

4896

4805

4810

16664

40 18475 01525 8

40 18475 20365 5

40 18475 20370 9

40 18475 20375 4

40 18475 20380 8

40 18475 26421 2

pure white 11526

14893

14898

14807

14812

16660

40 18475 25323 0

40 18475 25444 2

40 18475 25408 4

40 18475 25420 6

40 18475 25432 9

40 18475 26416 8

DOMUS / MINI 15 x 50

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated


17 x 50 mm
4



BOX MB Domino for MODUL 45 system

MB domino

pure white 16658 40 18475 16414 4 packing PU 1 Piece



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

grey 1528

4889

4894

4899

4808

16661

40 18475 01528 9

40 18475 20363 1

40 18475 20368 6

40 18475 20373 0

40 18475 20378 5

40 18475 26416 2

light grey 2860

4890

4895

4804

4809

16662

40 18475 028609

40 18475 20364 8

40 18475 20369 3

40 18475 20374 7

40 18475 20379 2

40 18475 26419 9

white 1529

4891

4896

4805

4810

16664

40 18475 01529 6

40 18475 20365 5

40 18475 20370 9

40 18475 20375 4

40 18475 20380 8

40 18475 26421 2

pure white 11530

14893

14898

14807

14812

16660

40 18475 25322 3

40 18475 25444 2

40 18475 25408 4

40 18475 25420 6

40 18475 25432 9

40 18475 26416 8


We reserve the right to alterations.



DOMUS / LFG trunking made from rigid PVC


DOMUS / LFG 30 x 30

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

32 x 30 mm
4



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces


flat tee

Packing PU: 4 Pieces

grey	1002	2138	2143	1823	2188	2298
	40 18475 01002 4	40 18475 20426 3	40 18475 20431 7	40 18475 20292 4	40 18475 20436 2	40 18475 22287 8
light grey	1984	2139	2144	1827	2189	2299
	40 18475 01984 3	40 18475 20427 0	40 18475 20432 4	40 18475 20340 2	40 18475 20437 9	40 18475 22288 5
white	1015	2140	2145	1824	2193	2395
	40 18475 01015 4	40 18475 20428 7	40 18475 20433 1	40 18475 20293 1	40 18475 20438 6	40 18475 22289 2
pure white	11027	12142	12187	11826	12195	12397
	40 18475 25397 1	40 18475 25446 6	40 18475 25410 7	40 18475 25422 0	40 18475 25434 3	40 18475 25826 6


DOMUS / LFG 40 x 40

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

40 x 40 mm
6



trunking base and cover

Packing PU: 24 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

grey	1004	1750	1752	1271	1288
	40 18475 01004 8	40 18475 01750 4	40 18475 01752 8	40 18475 01271 4	40 18475 01288 2
light grey	2862	2865	2866	2867	2868
	40 18475 02862 3	40 18475 02865 4	40 18475 02866 1	40 18475 02867 8	40 18475 02868 5
white	1017	1753	1755	1272	1289
	40 18475 01017 8	40 18475 01753 5	40 18475 01755 9	40 18475 01272 1	40 18475 01289 9
pure white	11029	11095	11855	11096	11097
	40 18475 25400 8	40 18475 25449 7	40 18475 25413 8	40 18475 25425 1	40 18475 25437 4


We reserve the right to alterations.



DOMUS / LFG trunking made from rigid PVC


DOMUS / LFG 40 x 60 t

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

40 x 57 mm
10



accessories:



trunking base and cover

Packing PU: 36 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 2 Pieces

flat angle

Packing PU: 2 Pieces

KHK 60

made from ABS
Packing PU: 50 Pieces

grey 1058

40 18475 01058 1

1756

40 18475 01756 6

1758

40 18475 01758 0

1184

40 18475 01184 7

1156

40 18475 01156 4

1560

40 18475 01560 9

light grey 2863

40 18475 02863 0

2869

40 18475 02869 2

2870

40 18475 02870 8

2871

40 18475 02871 5

2872

40 18475 02872 2

white 1059

40 18475 01059 8

1759

40 18475 01759 7

1761

40 18475 01761 0

1191

40 18475 01191 5

1163

40 18475 01163 2

pure white 11060

40 18475 25402 2

11114

40 18475 25450 3

11856

40 18475 25414 5

11198


40 18475 25426 8

11170

40 18475 25438 1


DOMUS/LFG 40 x 60

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

40 x 57 mm
10



accessories:



trunking base and cover

Packing PU: 28 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 2 Pieces

flat angle

Packing PU: 2 Pieces

KHK 60

made from ABS
Packing PU: 50 Pieces

grey 1006

40 18475 01006 2

1756

40 18475 01756 6

1758

40 18475 01758 0

1184

40 18475 01184 7

1156

40 18475 01156 4

1560

40 18475 01560 9

light grey 1980

40 18475 01980 5

2869

40 18475 02869 2

2870

40 18475 02870 8

2871

40 18475 02871 5

2872

40 18475 02872 2

white 1018

40 18475 01018 5

1759

40 18475 01759 7

1761

40 18475 01761 0

1191

40 18475 01191 5

1163

40 18475 01163 2

pure white 11030

40 18475 25401 5

11114

40 18475 25450 3

11856

40 18475 25414 5

11198

40 18475 25426 8

11170

40 18475 25438 1


We reserve the right to alterations.



DOMUS / LFG trunking made from rigid PVC

DOMUS / LFG 40 x 90

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated with DIN mounting rail




40 x 90 mm
11



New: for System MODUL 45

MR domino 90

light grey 16672 40 18475 26449 6 packing PU 1 Piece
pure white 16652 40 18475 26408 3 packing PU 1 Piece



trunking base and cover

Packing PU: 12 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 2 Pieces

flat angle

Packing PU: 2 Pieces

grey 1069

40 18475 01069 7

1864

40 18475 01864 8

1868

40 18475 01868 6

1086

40 18475 01086 4

1082

40 18475 01082 6

light grey 2864

40 18475 02864 7

2873

40 18475 02873 9

2874

40 18475 02874 6

2875

40 18475 02875 3

2887

40 18475 02887 6

white 1071

40 18475 01071 0

1865

40 18475 01865 5

1869

40 18475 01869 3

1087

40 18475 01087 1

1083

40 18475 01083 3

pure white 11072

40 18475 25403 9

11866

40 18475 25451 0

11870

40 18475 25415 2

11088

40 18475 25427 5

11084

40 18475 25439 8

TRENN 40

made from rigid PVC
Packing PU: 100 m

KHK 90

made from ABS
Packing PU: 50 Pieces

1360


40 18475 01360 5

1592

40 18475 01592 0

DOMUS / LFG 40 x 110

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated with DIN mounting rail



40 x 110 mm
14



New: for System MODUL 45

MR domino 110

light grey 16673 40 18475 26450 2 packing PU 1 Piece
pure white 16653 40 18475 26409 0 packing PU 1 Piece



trunking base and cover

Packing PU: 12 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 5 Pieces

flat angle

Packing PU: 1 Piece
withter fittings

grey 1460

40 18475 01460 2

1876

40 18475 01876 1

1880

40 18475 01880 8

1888

40 18475 01888 4

1884

40 18475 01884 6

light grey 2888

40 18475 02888 3

2889

40 18475 02889 0

2890

40 18475 02890 6

2891

40 18475 02891 3

2892

40 18475 02892 0

white 1461

40 18475 01461 9

1877

40 18475 01877 8

1881

40 18475 01881 5

1889

40 18475 01889 1

1885

40 18475 01885 3

pure white 11462

40 18475 25398 8

11878

40 18475 25447 3

11882

40 18475 25411 4

11890

40 18475 25423 7

11886

40 18475 25435 0

TRENN 40

made from rigid PVC
Packing PU: 100 m

KHK 110

made from ABS
Packing PU: 20 Pieces

1360

40 18475 01360 5

1593

40 18475 01593 7


We reserve the right to alterations.



DOMUS / LFG trunking made from rigid PVC

DOMUS / LFG 40 x 150

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated with DIN mounting rail

40 x 150 mm
26



New: for System MODUL 45

MR domino 150

light grey 16675 40 18475 26452 6 packing PU 1 Piece
pure white 16655 40 18475 26411 3 packing PU 1 Piece

trunking base and cover

Packing PU: 12 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces



end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 1 Piece

TRENN 40

made from rigid PVC
Packing PU: 100 m

KHK 150

made from ABS
Packing PU: 50 Pieces

grey 1808

1098

1099

1443

2771

1360

1595

40 18475 01808 2

40 18475 01098 7

40 18475 01099 4

40 18475 01443 5

40 18475 02771 8

40 18475 01360 5

40 18475 01595 1

light grey 2893

2894

2895

2896

2897

1360

1595

40 18475 02893 7

40 18475 02894 4

40 18475 02895 1

40 18475 02896 8

40 18475 02897 5

white 1809

1475

1476

1477

1478

1360

1595

40 18475 01809 9

40 18475 01475 6

40 18475 01476 3

40 18475 01477 0

40 18475 01478 7

pure white 11810

11487

11488

11522

11872

1360

1595

40 18475 25399 5

40 18475 25448 0


40 18475 25412 1

40 18475 25424 4

40 18475 25436 7

DOMUS / LFG 60 x 60

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated with DIN mounting rail

61 x 57 mm
14

trunking base and cover

Packing PU: 16 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

TRENN 60

made from rigid PVC
Packing PU: 100 m

KHK 60

made from ABS
Packing PU: 50 Pieces

grey 1007

1762

1764

1185

1157

1260

1560

40 18475 01007 9

40 18475 01762 7

40 18475 01764 1

40 18475 01185 4

40 18475 01157 1

40 18475 01260 8

40 18475 01560 9

light grey 1495

2899

2996

2997

2998

1260

1560

40 18475 01495 4

40 18475 02899 9

40 18475 02996 5

40 18475 02997 2

40 18475 02998 9

white 1019

1765

1767

1192

1164

1260

1560

40 18475 01019 2

40 18475 01765 8

40 18475 01767 2

40 18475 01192 2

40 18475 01164 9

pure white 11031

11115

11857

11199

11171

1260

1560

40 18475 25313 1

40 18475 25452 7

40 18475 25416 9


40 18475 25428 2

40 18475 25440 4

accessories:



We reserve the right to alterations.



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated with DIN mounting rail



61 x 90 mm
19



New: for System MODUL 45

MR domino 90

light grey 16672 40 18475 26449 6 packing PU 1 Piece
pure white 16652 40 18475 26408 3 packing PU 1 Piece



trunking base and cover

Packing PU: 16 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

TRENN 60












made from rigid PVC
Packing PU: 100 m

KHK 90

made from ABS
Packing PU: 50 Pieces

grey	1008	1768	1770	1186	1158	1260	1592
	40 18475 01008 6	40 18475 01768 9	40 18475 01770 2	40 18475 01186 1	40 18475 01158 8	40 18475 01260 8	40 18475 01592 0
light grey	2999	3017	3018	3019	3020		
	40 18475 02999 6	40 18475 03017 6	40 18475 03018 3	40 18475 03019 0	40 18475 03020 6		
white	1020	1771	1773	1193	1165		
	40 18475 01020 8	40 18475 01771 9	40 18475 01773 3	40 18475 01193 9	40 18475 01165 6		
pure white	11032	11116	11858	11200	11172		
	40 18475 25404 6	40 18475 25453 4	40 18475 25417 6	40 18475 25429 9	40 18475 25441 1		

mounting steps for inserting the modular frames






DOMUS / FB trunking made from rigid PVC

DOMUS / FB 60 x 110 with DIN mounting rail

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated



62 x 100 mm
24



New: for System MODUL 45

MR domino 110

light grey 16673 40 18475 26450 2 packing PU 1 Piece
pure white 16653 40 18475 26409 0 packing PU 1 Piece



trunking base and cover

Packing PU: 8 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

TREN 60 extra

made from rigid PVC
Packing PU: 50 m

KHK 110

made from ABS
Packing PU: 50 Pieces

grey 1009

1774

1776

1187

1159

1456

1593

40 18475 01009 3

40 18475 01774 0

40 18475 01776 4

40 18475 01187 8

40 18475 01159 5

40 18475 01456 5

40 18475 01593 7

light grey 4460

4461

4462

4463

4464

40 18475 04460 9

40 18475 04461 6

40 18475 04462 3

40 18475 04463 0

40 18475 04464 7

40 18475 04464 7

white 1021

1777

1779

1194

1166

40 18475 01021 5

40 18475 01777 1

40 18475 01779 5

40 18475 01194 6

40 18475 01166 3

40 18475 01166 3

pure white 11033

11117

11145

11201

11173

40 18475 25314 8

40 18475 25386 5

40 18475 25349 0

40 18475 25356 8

40 18475 25363 6


40 18475 25363 6

40 18475 01268 4

40 18475 01261 5

DOMUS / FB 60 x 130 with DIN mounting rail

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated



62 x 130 mm
27



New: for System MODUL 45

MR domino 130

light grey 16674 40 18475 26451 9 packing PU 1 Piece
pure white 16654 40 18475 26410 6 packing PU 1 Piece



trunking base and cover

Packing PU: 10 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

TREN 60 extra

made from rigid PVC
Packing PU: 50 m

KHK 130

made from ABS
Packing PU: 50 Pieces

grey 1010

1780

1782

1188

1160

1456

1594

40 18475 01010 9

40 18475 01780 1

40 18475 01782 5

40 18475 01188 5

40 18475 01160 1

40 18475 01456 5

40 18475 01594 4

light grey 4465

4466

4467

4468

4469

40 18475 04465 4

40 18475 04466 1

40 18475 04467 8

40 18475 04468 5

40 18475 20062 3

40 18475 20062 3

white 1022

1783

1785

1195

1167

40 18475 01022 2

40 18475 01783 2

40 18475 01785 6

40 18475 01195 3

40 18475 01167 0

40 18475 01167 0

pure white 11034

11118

11146

11202

11174

40 18475 25344 5

40 18475 25387 2

40 18475 25350 6

40 18475 25357 5

40 18475 25364 3

40 18475 25364 3


40 18475 01268 4

40 18475 01261 5

We reserve the right to alterations.

DOMUS / FB 60 x 150 with 2 DIN mounting rails

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated



62 x 150 mm
31



New: for System MODUL 45

MR domino 150

light grey 16675 40 18475 26452 6 packing PU 1 Piece
pure white 16655 40 18475 26411 3 packing PU 1 Piece



trunking base and cover

Packing PU: 8 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

grey 1049

1786

1788

1189

1161

1456

1595

40 18475 01049 9

40 18475 01786 3

40 18475 01788 7

40 18475 01189 2

40 18475 01161 8

40 18475 01456 5

40 18475 01595 1

light grey 4480

4481

4482

1634

4483

40 18475 04480 7

40 18475 20063 0

40 18475 20064 7

40 18475 01634 7

40 18475 20065 4

40 18475 01023 9

40 18475 01023 9

white 1023

1789

1791

1196

1168

40 18475 01789 4

40 18475 01791 7

40 18475 01791 7

40 18475 01196 0

40 18475 01168 7

40 18475 25345 2

40 18475 25388 9

pure white 11035

11119

11147

11203

11175

40 18475 25351 3

40 18475 25351 3

40 18475 25358 2


40 18475 25365 0

40 18475 01268 4

40 18475 01261 5

DOMUS / FB 60 x 200 with 2 DIN mounting rails

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

62 x 190 mm
39



trunking base and cover

Packing PU: 8 m

inner corner

Packing PU: 2 Pieces

external corner

Packing PU: 2 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 2 Pieces

accessories:

grey 1050

1792

1794

1190

1162

1456

1596

40 18475 01050 5

40 18475 01792 4

40 18475 01794 8

40 18475 01190 8

40 18475 01162 5

40 18475 01456 5

40 18475 01596 8

light grey 4484

4485

4486

4487

4488

40 18475 20010 4

40 18475 20066 1

40 18475 20067 8

40 18475 20068 5

40 18475 20069 2

40 18475 010246

40 18475 01795 5

40 18475 01797 9

40 18475 01197 7

40 18475 01169 4

40 18475 25315 5

40 18475 25389 6

white 1024

1795

1797

1197

1169

40 18475 010246

40 18475 01795 5

40 18475 01797 9

40 18475 01197 7

40 18475 01169 4

40 18475 25315 5

40 18475 25389 6

pure white 11036

11120

11148

11204

11176

40 18475 25351 5

40 18475 25352 0

40 18475 25359 9

40 18475 25366 7

40 18475 01268 4

40 18475 01261 5


We reserve the right to alterations.



DOMUS / FB trunking made from rigid PVC

DOMUS / FB 60 x 230 with 3 DIN mounting rails

product group 1



external dimensions (height x width) 62 x 230 mm
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²) 47
trunking base perforated

trunking base and cover

Packing PU: 8 m

grey

1054

inner corner

Packing PU: 1 Piece

40 18475 01054 3

1284

external corner

Packing PU: 1 Piece

40 18475 01284 4

1285



end cap

Packing PU: 10 Pieces

40 18475 01295 0

1295

flat angle

Packing PU: 1 Piece

40 18475 01283 7

1283

light grey

4489

4490

40 18475 20003 6

4491

40 18475 20070 8

4492

40 18475 20071 5

4493

40 18475 20072 2

40 18475 20073 9

white

1056

1276

40 18475 01056 7

1275

40 18475 01276 9

1274

40 18475 01275 2

1277

40 18475 01274 5

pure white

11066

11798

40 18475 25346 9

14112

40 18475 25390 2

14113

40 18475 25353 7

14114

40 18475 25360 5

40 18475 25367 4

accessories:



TRENN 60 extra

made from rigid PVC

height: 60 mm, Packing PU: 50 m



KHK 230

made from ABS

Packing PU: 50 Pieces

1456

40 18475 01456 5

1545

40 18475 01545 6



GDS 50



GED 50

1268


40 18475 01268 4

1261

40 18475 01261 5

DOMUS / FB 80 x 150 with 2 DIN mounting rails

product group 1



external dimensions (height x width) 80 x 150 mm
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²) 46
trunking base perforated

Device mounting is only possible with device/socket bridges or MR domino



New: for System MODUL 45

MR domino 150

light grey 16675 40 18475 26452 6

pure white 16655 40 18475 26411 3

packing PU 1 Piece

packing PU 1 Piece



device/socket bridge

KHK 150

made from rigid PVC packing PU 50 m catching adapter profile for the fitting of sockets

made from ABS Packing PU: 50 Pieces

1494

40 18475 01494 7

1595

40 18475 01595 1



GDS 50



GED 50

1268

40 18475 01268 4

1261

40 18475 01261 5

trunking base and cover

Packing PU: 8 m

grey

1490

Packing PU: 2 Pieces

40 18475 01490 9

1892

Packing PU: 2 Pieces

40 18475 01892 1

1896



end cap

Packing PU: 5 Pieces

40 18475 01896 9

1736

flat angle

Packing PU: 2 Pieces

40 18475 01851 8

1851

light grey

4495

4496

40 18475 20011 1

4497

40 18475 20074 6

4498

40 18475 20075 3

4499

white

1491

1893

40 18475 01491 6

1897

40 18475 01893 8

1737

40 18475 01897 6

1852

pure white

11492

11894

40 18475 25347 6

14119

40 18475 25391 9

14120

40 18475 25354 4

14121

40 18475 25361 2

40 18475 25368 1

1268

40 18475 01268 4


1261

40 18475 01261 5

We reserve the right to alterations.

DOMUS / FB 100 x 230 with 3 DIN mounting railn

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated
device mounting is not possible

100 x 230 mm

77



trunking base and cover

inner corner

external corner


end cap

flat angle

Packing PU: 4 m

	grey 1091	1301	1304	1307	1310	
	40 18475 01091 8	40 18475 01301 8	40 18475 01304 9	40 18475 01307 0	40 18475 01310 0	
light grey 4500	4501	4502	4503	4504		
	40 18475 20004 3	40 18475 20005 0	40 18475 20006 7	40 18475 20007 4	40 18475 20008 1	
white 1092	1302	1305	1308	1311		
	40 18475 01092 5	40 18475 01302 5	40 18475 01305 6	40 18475 01308 7	40 18475 01311 7	
pure white 11093	14115	14116	14117	14118		
	40 18475 25343 8	40 18475 25385 8	40 18475 25348 3	40 18475 25355 1	40 18475 25362 9	
brown 1094	1303	1306	1309	1312		
	40 18475 01094 9	40 18475 01303 2	40 18475 01306 3	40 18475 01309 4	40 18475 01312 4	

accessories:



TRENN 100 extra KHK 230

made from rigid PVC
height: 100 mm,
Packing PU: 30 m

1267

1545

40 18475 01267 7

40 18475 01545 6



We reserve the right to alterations.



DOMUS / MINI/s mini-trunking hot dip galvanized made from sheet metal

DOMUS / MINI/s 15 x 15 accessories are from plastic

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²
trunking base perforated

15 x 15 mm
1



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 10 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

hot dip galvanized 4600	4229	4235	4195	4247	2284
40 18475 23963 0	40 18475 04229 2	40 18475 04235 3	40 18475 04195 0	40 18475 04247 6	40 18475 22270 0
pure white 24600	4234	4240	4199	4252	2285
40 18475 23973 9	40 18475 04234 6	40 18475 04240 7	40 18475 04199 8	40 18475 04252 0	40 18475 22272 4
RAL 34600	4230	4236	4196	4248	2286
40 18475 23979 1	40 18475 04230 8	40 18475 04236 0	40 18475 04196 7	40 18475 04248 3	40 18475 22274 8
pure white	14232	14238	14198	14250	12288
	40 18475 25442 8	40 18475 25406 0	40 18475 25418 3	40 18475 25430 5	40 18475 25797 9

DOMUS / MINI/s 15 x 30 accessories are from plastic

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²

15 x 30 mm
2



trunking base and cover

Packing PU: 30 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

hot dip galvanized 4605	4874	4879	1557	4884	2289
40 18475 23984 5	40 18475 20348 8	40 18475 20353 2	40 18475 20246 7	40 18475 20358 7	40 18475 22280 9
pure white 24605	4875	4880	1694	4885	2294
40 18475 23994 4	40 18475 20349 5	40 18475 20354 9	40 18475 20250 4	40 18475 20359 4	40 18475 22282 3
RAL 34605	4876	4881	1558	4886	2295
40 18475 23999 0	40 18475 20350 1	40 18475 20355 6	40 18475 20247 4	40 18475 20360 0	40 18475 22284 7
pure white	14878	14883	11693	14888	12297
	40 18475 25443 5	40 18475 25407 7	40 18475 25419 0	40 18475 25431 2	40 18475 25825 9

We reserve the right to alterations.



DOMUS / MINI/s mini-trunking hot dip galvanized made from sheet metal

DOMUS / MINI/s 30 x 30

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²
trunking base with mounting holes

30 x 30 mm

6



trunking base and cover

Packing PU: 32 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap

Packing PU: 20 Pieces

flat angle

Packing PU: 5 Pieces

flat tee


Packing PU: 10 Pieces

Die Formteile von DOMUS / LGF 15 x 15 aus plastic sind kompatibel.

hot dip galvanized	4610 40 18475 24004 9	4611 40 18475 24005 6	4612 40 18475 24006 3	4614 40 18475 24008 7	4613 40 18475 24007 0	4617 40 18475 24171 8
pure white	24610 40 18475 24014 8	24611 40 18475 24015 5	24612 40 18475 24016 2	24614 40 18475 24018 6	24613 40 18475 24017 9	24617 40 18475 24173 2
RAL	34610 40 18475 24019 3	34611 40 18475 24020 9	34612 40 18475 24021 6	34614 40 18475 24023 0	34613 40 18475 24022 3	34617 40 18475 24174 9

DOMUS / LFS 40 x 40

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²
trunking base with mounting holes

40 x 40 mm

6



trunking base and cover

Packing PU: 12 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap

Packing PU: 20 Pieces

flat angle

Packing PU: 5 Pieces

hot dip galvanized	2742 40 18475 02742 8	2743 40 18475 02743 5	2744 40 18475 02744 2	2746 40 18475 02746 6	2745 40 18475 02745 9
pure white	2748 40 18475 02748 0	2749 40 18475 02749 7	2750 40 18475 02750 3	2752 40 18475 02752 7	2751 40 18475 02751 0
RAL	22748 40 18475 22748 4	22749 40 18475 22749 1	22750 40 18475 22750 7	22752 40 18475 22752 1	22751 40 18475 22751 4


We reserve the right to alterations.



DOMUS / LFS and FBS mini-trunking hot dip galvanized made from sheet metal

DOMUS / LFS 40 x 60

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²
trunking base with mounting holes

40 x 60 mm
10



trunking base and cover

Packing PU: 12 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap

Packing PU: 20 Pieces


flat angle

Packing PU: 5 Pieces

hot dip galvanized	2300	2310	2320	2340	2330
	40 18475 02300 0	40 18475 02310 9	40 18475 02320 8	40 18475 02340 6	40 18475 02330 7
pure white	2301	2311	2321	2341	2331
	40 18475 02301 7	40 18475 02311 6	40 18475 02321 5	40 18475 02341 3	40 18475 02331 4
RAL	22301	22311	22321	22341	22331
	40 18475 22301 1	40 18475 22311 0	40 18475 22321 9	40 18475 22341 7	40 18475 22331 8

DOMUS / LFS 60 x 60

product group 3



external dimensions (height x width)
filled up with the maximum quantity for cables NYM 3 x 1,5 mm²
trunking base with mounting holes

60 x 60 mm
15

accessories:



trunking base and cover

Packing PU: 8 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap

Packing PU: 20 Pieces

flat angle




Packing PU: 5 Pieces

KHK/S 60

hot dip galvanized made from
sheet metal
Packing PU: 100 Pieces




hot dip galvanized	2302	2312	2322	2342	2332	2950
	40 18475 02302 4	40 18475 02312 3	40 18475 02322 2	40 18475 02342 0	40 18475 02332 1	40 18475 02950 7
pure white	2303	2313	2323	2343	2333	
	40 18475 02303 1	40 18475 02313 0	40 18475 02323 9	40 18475 02343 7	40 18475 02333 8	
RAL	22303	22313	22323	22343	22333	
	40 18475 22303 5	40 18475 22313 4	40 18475 22323 3	40 18475 22343 1	40 18475 22333 2	

DOMUS / LFS and FBS 60 x 100
product group 3

		external dimensions (height x width) filled up with the maximum quantity for cables NYM 3 x 1,5 mm ²		60 x 100 mm 27	accessories: device panels safety accessory	from page 69 69						
base and cover	LFS	FBS	inner corner	external corner end cap	flat angle	TRENN/S						
	Packing PU: 4 m	Packing PU: 4 m	Packing PU: 2 Pieces	Packing PU: 2 Pieces	Packing PU: 10 Pieces	KHK/S 100						
hot dip galvanized	2304	2350	2314	2324	2344	2334						
	40 18475 02304 8	40 18475 02350 5	40 18475 02314 7	40 18475 02324 6	40 18475 02344 4	40 18475 02334 5						
pure white	2305	2351	2315	2325	2345	2335						
	40 18475 02305 5	40 18475 02351 2	40 18475 02315 4	40 18475 02325 3	40 18475 02345 1	40 18475 02335 2						
RAL	22305	22351	22315	22325	22345	22335						
	40 18475 22305 9	40 18475 22351 6	40 18475 22315 8	40 18475 22325 7	40 18475 22345 5	40 18475 22335 6						
											accessories: device panels safety accessory	from page 69 69
base and cover	LFS	FBS	inner corner	external corner end cap	flat angle							
	Packing PU: 4 m	Packing PU: 4 m	Packing PU: 2 Pieces	Packing PU: 2 Pieces	Packing PU: 10 Pieces	Packing PU: 2 Pieces						
hot dip galvanized	2306	2352	2316	2326	2346	2336						
	40 18475 02306 2	40 18475 02352 9	40 18475 02316 1	40 18475 02326 0	40 18475 02346 8	40 18475 02336 9						
pure white	2307	2353	2317	2327	2347	2337						
	40 18475 02307 9	40 18475 02353 6	40 18475 02317 8	40 18475 02327 7	40 18475 02347 5	40 18475 02337 6						
RAL	22307	22353	22317	22327	22347	22337						
	40 18475 22307 3	40 18475 22353 0	40 18475 22317 2	40 18475 22327 1	40 18475 22347 9	40 18475 22337 0						
TRENN/S	KHK/S 150											
only for FBS hot dip galvanized made from sheet metal Packing PU: 40 m,	hot dip galvanized made from sheet metal Packing PU: 100 Pieces											
2191	2953	40 18475 02191 4										
GED 50	GED 50/2											
1261	1280											
40 18475 01261 5	40 18475 01280 6											
packing PU 40 Pieces	packing PU 20 Pieces											
only for FBS												




DOMUS / LFS and FBS 60 x 200

product group 3

					accessories: device panels safety accessory	from page 69 69
Kanalunter- u. -cover	LFS	FBS	inner corner	external corner end cap	flat angle	
	Packing PU: 4 m	Packing PU: 4 m	Packing PU: 2 Pieces	Packing PU: 2 Pieces	Packing PU: 10 Pieces	Packing PU: 2 Pieces
hot dip galvanized	2308	2354	2318	2328	2348	2338
	40 18475 02308 6	40 18475 02354 3	40 18475 02318 5	40 18475 02328 4	40 18475 02348 2	40 18475 02338 8
pure white	12309	12355	12319	12329	12349	12339
	40 18475 12309 0	40 18475 12355 7	40 18475 12319 9	40 18475 12329 8	40 18475 12349 6	40 18475 12339 7
RAL	2309	2355	2319	2329	2349	2339
	40 18475 02309 3	40 18475 02355 0	40 18475 02319 2	40 18475 02329 1	40 18475 02349 9	40 18475 02339 0
	22309	22355	22319	22329	22349	22339
	40 18475 22309 7	40 18475 22355 4	40 18475 22319 6	40 18475 22329 5	40 18475 22349 3	40 18475 22339 4
TRENN/S	KHK/S 200					
only for FBS hot dip galvanized made from sheet metal Packing PU: 40 m,	hot dip galvanized made from sheet metal Packing PU: 100 Pieces					
2191	2954	40 18475 02191 4				
GED 50	GED 50/2					
1261	1280					
40 18475 01261 5	40 18475 01280 6					
packing PU 40 Pieces	packing PU 20 Pieces					
only for FBS						

DOMUS / LFS and FBS 60 x 230

product group 3



		external dimensions (height x width) filled up with the maximum quantity for cables NYM 3 x 1,5 mm ²	60 x 230 mm 63	accessories: device panels safety accessory	from page 69 69
base and cover	LFS	FBS	inner corner	external corner end cap	flat angle
Packing PU: 4 m	Packing PU: 4 m	Packing PU: 2 Pieces	Packing PU: 2 Pieces	Packing PU: 10 Pieces	Packing PU: 2 Pieces
hot dip galvanized	2802	2876	2803	2804	2806
	40 18475 02802 9	40 18475 02876 0	40 18475 02803 6	40 18475 02804 3	40 18475 02806 7
pure white	2808	2882	2809	2810	2812
	40 18475 02808 1	40 18475 02882 1	40 18475 02809 8	40 18475 02810 4	40 18475 02812 8
RAL	22808	22882	22809	22810	22812
	40 18475 22808 5	40 18475 22882 5	40 18475 22809 2	40 18475 22810 8	40 18475 22812 2
					40 18475 22811 5
					TRENN/S
					only for FBS hot dip galvanized made from sheet metal Packing PU: 40 m
					KHK/S 230
					hot dip galvanized made from sheet metal Packing PU: 100 Pieces
					2191
					2955
					40 18475 02191 4
					40 18475 02955 2
					
					
					GED 50
					GED 50/2
					1261
					1280
					40 18475 01261 5
					40 18475 01280 6
					packing PU 40 Pieces
					packing PU 20 Pieces
					only for FBS



We reserve the right to alterations.

TRENN system separation

product group 1



TRENN/S

hot dip galvanized made from sheet metal
divider for all FBS trunkings

product group

3

TRENN/S2

hot dip galvanized made from sheet metal
doppel-divider for all FBS trunkings

product group

3

2191	2192
40 18475 02191 4	40 18475 02192 1
packing PU 30 m	30 m

GED/GDS device mounting

product group 1



GDS 50

accessory box single hole, black
50 mm, recommended for FB device mounting trunkings

GED 50

accessory box single hole, blue
50 mm, recommended for FB and FBS device mounting trunkings

GED 50/2

accessory box double hole, blue – Costs savings due to the use of double boxes!
50 mm, recommended for FB and FBS device mounting trunkings

GED 47

accessory box single hole, grey
47 mm, recommended for FB and FBS device mounting trunkings when using circular cut device panels

GED 47/2

accessory box double hole, grey – Costs savings due to the use of double boxes!
47 mm, recommended for FB and FBS device mounting trunkings when using circular cut device panels

I268	I261	I280	I281	I298
40 18475 01268 4	40 18475 01261 5	40 18475 01280 6	40 18475 01281 3	40 18475 01298 1
packing PU 48 Pieces	40 Pieces	20 Pieces	40 Pieces	20 Pieces

GED/GDS device mounting



AZD 42

Mounting box, green
42 mm, recommended for FB and FBS
device mountingtrunkings

product group

1



CEE installation frame

for the mounting of sockets 16 A and
32-A, incl. 4 fixing screws

product group

1

1282	1263
40 18475 01282 0	40 18475 01263 9
packing PU	10 Pieces

KSE complete sockets (Schuko)

product group 1



KSE 50/1 quick single hole

complete socket accessory unit
(pre-wired),
50 mm, incl. covering frame



KSE 50/2 quick double hole

complete socket accessory unit
(pre-wired),
50 mm, incl. covering frame



KSE 50/3 quick triple hole

complete socket accessory unit
(pre-wired),
50 mm, incl. covering frame

white (similar RAL 9001)	1990	4096	1996
	40 18475 01990 4	40 18475 04096 0	40 18475 01996 6
pure white (similar RAL 9010)	1991	4097	1999
	40 18475 01991 1	40 18475 04097 7	40 18475 01999 7
packing PU	1 Piece	1 Piece	1 Piece

We reserve the right to alterations.

KVE small distributor accessory units for DOMUS device mounting trunkings



KVE 50/2

Small distributor accessory unit for 2 device inserts (17,5 mm), 50 mm




inspection window

foldable for KVE 50/2
incl. screws



white (similar RAL 9001)	1801	1803
	40 18475 01801 3	40 18475 01803 7
pure white (similar RAL 9010)	1802	
	40 18475 01802 0	
packing PU	1 Piece	1 Piece

WKV wall mountings for DOMUS device mounting trunkings

product group 1



WKV-1	WKV-2	WKV-3	WKV-4	WKV-5	WKV-6
adjustment area 47–62 mm	adjustment area 67–97 mm	adjustment area 82–127 mm	adjustment area 119–178 mm	adjustment area 175–275 mm	adjustment area 275–375 mm
3581	3584	3582	3583	3585	2137
40 18475 03581 2	40 18475 03584 3	40 18475 03582 9	40 18475 03583 6	40 18475 03585 0	40 18475 02137 2
packing PU	10 Pieces	10 Pieces	10 Pieces	10 Pieces	10 Pieces



grounding cable with cable connections

to clip on,
length 500 mm

product group 3

to clip on,
length 300 mm

product group 3

grounding cable with ring eyes

incl. screws,
length 500 mm

product group 3

incl. screws,
length 300 mm



product group 3

grounding terminal

for mounting
on the DIN rail
(35 mm)

product group 3

1638 40 18475 01638 5 packing PU	1640 40 18475 01640 8 50 Pieces	1639 40 18475 01639 2 50 Pieces	1641 40 18475 01641 5 50 Pieces	3240 40 18475 03240 8 10 Pieces
---	--	--	--	--



USV 60

Impact/grounding Rastverbinder
made from spring steel for LFS/FBS
trunkings, height 60 mm

product group 3

Fire protection kit

acc. to DIN 4102
sufficient for a clear trunking
diameter of 0.45dm²,
(Approval. Z-19.15-195)

product group 1

Noise Barrier


Mineral fiber strand
for self-cutting into the
appropriate lengths
damping approx. 40 dB,
diameter approx. 30 mm
product group 1

2959 40 18475 02959 0 packing PU	3579 40 18475 03597 9 1 Set	4212 40 18475 04212 4 30 m
---	--	---

GGK® AMBIENCE / SL colorline skirting board trunkings made from rigid PVC

AMBIENCE / SL colorline 20 x 50 with elastic lips

product group 1





external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes

20 x 50 mm
4

accessories:
SL-socket outlet
MODUL 45 modules
by-pass trunking with MINI 15x50

76



trunking base and cover

Packing PU: 32 m

inner corner

Packing PU: 5 Pieces

external corner end cap left

Packing PU: 5 Pieces

end cap right

Packing PU: 5 Pieces

coupling

Packing PU: 5 Pieces

TUW left

Packing PU: 2 Pieces


TUW right

Packing PU: 2 Pieces

grey	12450	14911	14916	14921	14926	14942	4070	4076
	40 18475 23291 4	40 18475 23298 3	40 18475 23304 1	40 18475 23310 2	40 18475 23325 6	40 18475 24738 3	40 18475 23447 5	40 18475 23452 9
white	12451	14912	14917	14922	14927	14943	4072	4078
	40 18475 23276 1	40 18475 23294 5	40 18475 23299 0	40 18475 23305 8	40 18475 23311 9	40 18475 24739 0	40 18475 23450 5	40 18475 23455 0
pure white	112454	114915	114920	114925	114930	114946	14073	14079
	40 18475 25492 3	40 18475 25502 9	40 18475 25496 1	40 18475 25498 5	40 18475 25499 2	40 18475 25504 3	40 18475 25338 4	40 18475 25339 1
brown	12452	14913	14918	14923	14928	14944	2084	2085
	40 18475 23288 4	40 18475 23297 6	40 18475 23303 4	40 18475 23309 6	40 18475 23324 9	40 18475 24740 6	40 18475 24736 9	40 18475 24737 6
beige	12453	14914	14919	14924	14929	14945	4146	4147
	40 18475 23285 3	40 18475 23296 9	40 18475 23301 0	40 18475 23308 9	40 18475 23314 0	40 18475 24741 3	40 18475 23959 3	40 18475 23960 9

AMBIENCE / SL colorline 20 x 70 with elastic lips

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes

20 x 70 mm
5

accessories:
SL-socket outlet
MODUL 45 modules
by-pass trunking with MINI 15x50

76



trunking base and cover

Packing PU: 24 m

inner corner

Packing PU: 5 Pieces

external corner end cap left

Packing PU: 5 Pieces

end cap right

Packing PU: 5 Pieces

coupling

Packing PU: 5 Pieces

TUW left

Packing PU: 2 Pieces

TUW right

Packing PU: 2 Pieces

grey	13153	11909	11913	11917	11921	11942	4082	4088
	40 18475 23240 2	40 18475 23357 7	40 18475 23366 9	40 18475 23374 4	40 18475 23381 2	40 18475 24743 7	40 18475 23457 4	40 18475 23461 1
white	12427	11910	11914	11918	11922	11943	4084	4090
	40 18475 23287 2	40 18475 23349 2	40 18475 23358 4	40 18475 23367 6	40 18475 23375 1	40 18475 24744 0	40 18475 23459 8	40 18475 23463 5
pure white	112430	111961	111962	111963	111964	111957	14085	14143
	40 18475 25493 0	40 18475 25503 6	40 18475 25497 8	40 18475 25500 5	40 18475 25501 2	40 18475 25511 1	40 18475 25340 7	40 18475 25341 4
brown	12428	11911	11915	11919	11923	11944	4083	4089
	40 18475 23289 6	40 18475 23356 0	40 18475 23364 5	40 18475 23373 7	40 18475 23380 5	40 18475 24745 1	40 18475 23458 1	40 18475 23462 8
beige	12429	11912	11916	11920	11924	11945	4148	4149
	40 18475 23238 9	40 18475 23354 6	40 18475 23363 8	40 18475 23372 0	40 18475 23379 9	40 18475 24746 8	40 18475 23961 6	40 18475 23962 3


We reserve the right to alterations.



AMBIENCE / MINI mini-trunking and by-pass trunking system

AMBIENCE / MINI 15 x 50 t

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes


17 x 50 mm
2



BOX MB Domino for MODUL 45 system

MB domino

pure white 16658 40 18475 16414 4 packing PU 1 Piece



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 10 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 10 Pieces

flat tee

Packing PU: 1 Piece

grey	1524	4889	4894	4899	4808	16661
	40 18475 01524 1	40 18475 20363 1	40 18475 20368 6	40 18475 20373 0	40 18475 20378 5	40 18475 26416 2
light grey	2859	4890	4895	4804	4809	16662
	40 18475 02859 3	40 18475 20364 8	40 18475 20369 3	40 18475 20374 7	40 18475 20379 2	40 18475 26419 9
white	1525	4891	4896	4805	4810	16664
	40 18475 01525 8	40 18475 20365 5	40 18475 20370 9	40 18475 20375 4	40 18475 20380 8	40 18475 26421 2
pure white	11526	14893	14898	14807	14812	16660
	40 18475 25323 0	40 18475 25444 2	40 18475 25408 4	40 18475 25420 6	40 18475 25432 9	40 18475 26416 8
brown	1527	4892	4897	4806	4811	16663
	40 18475 01527 2	40 18475 20366 2	40 18475 20371 6	40 18475 20376 1	40 18475 20381 5	40 18475 26420 5

AMBIENCE / MINI 15 x 50

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes



17 x 50 mm
4



BOX MB Domino for MODUL 45 system

MB domino

pure white 16658 40 18475 16414 4 packing PU 1 Piece



trunking base and cover

Packing PU: 50 m

inner corner

Packing PU: 10 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 10 Pieces

flat tee


Packing PU: 5 Pieces

grey	1528	4889	4894	4899	4808	16661
	40 18475 01528 9	40 18475 20363 1	40 18475 20368 6	40 18475 20373 0	40 18475 20378 5	40 18475 26418 2
light grey	2860	4890	4895	4804	4809	16662
	40 18475 02860 9	40 18475 20364 8	40 18475 20369 3	40 18475 20374 7	40 18475 20379 2	40 18475 26419 9
white	1529	4891	4896	4805	4810	16664
	40 18475 01529 6	40 18475 20365 5	40 18475 20370 9	40 18475 20375 4	40 18475 20380 8	40 18475 26421 2
pure white	11530	14893	14898	14807	14812	16660
	40 18475 25322 3	40 18475 25444 2	40 18475 25408 4	40 18475 25420 6	40 18475 25432 9	40 18475 26416 8
brown	1531	4892	4897	4806	4811	16663
	40 18475 01531 9	40 18475 20366 2	40 18475 20371 6	40 18475 20376 1	40 18475 20381 5	40 18475 26420 5

We reserve the right to alterations.

AMBIENCE / SL colorline 20 x 50 Carpet border with elastic lips

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes

20 x 50 mm
4

accessories:
SL-socket outlet
GT domino modules

76



end cap left **end cap right**

Packing PU: 5 Pieces Packing PU: 5 Pieces

trunking base and cover

Packing PU: 32 m

grey	12456 40 18475 23275 4	14931 40 18475 23329 4	14936 40 18475 23339 3
white	12462 40 18475 23255 6	14932 40 18475 23326 3	14937 40 18475 23335 5
pure white	112482 40 18475 25494 7	114935 40 18475 25507 4	114940 40 18475 25508 1
brown	12480 40 18475 23273 0	14933 40 18475 23315 7	14938 40 18475 23338 6
beige	12481 40 18475 23270 9	14934 40 18475 23328 7	14939 40 18475 23337 9

AMBIENCE / SL colorline 20 x 70 Carpet border with elastic lips

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes

20 x 70 mm
5

accessories:
SL-socket outlet
GT domino modules

76




end cap left **end cap right**

Packing PU: 5 Pieces Packing PU: 5 Pieces

trunking base and cover


Packing PU: 24 m

grey	13135 40 18475 23265 5	11925 40 18475 23386 7	11950 40 18475 23391 1
white	12433 40 18475 23256 3	11926 40 18475 23382 9	11951 40 18475 23387 4
pure white	112438 40 18475 25495 4	111965 40 18475 25509 8	111966 40 18475 25510 4
brown	12434 40 18475 23263 1	11927 40 18475 23385 0	11952 40 18475 23390 4
beige	12435 40 18475 23261 7	11928 40 18475 23384 3	11953 40 18475 23389 8



Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation

packing PU 1 Piece



Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation


packing PU 1 Piece

SL-GT, single hole (without socket)

grey (similar RAL 7030)	1930
	40 18475 01930 0
white (similar RAL 9001)	1931
	40 18475 01931 7
pure white (similar RAL 9010)	11967
	40 18475 25335 3
brown (similar RAL 8014)	1932
	40 18475 01932 4
beige (similar RAL 1019)	1933
	40 18475 01933 1


SL-GT single hole with central disk

grey (similar RAL 7030)	1938
	40 18475 01938 6
white (similar RAL 9001)	1939
	40 18475 01939 3
pure white (similar RAL 9010)	11968
	40 18475 25337 7
brown (similar RAL 8014)	1940
	40 18475 01940 9
beige (similar RAL 1019)	1941
	40 18475 01941 6



Device carrier systems, pre-wired, with height compensation either by using the included adapter or by breaking the bottom (break-off) edge

packing PU 1 Piece



Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation

packing PU 1 Piece
device mounting from page

SL/SLT-GT, double hole with shock-proof plug-sockets - child proof

SL-GT Domino double hole (without socket)


grey (similar RAL 7030)	1934	grey (similar RAL 7030)	6652
	40 18475 01934 8		40 18475 24189 3
white (similar RAL 9001)	1935	white (similar RAL 9001)	6650
	40 18475 01935 5		40 18475 24187 9
pure white (similar RAL 9010)	11960	pure white (similar RAL 9010)	16651
	40 18475 25336 0		40 18475 25334 6
brown (similar RAL 8014)	1936	brown (similar RAL 8014)	6820
	40 18475 01936 2		40 18475 24993 6
beige (similar RAL 1019)	1937	beige (similar RAL 1019)	6819
	40 18475 01937 9		40 18475 24992 9



AMBIENCE / SL decorline skirting trunking made from rigid PVC

AMBIENCE / SL decorline 20 x 50 with elastic lips

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

20 x 50 mm
4

accessories:
SL-socket outlet
GT domino modules

76



trunking base and cover

Packing PU: 32 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap left

Packing PU: 5 Pieces

end cap right

Packing PU: 5 Pieces

coupling

Packing PU: 5 Pieces

TUW left

Packing PU: 2 Pieces


TUW right

Packing PU: 2 Pieces

beech veneer	13268	13885	13886	13887	13888	3982	4074	4080
pattern	40 18475 23280 8	40 18475 23340 9	40 18475 23342 3	40 18475 23347 8	40 18475 23344 7	40 18475 23416 1	40 18475 23430 7	40 18475 23432 1
satin steel	13273	13889	13890	4010	4012	3983	4075	4081
pattern	40 18475 23283 9	40 18475 23341 6	40 18475 23343 0	40 18475 23422 2	40 18475 23425 3	40 18475 23418 5	40 18475 23431 4	40 18475 23433 8

AMBIENCE / SL decorline 20 x 70 with elastic lips

product group 1




external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base perforated

20 x 70 mm
5

accessories:
SL-socket outlet
GT domino modules

76



trunking base and cover

Packing PU: 24 m

inner corner

Packing PU: 5 Pieces

external corner

Packing PU: 5 Pieces

end cap left

Packing PU: 5 Pieces

end cap right

Packing PU: 5 Pieces

coupling

Packing PU: 5 Pieces


TUW left

Packing PU: 2 Pieces

TUW right


Packing PU: 2 Pieces

beech veneer	13389	13386	13381	4013	4015	3411	4086	4144
pattern	40 18475 23250 1	40 18475 24753 6	40 18475 23361 4	40 18475 23426 0	40 18475 23428 4	40 18475 23063 7	40 18475 23435 2	40 18475 23438 3
satin steel	13390	13379	13382	4014	4016	4002	4087	4145
pattern	40 18475 23253 2	40 18475 23353 9	40 18475 23362 1	40 18475 23427 7	40 18475 23429 1	40 18475 23420 8	40 18475 23436 9	40 18475 23439 0



Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation

packing PU 1 Piece




Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation

packing PU 1 Piece


SL/SLT-GT, single hole (empty)

beech veneer pattern	4003	beech veneer pattern	4007
	40 18475 23440 6		40 18475 23445 1
satin steel pattern	4004	satin steel pattern	4008
	40 18475 23441 3		40 18475 23446 8



Device carrier systems, pre-wired, with height compensation either by using the included adapter or by breaking the bottom (break-off) edge

packing PU 1 Piece



Device carrier systems for universal fitting and for all areas of application, packing PU with adapter for height compensation

packing PU 1 Piece
device mounting from page


SL/SLT-GT, double hole with shock-proof plug-sockets - child proof

SL/SLT-GT, double hole domino (leer)

beech veneer pattern	4005	beech veneer pattern	6654
	40 18475 23442 0		40 18475 24191 6
satin steel pattern	4006	satin steel pattern	6670
	40 18475 23443 7		40 18475 24751 2

AMBIENCE / MINI-trunkings made from rigid PVC with snap-in cable connections

product group 1



MINI 6 x 7 snap

self adhesive

external dimensions

(height x width) 6 x 7 mm

packing PU 50 m



MINI 8 x 9 snap

self adhesive

external dimensions

(height x width) 8 x 9 mm

packing PU 50 m

transparent	1536	1532
	40 18475 01536 4	40 18475 01532 6
pure white	1540	11539
	40 18475 01540 1	40 18475 26360 4


We reserve the right to alterations.



AMBIENCE / MINI snap + AMBIENCE / MINI clip – self adhesive!

AMBIENCE / MINI-Trunkings made from rigid PVC with hinge-joint cover

product group 1



MINI 7 x 12 clip

self adhesive
external dimensions
(height x width) 7 x 12 mm
packing PU 50 m

MINI 10 x 10 clip

self adhesive
external dimensions
(height x width) 10 x 10 mm
packing PU 50 m

MINI 10 x 15 clip

self adhesive
external dimensions
(height x width) 10 x 15 mm
packing PU 40 m

pure white

4170

40 18475 04170 7

12573

40 18475 25317 9

4171

40 18475 04171 4

AMBIENCE / MINI 10 x 20 mini trunking

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (with NYM 3 x 1,5 mm²)
trunking base with mounting holes

10 x 20 mm
1



BOX MB Domino for MODUL 45 system

MB domino

pure white 16656 40 18475 26412 0 packing PU 1 Piece



trunking base and cover

Packing PU: 180 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 10 Pieces

white	2407	4521	4551	4561	4571	4581
	40 18475 20540 6	40 18475 20162 0	40 18475 20172 9	40 18475 20182 8	40 18475 20192 7	40 18475 20604 5
pure white	12413	14523	14553	14563	14573	12487
	40 18475 25318 6	40 18475 25331 5	40 18475 25324 7	40 18475 25326 1	40 18475 25327 8	40 18475 25827 3
grey	2406	4520	4550	4560	4570	4580
	40 18475 20538 3	40 18475 20161 3	40 18475 20171 2	40 18475 20181 1	40 18475 20191 0	40 18475 20603 8
brown	2412	4522	4552	4562	4572	4582
	40 18475 20541 3	40 18475 20163 7	40 18475 20173 6	40 18475 20183 5	40 18475 20193 4	40 18475 20605 2

We reserve the right to alterations.



AMBIENCE / MINI trunking system made from rigid PVC

AMBIENCE / MINI 10 x 30

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (NYM 3 x 1,5 mm²)
trunking base with mounting holes


10 x 30 mm
1



BOX MB Domino for MODUL 45 system

MB domino

HB Isoplatzchen grey 16126 40 18475 026664 6
packing PU 1 Piece



trunking base and cover

Packing PU: 72 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

white 1513

40 18475 01513 5

4526

40 18475 20167 5

4556

40 18475 20177 4

4566

40 18475 20187 3

4576

40 18475 20197 2

2106

40 18475 02106 8

pure white 11514

40 18475 25320 9

14528

40 18475 25332 2

14558

40 18475 25325 4

14568

40 18475 25329 2

14578

40 18475 25330 8

12107

40 18475 25828 0

grey 1512

40 18475 01512 8

4525

40 18475 20166 8

4555

40 18475 20176 7

4565

40 18475 20186 6

4575

40 18475 20196 5

2109

40 18475 02109 9

brown 1515

40 18475 01515 9

4527

40 18475 20168 2

4557

40 18475 20178 1

4567

40 18475 20188 0

4577


40 18475 20198 9

2108

40 18475 02108 2

AMBIENCE / MINI 10 x 30 t with divider

product group 1



external dimensions (height x width)
filled up with the maximum quantity for cables (NYM 3 x 1,5 mm²)
trunking base with mounting holes

10 x 30 mm
1



BOX MB Domino for MODUL 45 system

MB domino

pure white 16657 40 18475 26413 7 packing PU 1 Piece



trunking base and cover

Packing PU: 110 m

inner corner

Packing PU: 4 Pieces

external corner

Packing PU: 4 Pieces

end cap

Packing PU: 10 Pieces

flat angle

Packing PU: 4 Pieces

flat tee

Packing PU: 4 Pieces

white 1509

40 18475 01509 8

4526

40 18475 20167 5

4556

40 18475 20177 4

4566

40 18475 20187 3

4576

40 18475 20197 2

2106

40 18475 02106 8

pure white 11510

40 18475 25321 6

14528

40 18475 25332 2

14558

40 18475 25325 4

14568

40 18475 25329 2

14578

40 18475 25330 8

12107

40 18475 25828 0

grey 1508

40 18475 01508 1

4525

40 18475 20166 8

4555

40 18475 20176 7

4565

40 18475 20186 6

4575

40 18475 20196 5

2109

40 18475 02109 9

brown 1511

40 18475 01511 1

4527

40 18475 20168 2

4557

40 18475 20178 1

4567

40 18475 20188 0

4577

40 18475 20198 9

2108


40 18475 02108 2

We reserve the right to alterations.



BT floor-box

with cover, grey



Application example for the floor-box, suitable for 90° branches or transitions from ABK 12x50 to 18x75

6811

40 18475 24984 4


packing PU

5 Pieces

AMBIENCE / ABK floor-mounted raceway and AMBIENCE / WK angled cableway


ABK trend 12 x 50

external dimensions
(height x width) 12 x 50 mm
packing PU 54 m
filled up with the maximum quantity for cables
(with NYM 3 x 1,5 mm²) 1
trunking base perforated



ABK trend 18 x 75

external dimensions
(height x width) 18 x 75 mm
packing PU 36 m
filled up with the maximum quantity for cables
(with NYM 3 x 1,5 mm²) 2
trunking base perforated



WK 30 x 40

external dimensions
(height x width) 30 x 40 mm
packing PU 50 m
filled up with the maximum quantity for cables
(with NYM 3 x 1,5 mm²) 3
trunking base perforated

white	6648	white	4220	pure white	11955
	40 18475 24194 7		40 18475 04220 9		40 18475 25342 1
grey	6649	grey	4221		
	40 18475 24193 0		40 18475 04221 6		
pure white	16647				
	40 18475 25316 2				
brown	6640	brown	4222		
	40 18475 24749 9		40 18475 04222 3		
anthracite	6680	anthracite	6681		
	40 18475 24763 5		40 18475 24764 2		

POS sales systems

"Take away" shelf



Shelving system in modular setup for the self-explanatory display of GGK products incl. accessories in sales rooms, self-service areas and next to the sales counter. The most important items packed in customer-friendly packaging units and ready to take home – these attractive metal shelves (powder-coated) with logo and slogan offer best GGK quality.

"Take away" shelves act as a "permanent sales agent" and offer relief to the sales staff. Offer your customers additional purchasing incentives!

Item No.: Nimm-mit

Further information and prices on request.

Sample boards



Sample boards with dimensions of 980x980mm (HxW) and authentic and fully functional product samples for a space-saving and decorative sample presentation: installation trunkings in various colours and dimensions, preforms as well as device accessories.

Supporting material: stable plastic board (10mm) with high-quality product and reference photographs.

Item No. DOM1011

Sample board DOMUS installation trunking systems

Item No. AMB1011

Sample board AMBIENCE skirting board trunking systems

Item No. OFF1011

Sample board OFFICE dado trunking systems

Item No. SPE1011

Sample board SPECIAL wiring trunking systems

Further information and prices on request

Sample case



High-quality, robust aluminium pilot's case (45x33x20cm) in naturally anodized/light grey colours with 2 internal pockets for catalogues and stationery, business card compartments and carrying strap.

Fitted with a comprehensive basic range of trunking sections of 250mm length and various accessories.

Item No. 4200

Further information and prices on request

Presentation column



Stable and firm presentation column with a base for ready-for-sale trunking sets, loose accessories, action samples, etc. **An unmistakeable eye-catcher on the sales floor, in the self-service area and next to the sales counter with various options for use.**

Due to its small footprint (diameter of 60cm) the column offers almost limitless placement options.

Item No. Präsentationssäule *Further information and prices on request*



OFFICE range profiles

OFFICE / BR + BR³

Material	Hard-PVC - coloured, flame-retardant, UV-stabilised ("window quality") and normal impact-resistance
Delivery content	Trunking bases with 2-row floor perforation for wall and panel mounting, a continuous DIN mounting rail for the mounting of devices and system separation (BR 65x200 DUO: 2 DIN mounting rails) as well as special mounting grooves for fitting front-mounted accessory sockets (GDX/P). The internal 80mm trunking cover is designed for the panel-free installation of most commonly used surface switch ranges (80 x 80mm). All visible surfaces (i.e. trunking covers and bases) are fitted with a protective film (protection against damage during transport). OFFICE ³ : This system allows the combination of covers and bases that are made from different materials (PVC, sheet metal and aluminium). Trunking preforms as well as mitre preforms and variable preforms all correspond to DIN VDE 0899, part 4, and are suitable for fiberoptic cables because of their redirecting/bending radius.
Delivery length	2m – special lengths of up to 7.50m available
Standard colours	grey (similar to RAL 7030) light grey (similar to RAL 7035) white (similar to RAL 9001) brown (similar to RAL 8014) available on request pure white (similar to RAL 9010)
Product group	PG 1

OFFICE / BR "click & fit"

Material	Hard-PVC - coloured, flame-retardant, UV-stabilised ("window quality") and normal impact-resistance
Delivery content	Trunking bases with 2-row floor perforation for wall and panel mounting and special mounting grooves for front-mounted "click & fit" device modules (compliant with international device standards). The internal 45mm trunking cover is designed for the installation (without accessory sockets and panels) of all self-catching 45mm device modules. All visible surfaces (i.e. trunking covers and bases) are fitted with a protective film (protection against damage during transport). The pack unit is a combi pack and contains both the trunking cover(s) and base(s). Trunking preforms with redirection/bending radius suitable for fiberoptic cables (DIN VDE 0899, part 4).
Delivery length	2m – special lengths of up to 7.50m available
Standard colours	grey (similar to RAL 7030) light grey (similar to RAL 7035) white (similar to RAL 9001) brown (similar to RAL 8014) pure white (similar to RAL 9010)
Product group	PG 1



OFFICE range profiles

OFFICE / BRA + BRA³

Material	Extruded aluminium (AlMgSi0.5 F22)
Delivery content	<p>Trunking bases with a continuous DIN mounting rail for the fitting of devices and system separation as well as continuous grounding and connection grooves.</p> <p>The internal 80mm trunking cover with its continuous grounding groove is designed for the panel-free installation of most commonly used surface switch ranges (80 x 80mm).</p> <p>All visible surfaces (i.e. trunking base and cover) can be fitted with a protective film for protection against damage during transport on request and for a surcharge.</p> <p>For the BRA³ dimensions (trunking height of 60mm), 80mm covers made from PVC or sheet metal can be used as an option.</p> <p>Trunking preforms with redirection/bending radius suitable for fiberoptic cables (DIN VDE 0899, part 4).</p>
Delivery length	2m – special length of up to 6m available
Surfaces and standard colours (visible sides)	<p>anodized or highly impact-resistant and scratch-resistant</p> <p>powder coating</p> <p>naturally anodized (E6 EV1)</p> <p>pure white (similar to RAL 9010)</p> <p>special colours (similar to RAL) and special anodization are available on request</p>
Product group	PG 4

OFFICE / BRA "click & fit"

Material	Extruded aluminium (AlMgSi0.5 F22)
Delivery content	<p>Trunking bases with 2-row floor perforation for wall and panel mounting and special mounting grooves for front-mounted "click & fit" device modules (compliant with international device standard) as well as continuous grounding and connection grooves.</p> <p>The internal 45mm trunking cover with its continuous grounding groove and shadow joint is designed for the installation (without accessory sockets and panels) of all self-catching 45mm device modules.</p> <p>The pack unit is a combi pack and contains both the trunking cover(s) and base(s).</p> <p>All visible surfaces (i.e. trunking base and cover) can be fitted with a protective film for protection against damage during transport on request and for a surcharge.</p> <p>Trunking preforms with redirection/bending radius suitable for fiberoptics cables (DIN VDE 0899, part 4).</p>
Delivery length	2m – special lengths of up to 6 m available
Surfaces and standard colours (visible sides)	<p>anodized or highly impact-resistant and scratch-resistant powder coating</p> <p>naturally anodized (E6 EV1)</p> <p>pure white (similar to RAL 9010)</p> <p>special colours (similar to RAL) and special anodization are available on request</p>
Product group	PG 4



OFFICE range profiles

OFFICE / BRS³

Material Galvanized sheet metal (aluminized, Galvalume), special steel version available on request

Delivery content Trunking bases with two-row, alternating base perforation for wall and panel mounting, special continuous mounting perforation for front-mounted accessory sockets or complete power sockets and brackets for hang-in separating webs.

The trunking bases and covers are mechanically connected and self-grounding (coated design) due to their free edges, which are non-coated. (Additional grounding straps are fixed at distances of approx. 450mm in all trunking bases.) The internal 80mm trunking cover is designed for the panel-free installation of most commonly used surface switch ranges (80 x 80mm). Covers made from PVC or aluminium (instead of parts made from sheet metal) can be inserted into the sheet metal bases.

All visible surfaces (i.e. trunking base and cover) can be fitted with a protective film for protection against damage during transport on request and for a surcharge. Trunking preforms with redirection/bending radius suitable for fibreoptic cables (DIN VDE 0899, part 4).

Delivery length 2m – special length of up to 3m available

Surfaces and standard colours (visible sides)
galvanized (aluminized) with a highly impact-resistant and scratch-resistant powder coating
white (similar to RAL 9001)
pure white (similar to RAL 9010)
further standard and special colours are available on request

Product group PG 5

Special dimensions according to the table are available:

OFFICE / BRS "click & fit"

Material Sheet metal, galvanized (aluminized, Galvalume)
Special steel design available on request

Delivery content Trunking bases with 2-row alternating floor perforation for wall and panel mounting and special mounting grooves for front-mounted "click & fit" device modules (compliant with international device standards).

Trunking base and cover are mechanically stabilized with the help of the included KHK 45 cable holding clamps (4 pcs/2m rod) and connected to ground with the USV 45 impact and grounding connector (2 pcs/2m rod). Additional grounding straps are fixed at distances of approx. 450mm in all trunking bases and covers.

The internal 45mm trunking cover is designed for the installation (without accessory sockets and panels) of all self-catching 45mm device modules.

The pack unit is a combi pack and contains both the trunking cover(s) and base(s).

All visible surfaces (i.e. trunking base and cover) can be fitted with a protective film for protection against damage during transport on request and for a surcharge. Trunking preforms with redirection/bending radius suitable for fibreoptics cables (DIN VDE 0899, part 4).

Delivery length 2m – special lengths of up to 3m available

Surfaces and standard colours (visible sides)
galvanized (aluminized) with a highly impact-resistant and scratch-resistant powder coating
white (similar to RAL 9001)
pure white (similar to RAL 9010)
further standard and special colours are available on request

Product group PG 5



OFFICE range profiles

OFFICE / RS karat + solitaire

Material	Body, separating webs and front panels: extruded aluminium (AlMgSi0.5 F22) Covering and end cap: ABS Mounting unit: galvanized steel
----------	---

Delivery content	Body consisting of three installation tracks with one DIN mounting rail each for device mounting (GED 52/KSE 52), integrated separating web for front mounting and system separation as well as continuous grounding grooves. The internal 80mm trunking cover with its continuous grounding groove is designed for the panel-free installation of most commonly used surface switch ranges (80 x 80mm). The integrated separating webs also allow the mounting of front-mounted "click & fit" device modules (compliant with international device standards – the use of device panels is a requirement). Pack unit is a combi pack and contains the body with pre-assembled separating webs and front panels as well as the required grounding set. All visible surfaces (i.e. body and front panels) can be fitted with a protective film for protection against damage during transport on request and for a surcharge.
------------------	---

Delivery length	See nominal dimensions – special lengths of up to 6m available
-----------------	--

Surfaces and standard colours (visible sides)	anodized or highly impact-resistant and scratch-resistant powder coating naturally anodized (E6EV1 – very decorative)/silver special colours (similar to RAL) and special anodization are available on request
---	--

Product group PG 4

OFFICE / RS facette

Material	Body, front panel as well as visual/protective panel: extruded aluminium (AlMgSi0.5 F22) Mounting unit and covering: sheet metal, galvanized/powder-coated
----------	---

Delivery content	Body and front panel with continuous grounding and connection grooves. The body contains additional special mounting grooves for front-mounted "click & fit" device modules (compliant with international device standards) for system separation and fixing of external components. (Integration of RSfacette into furniture and office partition walls.) The internal 45mm trunking cover is designed for the installation (without accessory sockets and panels) of all self-catching 45mm device modules. Visual/protective cover for device front panels and for hiding excess external cable lengths. Pack unit is a combi pack and contains body as well as front panels. All visible surfaces (i.e. body and front panels) can be fitted with a protective film for protection against damage during transport on request and for a surcharge.
------------------	---

Delivery length	See nominal dimensions – special lengths of up to 6m available
-----------------	--

Surfaces and standard colours (visible sides)	anodized or highly impact-resistant and scratch-resistant powder coating naturally anodized (E6EV1 – very decorative) pure white (similar to RAL 9010) special colours (similar to RAL) and special anodization are available on request
---	---

Product group PG 4



DOMUS range profiles

DOMUS / LFG

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Trunking bases with floor perforation and from DOMUS / LFG 40 x 90 with a continuous mounting rail for separating webs. Pack unit contains base and cover and, from DOMUS / LFG 40 x 60, four GGK cable holding clamps for every 2m of delivery length.
Delivery length	2m – special lengths of up to 7.50m available
Standard colours	grey (similar to RAL 7030) light grey (similar to RAL 7035) cream white (similar to RAL 9001) brown (similar to RAL 8014) alpine white (similar to RAL 9010) special colours and special paint (similar to RAL) are available on request
Product group	PG 1

DOMUS / FB

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Trunking bases with floor perforation and continuous mounting rail for device mounting (see accessories for GGK cable routing trunkings). Pack unit contains base and cover as well as four GGK cable holding clamps for every 2m of delivery length.
Delivery length	2m – special lengths of up to 7.50m available
Standard colours	grey (similar to RAL 7030) light grey (similar to RAL 7035) cream white (similar to RAL 9001) brown (similar to RAL 8014) alpine white (similar to RAL 9010) special colours and special paint (similar to RAL) are available on request
Product group	PG 1

Surcharges for special lengths:

For orders under 100 pcs: for each order of special lengths the surcharge is 25% of the goods value
From 100 pcs: for each order of special lengths – 15% of the goods value
From 200 pcs: no surcharge

Device panels with round holes are available on request

Hole sizes:
single 72 x 72mm
double 72 x 142mm
triple 72 x 214mm



DOMUS range profiles

DOMUS / MINI/s, LFS and FBS

Material	Sheet metal, aluminized (galvanized), DOMUS / LFS and FBS cable routing trunkings made from special steel are available on request
Delivery content	Grounding straps for potential equalization with the help of grounding cables in the trunking bases and covers. All DOMUS / FBS trunking bases are supplied with a DIN mounting rail.
Delivery length	2m – special lengths of up to 3m available * trunking base with a fixed separating web
Standard colours	highly impact-resistant and scratch-resistant powder coating cream white (similar to RAL 9001) alpine white (similar to RAL 9010) special colours and special paint (similar to RAL) are available on request
Product group	PG 3

All DOMUS / LFS cable routing trunkings made from sheet metal are also available with a welded separating web on request and for a surcharge. When ordering please add the letter "t" to the type description and state the requested division into compartments (e.g. 1:1 or 1:2).

Device panels with round holes are available on request

Hole sizes:
single 72 x 72mm
double 72 x 142mm
triple 72 x 214mm

AMBIENCE range profiles

AMBIENCE / SL colorline

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilised
Delivery content	Trunking bases with floor perforation and standard division into three compartments (AMBIENCE / SL colorline 20 x 70) or two compartments (AMBIENCE / SL colorline 20-x-50). Trunking covers in appealing standard colours with two coloured, elastic connection lips for wall and floor connection.
Delivery length	2m, special lengths are available on request
Standard colours	grey (similar to RAL 7030) white (similar to RAL 9001) brown (similar to RAL 8014) beige (similar to RAL 1019) alpine white (similar to RAL 9010) special colours (similar to RAL) are available on request

Product group PG 1



AMBIENCE range profiles

AMBIENCE / SL decorline

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Trunking bases with floor perforation and standard division into three compartments (AMBIENCE / SL colorline 20 x 70) or two compartments (AMBIENCE / SL colorline 20-x-50). Trunking covers in appealing standard decors with two uni-coloured, elastic connection lips for wall and floor connection
Delivery length	2m, special lengths are available on request
Standardfarben	beech special steel, mat special decors in a wide range of options for major projects (hotels, airports, nursery schools, office complexes, etc.) are available on request
Product group	PG 1

AMBIENCE / MINI snap / MINI clip

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Exterior side of the trunking base is fitted with double-sided, adhesive foam tape for optimized quick mounting.
Delivery length	2m, special lengths are available on request
Standard colours	transparent alpine white (similar to RAL 9010) special colours (similar to RAL) are available on request
Product group	PG 1





AMBIENCE / MINI

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Pack unit contains bases and covers. Trunking bases with floor perforation and optional division into two compartments (AMBIENCE / MINI 10 x 20 t and AMBIENCE / MINI 10 x 30 t).
Delivery length	2m, special lengths are available on request
Standard colours	grey (similar to RAL 7030) white (similar to RAL 9001) brown (similar to RAL 8014) beige (similar to RAL 1019) alpine white (similar to RAL 9010) special colours (similar to RAL) are available on request
Product group	PG 1

AMBIENCE / ABK/WK

Material	Hard-PVC – flame-retardant, normal impact-resistance, UV-stabilized
Delivery content	Trunking bases with floor perforation and division into three compartments (AMBIENCE / ABK 18-x-75) and two compartments (AMBIENCE / ABK 12-x-50).
Delivery length	2m, special lengths are available on request
Standard colours	grey (similar to RAL 7030) white (similar to RAL 9001) brown (similar to RAL 8014) anthracite (similar to RAL 7021) alpine white (similar to RAL 9010) wood-coloured special colours (similar to RAL) are available on request
Product group	PG 1

Recommended price plus valid VAT. Please always state the item No. with your order.
Our general terms and conditions of sale apply. We reserve the right to alterations.

Product group OFFICE BR


BR 65/100/80

BR 65/130/80

BR 65/170/80

BR 65/200/80 DUO





Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	13	19	31	26
----------------------------	----	----	----	----

NYM 3 x 1.5mm ² without accessory box	25	31	43	50
--	----	----	----	----

Cross section area (mm ²)	6100	8064	10 500	12 050
---------------------------------------	------	------	--------	--------

Useable cross section for fill factor 0.5 (mm ²)	1290	2270	3530	2500
---	------	------	------	------

Product group OFFICE BR "click & fit"


BR 65/100/45

BR 65/130/45





Fill factor 0.5 occupancy (pcs)

NYM 3x1.5mm ²	20	24		
--------------------------	----	----	--	--

NYM 3 x 1.5mm ² without accessory box	25	30		
--	----	----	--	--

Cross section area (mm ²)	5220mm ²	6320mm ²		
---------------------------------------	---------------------	---------------------	--	--

Useable cross section for fill factor 0.5	2880mm ²	4020mm ²		
--	---------------------	---------------------	--	--

Product group OFFICE BRA


BRA 65/60

BRA 65/100

BRA 65/130

BRA 65/150

Fill factor 0.5 occupancy (pcs)





NYM 3 x 1.5mm ²	14	18	21	31
----------------------------	----	----	----	----

NYM 3 x 1.5mm ² without accessory box	14	30	33	43
--	----	----	----	----

Cross section area (mm ²)	3480	6111	8064	9324
---------------------------------------	------	------	------	------

Useable cross section for fill factor 0.5 (mm ²)	1740	1222	2199	2829
---	------	------	------	------

We reserve the right to alterations.



BRA 65/170





BRA 65/230 DUO

BRA 80/130

BRA 80/170

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	36	48	31	47
NYM 3 x 1.5mm ² without accessory box	49	72	43	59
Cross section area (mm ²)	10 584	14 250	9984	9984
Useable cross section for fill factor 0.5 (mm ²)	3459	3459	3159	3159

Product group OFFICE BRA*click & fit*

BRA 80/200




BRA 80/200 DUO

BRA 60x90/45

BRA 65x190/80x45 meta DUO

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	59	48	13	18
NYM 3 x 1.5mm ² without accessory box	71	60	17	34
Cross section area (mm ²)	15 444	15 430	4900	10 500
Useable cross section for fill factor 0.5 (mm ²)	5889	4049	1550	2520

Product group OFFICE BRA/BRS/RS *click & fit*



BRA 65x190/45 meta TRIO

BRS 60x90/45

BRS 80x80/45 console

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	16	13	13
NYM 3 x 1.5mm ² without accessory box	28	17	17
Cross section area (mm ²)	10 500	4900	4150
Useable cross section for fill factor 0.5 (mm ²)	2550	1550	1175







RS facette

RS karat / solitaire

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	17	36
NYM 3 x 1.5mm ² without accessory box	21	36
Cross section area (mm ²)	7260	19 800
Useable cross section for fill factor 0.5 (mm ²)	2730	5100

Product group OFFICE BRStec



BRStec 65/110

BRStec 65/130




BRStec 65/170

BRStec 65/220 DUO

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	14	20	32	46
NYM 3 x 1.5mm ² without accessory box	26	32	44	70
Cross section area (mm ²)	7434	8064	10 584	13 734
Useable cross section for fill factor 0.5 (mm ²)	1955	2265	3529	3342

Product group OFFICE BRA/BRS/RS click & fit



BRStec 85/220 DUO

BRStec P120/120 A

BRStec P120/120 S

Fill factor 0.5 occupancy (pcs)

NYM 3 x 1.5mm ²	75	35	29
NYM 3 x 1.5mm ² without accessory box	99	47	41
Cross section area (mm ²)	18 094	11 229	10 458
Useable cross section for fill factor 0.5 (mm ²)	552	7704	3466

We reserve the right to alterations.

Fill degree 0.4

Trunking	NYM-J3x1.5	NYM-J5x2.5	NYM-J5x10	Clear cross section
	Diameter 10mm without socket	Diameter 12.2mm without socket	Diameter 18mm without socket	mm ²
BR 65x100x80	20	11	13	3
BR 65x130x80	25	15	18	9
BR 65x170x80	35	25	24	15
BR 65x200x80	40	21		10500
BR 65x100x45	20	16	14	10
BR 65x130x45	24	19	9	4
FB 60x110	18	7	14	3
FB 60x130	22	10	15	6
FB 60x150	25	14	16	9
FB 60x200	32	18	22	13
FB 60x230	38	13	26	18
FB 100x230	62		48	19
FB 80x150	36	23	24	15
FB 60x250	45		27	10
LFG 20x20	1		1	0
LFG 25x25	2		1	1
LFG 15x30	1		1	0
LFG 30x30	2		2	1
LFG 25x40	3		2	1
LFG 40x40	5		3	2
LFG 40x60	5		4	1
LFG 40x90	9		6	2
LFG 60x60	10		7	2
LFG 60x90	16		10	4
LFG 40x110	11		7	2
LFG 40x60t	6		4	2
LFG 40x150	14		8	3
Mini 15x15	1		0	0
Mini 10x20	0		0	142
Mini 10x30	1		0	248
Mini 10x20t	0		0	152
Mini 10x30t	1		1	0
Mini 10x10	0		0	288
Mini 10x15	0		0	72
Mini 6x7	0		0	109
Mini 15x50	2		2	0
Mini 15x50 T	2		2	711
Mini 15x50 T	2		0	662
Mini 8x9	0		0	50
WK 30x40	1		1	224
ABK 18x75	2		1	526
SL-20x50	3		2	678
SLT-20x50	3		2	678
SL-20x70	3		2	963
SLT-20x70	3		2	963
ABK12x50	0		0	224

Fill degree 0.5

Trunking	NYM-J3x1.5	NYM-J5x2.5	NYM-J5x10	Clear cross section
	Diameter 10mm without socket	Diameter 12.2mm without socket	Diameter 18mm without socket	mm ²
BR 65x100x80	25	13	16	4
BR 65x130x80	31	19	22	11
BR 65x170x80	43	31	30	18
BR 65x200x80	50	26		12050
BR 65x100x45	25	20	17	13
BR 65x130x45	30	24	11	5
FB 60x110	23	9	17	4
FB 60x130	27	12	19	8
FB 60x150	31	17	20	11
FB 60x200	40	23	27	16
FB 60x230	47	32	32	22
FB 100x230	77		60	24
FB 80x150	45	29	30	19
FB 60x250	56		34	12
LFG 20x20	1		1	0
LFG 25x25	2		1	1
LFG 15x30	2		1	0
LFG 30x30	3		2	1
LFG 25x40	4		3	1
LFG 40x40	6		4	2
LFG 40x60	7		5	2
LFG 40x90	11		7	3
LFG 60x60	13		9	3
LFG 60x90	20		13	5
LFG 40x110	14		9	3
LFG 40x60t	7		4	2
LFG 40x150	18		10	4
Mini 15x15	1		0	0
Mini 10x20	0		0	0
Mini 10x30	1		0	0
Mini 10x20t	0		0	0
Mini 10x30t	1		1	0
Mini 10x10	0		0	0
Mini 10x15	0		0	0
Mini 6x7	0		0	0
Mini 15x50	3		2	0
Mini 15x50 T	2		2	0
Mini 8x9	0		0	0
WK 30x40	1		1	0
ABK 18x75	2		1	0
SL-20x50	4		2	0
SLT-20x50	4		2	0
SL-20x70	4		3	0
SLT-20x70	4		3	0
ABK12x50	0		0	0

We reserve the right to alterations.

Fill degree 0.4

Fill degree 0.5

Trunking	NYM-J3x1.5	NYM-J5x2.5	NYM-J5x10	Clear cross section	Trunking	NYM-J3x1.5	NYM-J5x2.5	NYM-J5x10	Clear cross section						
	Diameter 10mm without socket	Diameter 12.2mm without socket	Diameter 18mm without socket	mm ²		Diameter 10mm without socket	Diameter 12.2mm without socket	Diameter 18mm without socket	mm ²						
BRA 65/60	11	16	3	3480	BRA 65/60	14	20	4	3480						
BRA 65/100	20	6	14	2	5	0	6111	BRA 65/100	25	8	17	2	6	0	6111
BRA 65/130	26	11	18	7	7	2	8064	BRA 65/130	33	14	23	9	9	3	8064
BRA 65/150	32	15	22	11	18	2	9324	BRA 65/150	40	19	27	14	22	3	9324
BRA 65/170	38	21	25	15	10	6	10584	BRA 65/170	47	26	31	19	12	7	10584
BRA 65/230DUO	49	16	32	10	12	4	14250	BRA 65/230DUO	61	20	40	12	15	5	14250
BRA 80/130	34	25	22	11	9	5	9984	BRA 80/130	43	31	28	14	11	6	9984
BRA 80/170	45	32	30	22	12	9	13024	BRA 80/170	56	40	38	27	15	11	13024
BRA 80/200	57	47	38	26	14	11	15444	BRA 80/200	71	59	48	33	18	14	15444
BRA 80/200DUO	50	19	33	11	14	6	15430	BRA 80/200DUO	62	24	41	14	17	8	15430
BRA 60x90/45	16	10	10	6	5	3	4900	BRA 60x90/45	20	13	13	8	6	4	4900
BRA 65x190/80x45	36	14	24	9	9	2	10500	BRA 65x190/80x45	45	18	30	11	11	3	10500
DUO								DUO							
BRA 65/190/45	31	13	22	7	8	3	10500	BRA 65/190/45 TRIO	39	16	28	9	10	4	10500
TRIO								BRS 65x90/45	24	14	16	10	7	4	4900
BRS 65x90/45	19	11	13	8	6	3	4900	BRS 80x80/45	18	12	13	7	5	3	4150
BRS 80x80/45	14	10	10	6	4	2	4150	console							7260
RS facette	22	15	15	10			7260	RS karat/solitaire	36	36	27	27			19800
RS karat/solitaire	29	29	22	22			19800								
								BRStec65/110	26	14	19	9	7	4	7434
MINI/s 15x15	1	0	0		205			BRStec65/130	34	23	23	14	9	6	8064
MINI/s 15x30	2	1	0		421			BRStec65/170	44	35	31	22	13	8	10584
MINI/s 30x30	2	2	1		861			BRStec65/220DUO	59	30	20	11	7	5	13734
LFS 40x40	5	3	2		1521			BRStec85/220DUO	81	58	54	37	21	15	18094
LFS 40x60	8	6	2		2301			BRStec65P120/120A	50	38	36	25	14	10	11229
LFS 60x60	12	9	3		3481			BRStec65P120/120S	46	34	32	24	12	9	10458
LFS 60x100	22	14	6		5841										
LFS 60x130	26	18	7		7592			MINI/s 15x15	1	0	0	0			205
LFS 60x150	32	22	9		8770			MINI/s 15x30	2	1	1	0			421
LFS 60x200	45	29	12		11715			MINI/s 30x30	3	2	1	1			861
LFS 60x230	51	35	14		13482			LFS 40x40	6	4	2	2			1521
FBS 60x100	21	5	14	3	6	0	5804	LFS 40x60	10	7	3				2301
FBS 60x130	26	10	18	7	7	3	7555	LFS 60x60	15	11	4				3481
FBS 60x150	31	16	22	10	9	5	8733	LFS 60x100	27	17	7				5841
FBS 60x200	44	28	29	10	12	7	11678	LFS 60x130	33	23	9				7592
FBS 60x230	50	35	35	9	14	9	13445	LFS 60x150	40	27	11				8770
								LFS 60x200	56	36	15				11715
Compartment1=263	Compartment2=263							LFS 60x230	64	44	18				13482
Compartment1=306	Compartment2=373							FBS 60x100	26	6	17	4	7	0	5804
Compartment1=305	Compartment2=373							FBS 60x130	32	13	23	9	9	4	7555
Compartment1=308	Compartment2=380							FBS 60x150	39	20	27	13	11	6	8733
Compartment3=275								FBS 60x200	55	35	36	12	15	9	11678
Compartment1=308	Compartment2=380							FBS 60x230	63	44	44	11	18	11	13445
Compartment3=275															
Compartment1=112	Compartment2=112														

We reserve the right to alterations.

Allgemeine Verkaufsbedingungen (AGB)

1. Allgemeine Bestimmungen

Unsere Lieferungen, Leistungen und Angebote erfolgen ausdrücklich aufgrund nachfolgender Bedingungen. Diese gelten auch für alle zukünftigen Geschäftsbeziehungen, auch wenn sie nicht nochmals ausdrücklich vereinbart werden. Spätestens mit Entgegennahme der Ware oder Leistung gelten diese Bedingungen als angenommen. Gegenbestätigungen des Käufers unter Hinweis auf seine Geschäftsbedingungen wird hiermit widersprochen. Abweichungen von diesen Bedingungen sind nur wirksam, wenn diese von uns schriftlich bestätigt werden. Wir weisen darauf hin, dass wir Daten des Käufers, die den Geschäftsverkehr mit ihm betreffen, im Sinne des Bundesdatenschutzgesetzes verarbeiten.

2. Angebot und Vertragsabschluss

Unsere Angebote sind, falls nicht ausdrücklich anders erwähnt, stets freibleibend. Muster und Proben sind unverbindliche Rahmenangaben. Abschlüsse und Vereinbarungen werden erst durch unsere schriftliche Auftragsbestätigung oder durch unsere Lieferung verbindlich, wobei im letzten Fall die Rechnung die Auftragsbestätigung ersetzt. Die bei Auftragserteilung beliebte Bezeichnung "wie gehabt" wird in allen Fällen nur auf die Ausführung, nicht auf den Preis, bezogen. Für die Bezeichnung des Produktes ist allein die GGK-Artikelbezeichnung maßgeblich. Die zusätzliche Nennung von Kunden-Artikelbezeichnungen ist unverbindlich. Unsere Anwendungstechnische Beratung in Wort und Schrift ist unverbindlich – auch in Bezug auf etwaige Schutzrechte Dritter und befreit den Käufer nicht von der eigenen Prüfung unserer Produkte auf ihre Eignung für die beabsichtigten Verfahren und Zwecke. Abweichende Bezugsbedingungen des Bestellers sind nur verbindlich, wenn und soweit die Bezugsbedingungen von uns ausdrücklich und schriftlich bestätigt werden. Unser Stillschweigen auf entgegenstehende Bedingungen gilt nicht als Annahme. Nebenänderungen und Änderungen des Vertrages bedürfen unserer schriftlichen Bestätigung.

3. Preise und Preisänderungen

Unsere Preise verstehen sich bei Abnahme vollständiger Verpackungseinheiten bzw. Gebinde ab Werk zuzüglich Verpackung und Fracht sowie der jeweils am Liefertag geltenden gesetzlichen Umsatzsteuer. Die Preise sind, falls nicht ausdrücklich anders erwähnt, freibleibend und beruhen auf den derzeitigen Kostenfaktoren. Falls bis zum Liefertag Änderungen der Kostenfaktoren eintreten, z.B. durch Preiserhöhung für Rohstoffe oder Lohn erhöhungen, behalten wir uns eine entsprechende Anpassung unserer Preise vor. Für Aufträge, für die keine Preise vereinbart sind, gelten unsere am Liefertag gültigen Preise. Die Verkaufspreise sowie alle Angebote und Berechnungen verstehen sich, sofern nicht ausdrücklich anders vereinbart, in EUR. Sollten wir in der Zeit zwischen Auftragsbestätigung und Lieferung den Preis gleicher Waren generell ermäßigen oder erhöhen, wird der neue Preis angewandt. Eine Preiserhöhung, die dem Besteller mitgeteilt werden muss, kann dieser binnen fünf Tagen nach Empfang der Mitteilung widersprechen. Im Falle des Widerspruchs haben wir die Wahl zwischen Rücktritt vom Vertrag oder Lieferung zum ursprünglichen vereinbarten Preis. Unsere Entscheidung müssen wir dem Besteller innerhalb von 8 Tagen bekannt geben.

4. Zahlungsbedingungen

Erfüllungsort für Zahlungen ist Greifenseite-Beilstein. Sofern nicht einzelvertraglich eine anderweitige Vereinbarung über die Zahlungsweise getroffen ist, gilt folgendes: Innerhalb 10 Tagen mit 2% Skonto, gerechnet jeweils vom Warenwert (ausschließlich der Kosten für Verpackung, Fracht und dergleichen), innerhalb 30 Tagen netto Kasse nach Rechnungsdatum. Auf Werkzeugkosten sowie Aufträge mit einem Nettopreis unter 300,- EUR wird kein Skonto gewährt. Vorstehendes Skonto wird nur unter der Voraussetzung gewährt, dass sämtliche Zahlungsverpflichtungen aus früheren Lieferungen restlos erfüllt sind. Die Zahlung hat unabhängig vom Eingang der Ware und etwaigen Mängelprüfungen und ausnahmslos an uns direkt zu erfolgen. Unsere Vertriebsbeauftragten sind nicht zum Inkasso berechtigt. Die Zurückhaltung von Zahlungen und die Aufrechnung ist nur möglich, wenn der Gegenanspruch des Käufers unbestritten oder rechtskräftig festgestellt ist. Bei Überschreiten des Zahlungsziels tritt Verzug ohne vorherige Mahnung ein. Wechsel und Schecks gelten nicht als Barzahlung und werden nur zahlungshälber zum Einzug übernommen, wobei wir nicht für rechtzeitige Präsentation oder Protesterhebung haften. Im Falle der Annahme von Wechseln werden Diskont und anfallende Spesen berechnet; die Annahme erfolgt vorbehaltlich des Rechts, jederzeitig Barzahlung gegen Rückgabe des Papiers zu verlangen. Bei Zahlung mit Schecks kann Skonto nur abgezogen werden, wenn die Schecks fristgerecht bei uns eingegangen sind. Bei Annahme von Wechseln wird kein Skonto gewährt. Wechsel werden nur nach Vereinbarung entgegengenommen. Bei Überschreitung der Fälligkeitstage sind wir berechtigt, Fälligkeitssätze in Höhe von 6% zu berechnen. Im Falle des Verzugs sind wir berechtigt, Verzugszinsen in Höhe banküblicher Kreditzinsen, wenigstens jedoch 4% über dem von Europäischen Zentralbank bekannt gegebenen Basiszinssatz zu berechnen. Bei Zahlungsverzug sind alle noch laufenden Rechnungen bzw. Wechselbeträge sofort fällig und einklappbar. Bei Nichteinhaltung der Zahlungsbedingungen oder bei Umständen, welche die Kreditwürdigkeit des Käufers zu mindesten ungeeignet sind, sind wir berechtigt, unsere gesamten Forderungen ohne Rücksicht auf die Laufzeit hereingenummeriert und noch nicht fälliger Wechsel sofort zur Zahlung fällig zu stellen. Außerdem sind wir berechtigt, noch ausstehende Lieferungen nur gegen Vorauszahlung oder Sicherheitsleistung auszuführen. Werden Vorauszahlungen oder Sicherheitsleistungen auch nach Setzung einer angemessenen Frist nicht erbracht, sind wir berechtigt, vom Vertrag im Hinblick auf noch nicht ausgeführte Leistungen zurückzutreten, mit der Folge, dass alle Ansprüche des Käufers in Bezug auf die noch nicht ausgeführten Lieferungen erloschen. Wir sind berechtigt, unsere sämtlichen Forderungen den Käufer zu verrechnen, mit allen Forderungen, die der Käufer durch Lieferung oder sonstigen Rechtsgründen gegen uns hat.

5. Liefer- und Leistungsfristen, Gefahrenübertragung, Mindernormen

Erfüllungsort für unsere Lieferungen ist unser jeweiliges Werk oder Auslieferungslager. Die Versendung der Ware, zu der auch bereits der Transport zu dem Transportmittel gehört, erfolgt ausschließlich auf Gefahr des Kunden. Die Gefahr geht demgemäß auf den Kunden über, sobald die Ware das Werk/Auslieferungslager verlässt, und zwar ohne Rücksicht darauf, ob wir uns hierbei eigener oder fremder Gehilfen oder Personen bedienen. § 278, 276 BGB finden ab Gefahrenübertragung zu dem vorstehenden Zeitpunkt keine Anwendung. Liefer- und Leistungsfristen sind eingehalten, wenn bis zu ihrem Ablauf der gelieferte Gegenstand das Werk verlassen hat oder die Versendbereitschaft mitgeteilt bzw. die Leistung durchgeführt ist. Die angegebenen Liefertermine sind unverbindlich. Eine vereinbarte Liefer- und Leistungsfrist verlängert sich angemessen bei Maßnahmen im Rahmen von Arbeitskämpfen, insbesondere bei Streik und Aussperrung, sowie bei Eintritt unvorhergesehener Hindernisse, die außerhalb unserer Einflussspäre liegen, soweit solche Hindernisse nachweislich auf die Fertigstellung der Ablieferung des Liefergegenstandes und die Durchführung der Leistung von erheblichem Einfluss sind. Dieses gilt auch, wenn Umstände bei unserem Vorlieferanten eintreten bzw. bei unverschuldeten mangelnden Selbstlieferung mit Vormaterialien, soweit wenn sie während unseres Verzuges entstehen. Bei längerwährender Früstschröterung sind wir und – nach vorangegangener Nachfristsetzung – der Käufer zum Vertragsrücktritt berechtigt. Beginn und Ende derartiger Hindernisse werden wir in wichtigen Fällen dem Käufer boldmöglich mitteilen. Bei Überschreitung der Liefer- und Leistungsfrist steht dem Käufer das Recht zu, um eine angemessene Frist zur Lieferung bzw. Leistung zu setzen mit Ablehnungsandrohung und nach fruchlosem Ablauf der Nachfrist vom Vertrag zurückzutreten. Für Schadenersatzansprüche wegen einer Verzögerung gilt Abschnitt 8. Versandbereitete Ware muß nach Ablauf der Lieferzeit unverzüglich abgerufen werden; geschieht dies nicht, sind wir berechtigt, sie nach eigener Wohl zu versenden oder auf Kosten und Gefahr des Käufers nach eigenem Ermessen zu lagern; das gleiche gilt, wenn der Versand aus von uns nicht zu vertretenden Gründen nicht durchgeführt werden kann. Meldung der Versandbereitschaft gilt die Ware als geliefert und kann verrechnet werden. Die Art der Beförderung, das Versandmittel, der Transportweg sowie Art und Umfang der benötigten Schutzmittel und Auswahl des Spediteurs oder Frachtführers, ferner die Verpackung sind unserer Wahl überlassen. Dieses geschieht nach unserem Ermessen und verkehrsüblicher Sorgfalt unter Schußhülle jeglicher Haftung. Versichert wird die Ware nur auf ausdrücklichen Wunsch des Käufers, und zwar zu dessen Lasten. Teillieferungen sind zulässig. Eine mengenmäßige Über- oder Unterbelieferung von 10%, bei Sonderanfertigungen von 20%, steht uns gegen Berechnung frei. Lieferung ab 1.000,- EUR Nettopreiswert frei Empfangsstation. Rollgeldkosten gehen unabhängig von der Rechnungshöhe zu Lasten des Bestellers. Aufträge über Mindermengen, welche keiner Verpackungseinheit bzw. Gebindemenge entsprechen, werden mit 15% Bearbeitungszuschlag abgerechnet. Aufträge unter 150,- EUR Nettopreiswert werden mit 10,- EUR Bearbeitungszuschlag abgerechnet. Mit der Übergabe an den Spediteur oder Frachtführer, spätestens jedoch mit Verlassen des Werkes oder Lagers, geht die Gefahr, sofern nicht anders vereinbart, in jedem Fall auf den Käufer über.

6. Muster

Vom Besteller angeforderte Muster werden grundsätzlich nur gegen Berechnung ausgeliefert.

7. Qualitätssorgen

Handelsübliche Abweichungen in Ausfall, Gewicht, Prozentgehalte, Mischungsverhältnisse und Farbe sind nur als ungefähre Mittelfwerte anzusehen und berechtigen nicht zu Beanstandungen der Lieferungen. Abbildungen, Maße und Gewichte in unseren Listen, Dokumentationen, Katalogen, Werksnomen, Angeboten und Auftragsbestätigungen sind im Rahmen handelsüblicher Toleranzen oder nach den entsprechenden Normen zulässig. Eine Gewähr für die Einhaltung wird nicht übernommen. Technische Änderungen sind jederzeit vorbehalten.

8. Überprüfung der Ware, Beanstandungen und Hafungen

Der Besteller ist zur Überprüfung unserer Waren auf technische Brauchbarkeit und Mangelfreiheit verpflichtet. Beanstandungen wegen Mängel der Ware oder wegen falscher und unvollständiger Lieferung können nur vor Verarbeitung geltend gemacht werden. Die Rügefrist wird auf 8 Tage beschränkt; dies gilt auch für Einzelbestellungen aus einem Sukzessiv-Lieferungsvertrag. Die Rüge hat schriftlich zu erfolgen. Unterlässt der Besteller diese Anzeige, so gilt die Ware als genehmigt, es sei denn, es handelt sich um einen Mangel, der bei sorgfältiger Prüfung nicht innerhalb der Rügefrist erkennbar war. Bei solchen Mängeln hat die Anzeige innerhalb von 8 Tagen nach der Entdeckung zu erfolgen. Die 6-monatige Verjährungsfrist für Gewährleistungsansprüche des Bestellers beginnt auch im letzteren Falle mit der Übergabe der Ware. Bei fristgerechter und berechtigter Beanstandung der Ware ist der Käufer berechtigt, den Kauf rückgängig zu machen, sofern wir uns nicht bereit erklären, in angemessener Frist Ersatz zu liefern oder den Mangel zu beseitigen, oder die Ersatzlieferung bzw. Nachbesserung fehlschlägt. Weitergehende Ansprüche des Kunden, insbesondere Minderungs- und Schadensersatzansprüche aller Art, sind ausgeschlossen.

9. Entwürfe, Zeichnungen, Konstruktionen, Formen, Werkzeuge

An von uns hergestellten Entwürfen, Zeichnungen, Konstruktionen, Formen und Werkzeugen beanspruchen wir in jedem Fall für die entsprechenden Artikel das Recht der Alleinherstellung. Weitergabe sowie Vervielfältigung dieser Unterlagen sowie der Werkzeuge, Verwertung und Mitteilung ihres Inhalts sind nicht gestattet, soweit nicht ausdrücklich zugestanden. Zu widerhandlungen verpflichten zu Schadensersatz. Alle Recht für den Fall der Patenterteilung und für Gebrauchsmustereintragungen bleiben vorbehalten. Der Käufer übernimmt die Gewähr dafür, dass die Herstellung und Lieferung von Gegenständen, die nach seinen Angaben gefertigt werden, nicht Schutzrechte Dritter verletzen. Formen, Schablonen und sonstige Vorrichtungen bleiben unser alleiniges Eigentum auch dann, wenn dem Besteller Kosten berechnet werden. Soweit wir Modelle, Formen, Werkzeuge und andere Formeinrichtungen im Auftrage des Kunden anfertigen oder anschaffen, stellen wir hierfür einen Teil der Kosten gesondert in Rechnung. Da durch diese anteiligen Kosten unsere Aufwendungen für Entwurf, Bau, Einfahren oder Know-how und Instandhaltung nicht gedeckt werden, bleiben die Modelle und Formen sowie Werkzeuge einschließlich Zubehör unser Eigentum. Dasselbe gilt für Änderungen sowie für Ersatzmodelle und Werkzeuge und Folgeformen. Werkzeug-, Formkosten usw. sind zuzüglich der gesetzlichen Mehrwertsteuer sofort mit Rechnungsstellung ohne Abzug von Skonto zahlbar. Sind seit der letzten Lieferung der daraus gefertigten Artikel 3 Jahre vergangen, so sind wir zur weiteren Aufbewahrung nicht verpflichtet.

10. Eigentumsverhältnisse

Bis zur vollen Bezahlung der Lieferung und Regulierung sämtlicher Verbindlichkeiten aus der Geschäftsverbindung bleiben wir Eigentümer der gelieferten Ware. Der Käufer ist jedoch berechtigt, die Ware im Rahmen eines ordnungsgemäßen Geschäftsbetriebes unter Weitergabe unseres Eigentumsvorbehalts zu veräußern oder weiter zu verarbeiten. Diese Befugnis bezieht sich nicht auf die angelieferten Transporten, welche stets in unserem Eigentum bleiben und dem Kunden nur leihweise zum Zweck des Transportes unserer eigenen Waren zur Verfügung gestellt werden; sie sind jederzeit auf Verlangen herauszugeben. Jede Verpfändung oder Sicherheitsübertragung dieser Waren zugunsten Dritter ist ohne Zustimmung des Verkäufers ausgeschlossen. Bei Pfändung dieser Ware durch Dritte muss der Käufer unverzüglich Anzeige machen. Durch Verarbeitung der Vorbehaltsware erwirbt der Käufer nicht das Eigentum gem. § 950 BGB an der neuen Sache. Die Verarbeitung wird durch den Käufer für den Verkäufer vorgenommen, ohne dass dem Verkäufer hieraus Verbindlichkeiten entstehen. Wird die Ware mit anderen Gegenständen verbunden oder vermischt, erwerben wir Miteigentum auf dem neuen Gegenstand im Verhältnis des Wertes unserer Vorbehaltsware zu den anderen verarbeiteten Waren zur Zeit der Verarbeitung. Der Käufer tritt hiermit die Forderung aus einem Weiterverkauf der Vorbehaltsware an den Verkäufer ab und zwar auch in soweit, als die Ware verarbeitet ist. Die Abtreitung wird auf die Höhe des Rechnungswertes der Vorbehaltsware, die zu der neuen Sache verarbeitet worden ist, beschränkt. Der Verkäufer wird die abgetretenen Forderungen, solange der Käufer seinen Zahlungsverpflichtungen nachkommt, nicht einziehen. Der Käufer ist aber verpflichtet, dem Verkäufer auf Verlangen die Drittshuldner zu benennen und diesen die Abtreitung bekannt zu geben. Er ist berechtigt die Forderung so lange selbst einzuziehen, wie er seinen Zahlungsverpflichtungen nachkommt und ihm der Verkäufer keine andere Anweisung gibt. Der Eigentumsvorbehalt bleibt auch dann bestehen, wenn einzelne Forderungen des Verkäufers in eine laufende Rechnung aufgenommen werden und der Saldo gezogen und anerkannt ist; es sei denn, der Saldo ist ausgleichlich. Die Befugnis des Käufers, im ordnungsgemäßen Geschäftsverkehr Vorbehaltsware zu verarbeiten und zu veräußern, endet mit dessen Zahlungseinstellung oder dann, wenn über das Vermögen des Käufers die Eröffnung des Insolvenzverfahrens oder eines Vergleichsverfahrens zur Abwendung einer Insolvenz beantragt wird. Der Käufer ist in diesem Falle verpflichtet, auf erste Anforderung durch uns die unverarbeitete Vorbehaltsware herauszugeben. Der Verkäufer wird dem Käufer für zurückgenommene unverarbeitete Vorbehaltsware den Erlös gutschreiben, den er bei der bestmöglichen Verwertung erzielt (§ 254 BGB), in einem Widerfuß oder einem Verlangen auf Herausgabe der unverarbeiteten Vorbehaltsware durch den Verkäufer liegt kein Rücktritt vom Kaufvertrag. Der Verkäufer verpflichtet sich, die ihm nach den vorstehenden Bestimmungen zustehende Sicherungen nach seiner Wahl insoweit freizugeben, als ihr Wert unter Berücksichtigung der Wertschöpfung durch den Käufer zu den sichernden Forderungen um 20% übersteigen. Von Pfändung ist der Verkäufer unter Angabe des Pfandgläubigers sofort zu benachrichtigen. Der Käufer ist verpflichtet, sobald er die Zahlungen eingestellt hat, und zwar unverzüglich nach Bekanntgabe der Zahlungseinstellung, dem Verkäufer eine Aufstellung über die noch vorhandene Eigentumsvorbehaltsware, auch soweit sie verarbeitet ist, und eine Aufstellung der Forderungen an die Drittshuldner nebst Rechnungsgutschriften zu überweisen.

11. Eventualverbindlichkeiten

Sollte der Verkäufer im Interesse des Käufers Eventual-Verbindlichkeiten eingehen (Scheck-/Wechselzahlung), so bleibt der verlängerte und erweiterte Eigentumsvorbehalt bestehen, bis der Verkäufer aus diesen Verbindlichkeiten vollständig freigestellt ist.

12. Leistungsverweigerungsrecht

Wir sind berechtigt, die Lieferungen oder sonstige uns obliegende Leistungen bis zur Bewirkung der vereinbarten Gegenleistung oder der Leistung entsprechende Sicherheiten zu verweigern, wenn uns bei Vertragsabschluß bestehender erheblicher Zahlungsrückstand des Bestellers oder seine schlechte Vermögenslage erst nach Vertragsabschluß bekannt wird.

13. Zusatzbedingungen für Sonderanfertigungen

Sonderanfertigungen sind alle Aufträge, die nach kundenspezifischen Zeichnungen, Spezifikationen, Mustern usw. ausgeführt werden. Soweit wir nach Zeichnungen, Spezifikationen, Mustern usw. liefern, sind diese für uns nur verbindlich, soweit es äußere Formgebung und technische Ausführung anbetrifft. Für Maßhaltigkeit gelten die in den jeweiligen DIN-Büchern festgelegten Daten. Maßgebend für Qualität und Ausführung sind die Ausfallmuster, die wir vor der Lieferung zur Begutachtung vorgelegt haben. Die vorbehaltlose Genehmigung der Ausfallmuster durch den Besteller schließt spätere Mängelprüfungen aus, sofern die gelieferten Gegenstände mit den genehmigten Ausfallmuster übereinstimmen. Keine Verantwortung dagegen übernehmen wir für den vorgesehenen Verwendungszweck. Armierungsteile hat der Besteller kostenlos und frachtfrei unser Werk auf seine Gefahr und mit einem Mengenzuschlag von 3-10 % für etwaigen Ausschuss rechtzeitig in einwandfreier Beschaffenheit zu liefern. In diesem Falle beginnen die Lieferfristen unbeschadet der Bestimmungen des Abschnitts 5 unserer Allgemeinen Verkaufsbedingungen erst mit dem Eingang der Armierungsteile bei uns. Sofern uns von einem Dritten unter Berufung auf ein ihm gehöriges Schutzrecht die Herstellung und Lieferung von Gegenständen, die nach Zeichnungen, Spezifikationen, Mustern usw., des Bestellers gefertigt werden, untersagt wird, sind wir – ohne zur Prüfung des Rechtsverhältnisses verpflichtet zu sein – unter Ausschluß aller Schadensersatzansprüche des Bestellers berechtigt, die Herstellung und Lieferung einzustellen und Ersatz der aufgewendeten Kosten zu verlangen. Weitergehende Schadensersatzansprüche unsererseits bleiben unberührt.

14. Gerichtsstand

Als Gerichtsstand für sämtliche gegenseitige Ansprüche und Verbindlichkeiten, auch für Wechsel- und Scheckklagen, ohne Rücksicht auf den Zahlungsort sowie für Prozesse über Wandlung und Minderung ohne Rücksicht darauf, in wessen Händen sich der Streitgegenstand befindet, wird Weilburg vereinbart. Wir sind berechtigt, auch am Sitz des Bestellers zu klagen. Sollte der Vertragspartner seine Zahlung ein oder wird das Insolvenzverfahren über sein Vermögen oder ein außergerichtliches Vergleichsverfahren beantragt, so sind wir berechtigt, für den nichterfüllten Teil vom Vertrag zurückzutreten. Es gilt deutsches Recht. Die Anwendung des Übereinkommens der Vereinten Nationen vom 11.04.1980 über Verträge über den internationalen Warenaufkommen ist ausgeschlossen.

15. Schlussbestimmungen

Sollte eine Bestimmung dieser AGB unwirksam oder die Bedingungen lückenhaft sein, so wird dadurch die Wirksamkeit der übrigen Geschäftsbedingungen nicht berührt. Die unwirksame bzw. lückenhafte Regelung gilt vielmehr als durch eine solche Klausel ersetzt, die der von den Parteien beabsichtigten Regelungen in gesetzlich zulässiger Weise wirtschaftlich am Nächsten kommt.

OFFICE

DOMUS

AMBIENCE

RANGER



We put your wiring needs at ease

GGK GmbH & Co. KG

Industriegebiet Ley 1
D-35753 Greifenstein-Beilstein

Tel. +49(0)2779/915-0
Fax +49(0)2779/915-100
Fax +49(0)2779/915-122

E-Mail: verkauf@ggk-online.com
export@ggk-online.com

www.kabelbaendiger.com
www.ggk-online.com