



WALL TRUNKINGS

- made from plastic
- made from aluminium
- made from sheet steel

GGK is an owner managed German company. In alliance with the sister company WEST-CHEMIE, a manufacturer of PVC granulates, the production process starts with the manufacturing of raw material. Furthermore, **GGK** possesses both the technical process know-how in the extrusion of profiles and a unique innovative product

range. **GGK** has been established on the market of electrical installations for more than 25 years and is nowadays one of the leading European companies and a Specialist in terms of the manufacturing and the distribution of cable management systems made from PVC, halogen-free plastics, aluminium and sheet steel.



LFG / FB Installation trunking systems



BR / MBR Wall trunking systems




RS Installation pole systems



VVE Prewired units



SL Skirting trunking systems



VK Slotted cable trunking systems



Wide range of accessories

WALL TRUNKING SYSTEM – made from aluminium

Purpose of the system and usage recommendation for the BRA wall trunking system:


Installation in doctors' offices, hospitals and nursing homes requiring a high level of resistance to detergents and disinfectants or regularly subject to high mechanical loads and with functional interior architectural designs (e.g. banks).

Mounting properties and system accessories for the BRA wall trunking system (excerpt of product range):

Base and cover of the trunkings are 2m in length, the trunking base is two-rowed perforated and with a continuously molded DIN rail for the click-mounting of accessory boxes and separation plates to separate the systems. Molded parts for rounding corners, flat angles, T- and cross pieces, end pieces, wall brackets are available. Grounding grooves for equipotential bonding (grounding cables must be ordered separately). In combination with a wall connection blind a vertical installation (as an installation column) is possible. Colour: natural anodised and white (9010); other RAL colours on request.

Device installation / mounting options for the BRA wall trunking system:

Compatible with almost all commercially available switch ranges for flush-mounted installation using standard accessory boxes (single and double), for the use of KSE prewired socket units (double and triple) and KSE/M45 adapter frames (double and triple) in combination with M45 device modules.



BRA wall trunking system (cover plate 80mm width)

	Colour	Wiring ^A NYM J3x1,5 Ø 9,1mm	Wiring ^A CAT 7 (data) Ø 8,0mm	Wall trunking base	Wall trunking cover	Joint clip	Inside corner – adjustable (made from plastic)	Inside corner 90°	Outside corner – adjustable (made from plastic)
BRA 60x110/80 dimension: 62x110mm	natural anodised	9	10	11700 pack.: 8m	11735 pack.: 16m	3195 pack.: 20pc.	18301 pack.: 1pc.	18153 pack.: 1pc.	18300 pack.: 1pc.
BRA 60x110/80 dimension: 62x110mm	white (9010)	9	10	11701 pack.: 8m	11738 pack.: 16m	3195 pack.: 20pc.	18360 pack.: 1pc.	18154 pack.: 1pc.	18352 pack.: 1pc.
BRA 60x130/80 dimension: 62x130mm	natural anodised	13	15	11741 pack.: 8m	11735 pack.: 16m	3195 pack.: 20pc.	18309 pack.: 1pc.	18112 pack.: 1pc.	18308 pack.: 1pc.
BRA 60x130/80 dimension: 62x130mm	white (9010)	13	15	11703 pack.: 8m	11738 pack.: 16m	3195 pack.: 20pc.	18305 pack.: 1pc.	18170 pack.: 1pc.	18304 pack.: 1pc.
BRA 60x170/80 dimension: 62x170mm	natural anodised	21	24	12754 pack.: 8m	11735 pack.: 16m	3195 pack.: 20pc.	18365 pack.: 1pc.	12755 pack.: 1pc.	18357 pack.: 1pc.
BRA 60x170/80 dimension: 62x170mm	white (9010)	21	24	18145 pack.: 8m	11738 pack.: 16m	3195 pack.: 20pc.	18364 pack.: 1pc.	18175 pack.: 1pc.	18356 pack.: 1pc.
BRA 80x130/80 dimension: 80x130mm	natural anodised	24	28	18147 pack.: 8m	11735 pack.: 16m	2947 pack.: 20pc.		18117 pack.: 1pc.	
BRA 80x130/80 dimension: 80x130mm	white (9010)	24	28	18148 pack.: 8m	11738 pack.: 16m	2947 pack.: 20pc.		18118 pack.: 1pc.	
BRA 80x170/80 dimension: 80x170mm	natural anodised	35	40	18150 pack.: 4m	11735 pack.: 16m	2947 pack.: 20pc.		18120 pack.: 1pc.	
BRA 80x170/80 dimension: 80x170mm	white (9010)	35	40	18151 pack.: 4m	11738 pack.: 16m	2947 pack.: 20pc.		18121 pack.: 1pc.	

Micro-BRA wall trunking system (cover plate 45mm width)

MBRA 60x90/45 dimension: 60x90mm	natural anodised	11	13	5445 pack.: 6m	5451 pack.: 2m			6713 pack.: 1pc.	
MBRA 60x90/45 dimension: 60x90mm	white (9010)	11	13	5444 pack.: 6m	5452 pack.: 2m			6712 pack.: 1pc.	
MBRA 62x62/45 dimension: 62x62mm	natural anodised	7	8	18200 pack.: 6m	5451 pack.: 2m			18208 pack.: 1pc.	
MBRA 62x62/45 dimension: 62x62mm	white (9010)	7	8	18201 pack.: 6m	5452 pack.: 2m			18209 pack.: 1pc.	
MBRA 65x130/45 (2-tracks) dimension: 65x130mm	natural anodised	14	16	18205 pack.: 6m	5451 pack.: 2m		18220 pack.: 1pc.	18211 pack.: 1pc.	18223 pack.: 1pc.
MBRA 65x130/45 (2-tracks) dimension: 65x130mm	white (9010)	14	16	18206 pack.: 6m	5452 pack.: 2m		7954 pack.: 1pc.	18212 pack.: 1pc.	7955 pack.: 1pc.

MICRO WALL TRUNKING SYSTEM – made from aluminium

Purpose of the system and usage recommendation for the Micro-BRA wall trunking system:


Workstation installation with minimum space requirement in doctors' offices, hospitals and nursing homes requiring a high level of resistance to detergents and disinfectants or regularly subject to high mechanical loads and with functional interior architectural designs (e.g. banks).

Mounting properties and system accessories for the Micro-BRA wall trunking system (excerpt of product range):

Base and cover of the trunkings are 2m in length, the trunking base is perforated (does not apply for the MBRA 62x62) and with a continuously molded mounting rail for separation plates to separate the systems (does not apply for the MBRA 62x62). Molded parts for rounding corners, flat angles, T- and cross pieces, end pieces, wall brackets are available. In combination with a wall connection blind a vertical installation (as an installation column) is possible. Colour: natural anodised and white (9010); other RAL colours on request.

Device installation / mounting options for the Micro-BRA wall trunking system:

For the direct M45 device installation (without accessory box) out of the extensive range of M45 devices. M45 Schuko sockets (single, double, triple), inclined (33°) or vertically aligned, data outlets, roller shutter rocker switch and further accessories in the dimension 45x45mm are available.



											
18156 pack.: 1pc.	18087 pack.: 10pc.	18090 pack.: 10pc.	12762 pack.: 1pc.	12765 pack.: 1pc.	18159 pack.: 1pc.	18162 pack.: 1pc.	18167 pack.: 1pc.	1456 pack.: 50m	18702 pack.: 1pc.	18706 pack.: 1pc.	1641 pack.: 50pc.
18157 pack.: 1pc.	18088 pack.: 10pc.	18091 pack.: 10pc.	12733 pack.: 1pc.	12763 pack.: 10pc.	18160 pack.: 1pc.	18164 pack.: 1pc.	18168 pack.: 1pc.	1456 pack.: 50m	18700 pack.: 1pc.	18704 pack.: 1pc.	1641 pack.: 50pc.
18000 pack.: 1pc.	18100 pack.: 10pc.	18093 pack.: 10pc.	11734 pack.: 1pc.	18500 pack.: 1pc.	18101 pack.: 1pc.	18134 pack.: 1pc.	18123 pack.: 1pc.	1456 pack.: 50m	18710 pack.: 1pc.	18714 pack.: 1pc.	1641 pack.: 50pc.
18171 pack.: 1pc.	18184 pack.: 10pc.	18185 pack.: 10pc.	11722 pack.: 10pc.	18410 pack.: 10pc.	18102 pack.: 1pc.	18135 pack.: 1pc.	18124 pack.: 1pc.	1456 pack.: 50m	18708 pack.: 1pc.	18712 pack.: 1pc.	1641 pack.: 50pc.
12756 pack.: 1pc.	12757 pack.: 10pc.	18096 pack.: 10pc.	12766 pack.: 1pc.	12769 pack.: 1pc.	12758 pack.: 1pc.	12759 pack.: 1pc.	12760 pack.: 1pc.	1456 pack.: 50m	18718 pack.: 1pc.	18722 pack.: 1pc.	1641 pack.: 50pc.
18176 pack.: 1pc.	18186 pack.: 10pc.	18187 pack.: 10pc.	18042 pack.: 10pc.	18043 pack.: 10pc.	18104 pack.: 1pc.	18137 pack.: 1pc.	18126 pack.: 1pc.	1456 pack.: 50m	18716 pack.: 1pc.	18720 pack.: 1pc.	1641 pack.: 50pc.
18005 pack.: 1pc.	18017 pack.: 10pc.	18024 pack.: 10pc.			18106 pack.: 1pc.	18139 pack.: 1pc.	18128 pack.: 1pc.	1456 pack.: 50m			1641 pack.: 50pc.
18006 pack.: 1pc.	18018 pack.: 10pc.	18026 pack.: 10pc.			18107 pack.: 1pc.	18140 pack.: 1pc.	18129 pack.: 1pc.	1456 pack.: 50m			1641 pack.: 50pc.
18008 pack.: 1pc.	18021 pack.: 10pc.	18028 pack.: 10pc.			18109 pack.: 1pc.	18142 pack.: 1pc.	18131 pack.: 1pc.	1456 pack.: 50m			1641 pack.: 50pc.
18009 pack.: 1pc.	18022 pack.: 10pc.	18029 pack.: 10pc.			18110 pack.: 1pc.	18143 pack.: 1pc.	18132 pack.: 1pc.	1456 pack.: 50m			1641 pack.: 50pc.

6704 pack.: 1pc.	6707 pack.: 1pc.		18253 pack.: 1pc.	6710 pack.: 1pc.	6720 pack.: 1pc.	6716 pack.: 1pc.	1260 pack.: 100m		18728 pack.: 1pc.	1641 pack.: 50pc.
6703 pack.: 1pc.	6706 pack.: 1pc.		18251 pack.: 1pc.	6709 pack.: 1pc.	6719 pack.: 1pc.	6715 pack.: 1pc.	1260 pack.: 100m		18727 pack.: 1pc.	1641 pack.: 50pc.
18214 pack.: 1pc.	18256 pack.: 1pc.		18237 pack.: 1pc.				1260 pack.: 100m		18725 pack.: 1pc.	1641 pack.: 50pc.
18215 pack.: 1pc.			18238 pack.: 1pc.				1260 pack.: 100m		18724 pack.: 1pc.	1641 pack.: 50pc.
18217 pack.: 1pc.	18245 pack.: 1pc.		18243 pack.: 1pc.	18226 pack.: 1pc.	18229 pack.: 1pc.	18232 pack.: 1pc.	1260 pack.: 100m	18737 pack.: 1pc.	18740 pack.: 1pc.	1641 pack.: 50pc.
18218 pack.: 1pc.	18246 pack.: 1pc.		7956 pack.: 10pc.	18227 pack.: 1pc.	18230 pack.: 1pc.	18233 pack.: 1pc.	1260 pack.: 100m	18736 pack.: 1pc.	18739 pack.: 1pc.	1641 pack.: 50pc.

ACCESSORIES (selected)

Separation plates

for BR, MBR, BRA, MBRA, BRS wall trunkings

	Description	Art. no
	Separation plate TRENN60 extra, PVC, for BR and BRA wall trunkings, for middle division, 60mm height	1456 pack.: 50m
	Separation plate TRENN60, PVC, for MBR and MBRA wall trunkings, for 60mm height	1260 pack.: 100m

	Description	Art. no
	Separation plate TRENNS, made from sheet steel for BRS wall trunkings, 60mm height, 80mm height, 100mm height	11714 11715 11713 pack.: 40m

Accessory boxes

for BR, BRA and BRS wall trunkings (with 80mm cover)

	Description	Art. no
	GDX/P accessory box, single hole, front-mounted, 47mm, for standard 80mm devices, for BR, BRA and BRS wall trunkings	3677 pack.: 40pc.
	GED 50 accessory box, single hole, floor-mounted, 50mm, for standard 80mm devices, for BR and BRA wall trunkings	1261 pack.: 40pc.
	Mounting holder 50, for data outlets, single hole, floor-mounted, for standard 80mm devices, for BR and BRA wall trunkings, ¹ with divider frame / ² without divider frame	3203¹ 3204² pack.: 1pc.

	Description	Art. no
	GDX/P2 accessory box, double hole, front-mounted, 47mm, for standard 80mm devices, for BR, BRA and BRS wall trunkings	3678 pack.: 20pc.
	GED 50/2 accessory box, double hole, floor-mounted, 50mm, for standard 80mm devices, for BR and BRA wall trunkings	1280 pack.: 20pc.

Prewired socket units



for BR, BRA and BRS wall trunkings (with 80mm cover)



	Description	Art. no
	KSE-P/Dialog-2 prewired socket unit, double Schuko, 80mm, colour: white, incl. label field, for BR, BRA and BRS wall trunkings, front-mounted	36782 pack.: 4pc.
	KSE 50/Dialog-2 prewired socket unit, double Schuko, 80mm, colour: white, incl. label field, for BR and BRA wall trunkings, floor-mounted	21280 pack.: 4pc.

	Description	Art. no
	KSE-P/Dialog-3 prewired socket unit, triple Schuko, 80mm, colour: white, incl. label field, for BR, BRA and BRS wall trunkings, front-mounted	36783 pack.: 4pc.
	KSE 50/Dialog-3 prewired socket unit, triple Schuko, 80mm, colour: white, incl. label field, for BR and BRA wall trunkings, floor-mounted	31280 pack.: 4pc.

M45 Adapter frames

for BR, BRA and BRS wall trunkings (with 80mm cover), Device installation: see page 10

	Description	Art. no
	M45 adapter frame, double, empty, mountable with M45 devices (see page 10), colour: white, front-mounted, for BR, BRA and BRS wall trunkings, incl. label field; for horizontal installation	4658 pack.: 1pc.
	M45 adapter frame, double, empty, mountable with M45 devices (see page 10), colour: white, front-mounted, for BR, BRA and BRS wall trunkings, incl. label field; for vertical installation	4664 pack.: 1 pc.

	Description	Art. no
	M45 adapter frame, triple, empty, mountable with M45 devices (see page 10), colour: white, front-mounted, for BR, BRA and BRS wall trunkings, incl. label field; for horizontal installation	4661 pack.: 1pc.
	M45 adapter frame, triple, empty, mountable with M45 devices (see page 10), colour: white, front-mounted, for BR, BRA and BRS wall trunkings, incl. label field; for vertical installation	4667 pack.: 1pc.