




XAVIER

STAGE EQUIPMENT SOLUTIONS

Gimax rubber cable protectors



Product features

- Totally made in NATURAL RUBBER (NR/SBR) with 3 cable ducts
- Base in black color, Halogen Free. GLOW WIRE TEST 960°C.
- Cover in bright yellow color fixed through hinges, opening 90°
- High mechanical resistance to abrasion
- Modules provided of dovetail joints to guarantee a stable and aligned connection


Datasheet

- Material in use.....: NATURAL RUBBER (NR/SBR)
- Operating voltage.....: 1000VAC - 1500VDC
- Insulation voltage.....: 3kV
- Protection degree.....: IP30XC
- Possible rolling load.....: 5 tons on a surface 20x20cm
- Glow wire test.....: 960°C
- Surface hardness.....: 80-90 (SHORE A)
- Reaction degree to fire.....: CATEGORY 1 according to (CSE RF 2/7/5/A; UNI 8457/87)
- Cover color.....: YELLOW
- Weight.....: 25 kg (Item CG1000) 13,5 kg (Item CG45C)



Series CG

Item	Description
CG1000	RUBBER CABLE PROTECTOR 3 DUCTS LINEAR 1MT
CG45C	RUBBER CABLE PROTECTOR 3 DUCTS CURVE 45°



Polyurethane cable protectors 5, 3 and 2 ducts

Robust lightweight cable protector for vehicles transit



- Modules provided of dovetail joints to guarantee a stable and aligned connection
- Cover in yellow color with hinge closing
- Resistant to oils, acids and gasoline
- Type of material TPU (Thermoplastic polyurethane), very good resistance and stability
- Flammable class by model: B2
- Working temperature: -40°C +70°C



Series CG / Model 5 ducts

Item	L x W x H	Ducts	Weight	Load
CG10005	870 x 542 x 54 mm	5 x (34 x 36) mm	11,5 Kg	5 tons on a surface 20x20cm



Item CG45C/05 - Curve for change of direction 45° with 5 ducts - Weight 3,55 Kg



Series CG / Model 3 ducts

Item	L x W x H	Ducts	Weight	Load
CG10003	1.000 x 290 x 48 mm	1 x 35x35h mm 2 x 35x30h mm	5 Kg	2 tons on a surface 20x20cm


Item CG10003/45SX - Curve for change of direction 45° with 3 ducts - Weight 2,53 Kg



Series CG / Model 2 ducts

Item	L x W x H	Ducts	Weight	Load
CG10002N/1/GX	1000 x 250 x 54 mm	2 x (30 x 30)mm	4,5 Kg	3 tons on a surface 20x20cm

Item CG10002N/1/45SX - Curve for change of direction 45° with 2 ducts - Weight 2,50 Kg





Via dell'Arabescato, snc
Zona Industriale Portone - 55045 Pietrasanta (LU) - Italy
Tel. +39 (0) 584 81742/3 - Fax +39 (0) 584 81744
www.gimaxsrl.it - info@gimaxsrl.it