


67 Insulating cable ladder in **U23X**



67 Insulating cable ladder

Insulating cable ladder 67

in **U23X**







For the support and distribution of large-calibre power and communication cables

- Manufactured in recyclable thermoplastic material; no earthing required.
- For indoor and outdoor installations.
- Good performance outdoors and with exposure to UV rays.
- Good resistance to corrosion and chemical environments.
- Sturdy system designed to support full load with distances between supports of 2 and 3 m.


Raw material



Characteristics

Electrical	Mechanical	Corrosion	Service temperature	Outdoor	Flame propagation
					
IEC 61537	IEC 61537	ISO/TR 10358 DIN 8061	IEC 61537		
Insulating No earthing required	20J at -20°C			Good performance with exposure to UV rays	Glow-wire test at 960°C Non flame propagating


* The values indicated according to IEC 61537 have been tested under the equivalent standard EN 61537. BS EN 61537 is the UK implementation of EN 61537 and IEC 61537.




67 Insulating cable ladder

Insulating cable ladder and accessories

The solution for industrial installations





67 Insulating cable ladder

Example of installations with Unex cable ladder

Installations in chemically aggressive areas





67 Insulating cable ladder

2 systems that can combine:

- Insulating cable tray 66 for low voltage, instrumentation and control cables.
- Insulating cable ladder 67 for medium voltage cables.


















Installations in clean rooms.
Easy wiring.



67 Insulating cable ladder

Insulating cable ladder 67 in **U23X**






	External sizes of the cable ladder (mm)	85x200	85x300
	Useful cross section (mm)	60x100	60x200
Insulating cable ladder 67	Grey colour RAL 7035		
	Insulating cable ladder	67200-04	67300-04
	Cover	66202	66302
Junction parts			
	Junction	67825-04	
Cable conduction parts			
	Horizontal junction 90°	67840-04	
	Horizontal junction 45°	67841-04	
	Vertical hinge	67813-04	
	Support fixing	67812-44	
	Adjustable vertical corner	67212-04	67312-04






85x400	85x500	85x600	130x500	130x600
60x300	60x400	60x500	100x430	100x530
				
67400-04	67500-04	67600-04	67520-04	67620-04
66402	66502	66602	66502	66602

67825-04	67835-04
----------	----------

67840-04	67850-04			
67841-04	67851-04			
67813-04	67833-04			
67812-44				
67412-04	67512-04	67612-04	67532-04	67632-04












67 Insulating cable ladder






	External sizes of the cable ladder (mm)	85x200	85x300
	Useful cross section (mm)	60x100	60x200
Insulating cable ladder 67	Grey colour RAL 7035		
	Insulating cable ladder	67200-04	67300-04
Cable conduction parts			
	Corner 90° R300	67206-04	67306-04
	Corner 90° R600	67207-04	67307-04
	Corner cover 45° R300	67214-04	67314-04
	Corner cover 45° R600	67215-04	67315-04
	Corner 45° R300	67216-04	67316-04
	Corner 45° R600	67217-04	67317-04
	Semi T R300	67218-04	67318-04
	Semi T R600	67219-04	67319-04

85x400	85x500	85x600	130x500	130x600
60x300	60x400	60x500	100x430	100x530
				
67400-04	67500-04	67600-04	67520-04	67620-04

67406-04	67506-04	67606-04	67526-04	67626-04
67407-04	67507-04	67607-04	67527-04	67627-04
67414-04	67514-04	67614-04	67514-04	67614-04
67415-04	67515-04	67615-04	67515-04	67615-04
67416-04	67516-04	67616-04	67536-04	67636-04
67417-04	67517-04	67617-04	67537-04	67637-04
67418-04	67518-04	67618-04	67538-04	67638-04
67419-04	67519-04	67619-04	67539-04	67639-04

67 Insulating cable ladder

	External sizes of the cable ladder (mm)	85x200	85x300
	Useful cross section (mm)	60x100	60x200
Insulating cable ladder 67	Grey colour RAL 7035		
	Insulating cable ladder	67200-04	67300-04
Cable conduction parts			
	Crossover R300	67208-04	67308-04
	Crossover R600	67209-04	67309-04
	Cover fixing	67845-44	
	Cable cleat Ø28 till 34 mm	67741-44	
	Cable cleat Ø34 till 40 mm	67751-44	
	Cable cleat Ø40 till 46 mm	67761-44	
	Cable cleat Ø46 till 52 mm	67771-44	
	Cable cleat Ø58 till 64 mm	67791-44	

85x400	85x500	85x600	130x500	130x600
60x300	60x400	60x500	100x430	100x530
				
67400-04	67500-04	67600-04	67520-04	67620-04

67408-04	67508-04	67608-04	67528-04	67628-04
67409-04	67509-04	67609-04	67529-04	67629-04
67845-44				
67741-44				
67751-44				
67761-44				
67771-44				
67791-44				



www.unex.net

Germany

**Unex Kabelsysteme
und -elemente GmbH**
Am Wallgraben 100
D-70565 Stuttgart
Phone: +49 711 78 19 35 30
Fax: +49 711 78 19 35 59
e-mail: vertrieb@unex.net
Branch office: Ratingen

France

**Unex systèmes et éléments,
S.A.S.**
Parc Technologique
3 place Berthe Morisot
69791 Saint Priest Cedex
Phone: +33 4 78 43 69 55
Fax: +33 4 78 43 71 99
e-mail: unex@unex.fr
Branch offices: Aix en Provence,
Lyon, Nantes, Paris, Strasbourg

Italy

Unex sistemi ed elementi, srl.
Viale Enrico Forlanini 23
20134 Milano
Phone: +39 02 8732 3153
e-mail: commerciale@unex.net
Branch office: Florence

Spain

Unex aparellaje eléctrico, S.L.
Rafael Campalans, 15-21
08903 L'Hospitalet de Llobregat
Phone: +34 93 333 87 00
Fax: +34 93 333 56 58
e-mail: international@unex.net
Branch offices: A Coruña, Barcelona,
Bilbao, Gijón, Las Palmas, Madrid,
Mallorca, Murcia, Sevilla, Tenerife,
Valencia, Valladolid, Zaragoza


R.M. de Barcelona, T.32709, F.81,
H. B214578 VAT. ES B62204011

Portugal

**Retrica
Aparelhagem Eléctrica, Lda.**
Rua Soeiro Pereira Gomes,
Lote 1, 4º C 1600-196 Lisbon
Phone: +351 21 781 64 20
Fax: +351 21 781 64 29
e-mail: unex@unex.pt
Branch office: Porto

Chile

**Unex aparellaje eléctrico Chile
Ltda.**
Centro Empresas "El Cortijo"
Av. Américo Vespucio Norte 2680,
Of. 27
C.P. 8551378 - Conchalí
Santiago - Región Metropolitana
Phone: +56 2 2623 49 81
Fax: +56 2 2624 15 73
e-mail: unex@unex.cl



Unex aparellaje eléctrico, S.L., as a policy, patents its products.
Own design and production. **Unex aparellaje eléctrico, S.L.** does not manufacture for other trademarks.
Unex is a registered trademark of **Unex aparellaje eléctrico, S.L.**
© Unex aparellaje eléctrico, S.L., 2017

Unex aparellaje eléctrico, S.L. reserves the right to modify any of the characteristics of the products that it manufactures. It is the responsibility of the person in charge of product selection for a specific application to look for the right product, according to the standards applicable in every country. **Unex aparellaje eléctrico, S.L.** disclaims all responsibility due to incorrect use of the product or to unforeseen circumstances.